

HERITAGE
HOUSE

BEST DOCUMENT AVAILABLE

HERITAGE
HOUSE

HERITAGE
HOUSE

COVERS
5,000 SQ. FT.

NET WEIGHT
20 LBS.

111-03

HERITAGE
HOUSE

TO OPEN - CUT END LOOP
AND PULL OUT OFF THE AD

HERITAG
HOUSE

BEST DOCUMENT AVAILABLE

SYSTEMIC CHICKWEED &
DANDELION WEED KILLER

SYSTEMIC CHICKWEED & DANDELION WEED KILLER

With MCPP and 2, 4-D

WEED CONTROL DOES 2 BIG JOBS AT THE SAME TIME

- (1) Kills most Broadleaved Type Lawn Weeds such as Dandelion, Buckhorn and Plantain.
- (2) Kills most Vining Type Lawn Weeds such as Chickweed, Ground Ivy and Clover

Caution: Keep Out of Reach of Children

Harmful to Humans and Domestic Animals. Avoid contact with skin, eyes or clothing. If not breathing well, Wash thoroughly after handling. Avoid contamination of food or furniture. Do not handle if you are ill or pregnant.

ENVIRONMENTAL HAZARDS: Keep out of streams, rivers or ponds. Do not apply when weather conditions favor drift from treated area. Do not contaminate water by cleaning of equipment or disposal of waste.

See other precautionary statements on back panel.

ACTIVE PESTICIDAL INGREDIENTS:

Dimethylamine salt of 2,4-D-chlorophenoxyacetic acid* 0.72%
Dimethylamine salt of MCPP 2-(2-methyl-4-chlorophenoxy) propionic acid** 0.68%

INERT INGREDIENTS: TOTAL 99.60%
100.00%

Process Patented under U.S. No. 3,252, 785

*Equivalent 2,4-Dichlorophenoxyacetic acid 0.60%
**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid 0.56%

EPA Est. No. 9198 OH-1 Net Weight 20 lbs. EPA Reg. No. 7764-48

HERITAGE HOUSE PRODUCTS CORP. Cleveland OH 44128

PRODUCT NUMBER 111-03

HERITAGE
HOUSE

SYSTEMIC
CHICKWEED & DANDELION
WEED KILLER

111-03

Covers
5,000
Sq. Ft.

111-03

BEST DOCUMENT AVAILABLE

SYSTEMIC CHICKWEED & DANDELION

WITH MCPP and 2, 4-D
Covers 5,000 Sq. Ft.

HERITAGE HOUSE SYSTEMIC CHICKWEED & DANDELION WEED KILLER kills most broadleaved and vining weeds such as Dandelion, Buckhorn, Plantain, Thistles, Chickweed, Clover, Ground Ivy and others.

DIRECTIONS FOR USE

*It is a violation of Federal Law to use this product in a manner not approved by the label.

CAUTION: Use only when there is no bare soil. May injure or kill desirable plants if applied to soil. Do not apply to lawns, gardens, or other areas where children or pets may play. Do not apply to areas where food is grown or stored. Do not use on crops that will be used for food purposes. Do not use on crops that will be used for seed purposes. Do not use on crops that will be used for seed purposes. Do not use on crops that will be used for seed purposes.

STORAGE AND DISPOSAL: Do not store near food, feed, or other products. Store in a dry place. Do not use if container is damaged. Do not use if container is damaged.

WHEN TO APPLY: Use any time weeds are actively growing and before they reach the seed stage. Do not use if it rains for 24 hours after application.

HOW TO APPLY: For optimum results apply when weeds are in the early to mid stage of growth. Use a spreader or hand spray. Apply at a rate of 1.0 to 1.5 lbs. per 1,000 Sq. Ft. Do not apply to lawns, gardens, or other areas where children or pets may play. Do not apply to areas where food is grown or stored. Do not use on crops that will be used for food purposes. Do not use on crops that will be used for seed purposes. Do not use on crops that will be used for seed purposes.

SPREADER	NORMAL RATE	SPRINKLER APPLY *Cover 5000 Sq. Ft.
Hand	10-15%	8.0
Cyclone	4% 4%	3.4
Greenfield	10-15%	8.0
Orbit 4000	8-10%	8.0
Orbit 6000	8-10%	11.1
Scout Drop	7-8%	6.6
Scout Broadcast	3-4%	1.1
Scout	11-12%	10.0

SPREADER SETTINGS CAUTION: Note - Spreader settings are given as a guide only. Age and condition of spreader will affect application. Do not apply to lawns, gardens, or other areas where children or pets may play. Do not apply to areas where food is grown or stored. Do not use on crops that will be used for food purposes. Do not use on crops that will be used for seed purposes. Do not use on crops that will be used for seed purposes.

HERITAGE
HOUSE

SYSTEMIC
CHICKWEED & DANDELION
WEED KILLER

55

SYSTEMIC CHICKWEED & DANDELION WEED KILLER

COVERS 5,000 Sq. Ft.

11-03

BEST DOCUMENT AVAILABLE

HERITAGE HOUSE

HERITAGE HOUSE

COVERS 5,000 SQ. FT.
NET WEIGHT 20 LBS.

111-03

HERITAGE HOUSE

TO OPEN - CUT END LOOP AND PULL OUT RED TIE AS

HERITAGE HOUSE

W

SYSTEMIC CHICKWEED & DANDELION WEED KILLER

With MCPP and 2, 4-D

WEED CONTROL DOES 2 BIG JOBS AT THE SAME TIME

- (1) KILLS most Broadleaved Type Lawn Weeds such as Dandelion, Buckhorn and Plantain.
- (2) KILLS most Vining Type Lawn Weeds such as Chickweed, Ground Ivy and Clover

Caution: Keep Out of Reach of Children

Harmless to Humans and Domestic Animals. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly after handling. Avoid contamination of food or furniture. Do not feed spread material to livestock.

ENVIRONMENTAL HAZARDS: Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of waste.

See other precautionary statements on back panel.

ACTIVE PESTICIDAL INGREDIENTS:

Dimethylamine salts of 2,4-D-chlorophenylacetic acid* 0.72%
Dimethylamine salt of MCPP 2-(2-methyl-4-chlorophenoxy) propionic acid** 0.68%
INERT INGREDIENTS: 98.60%
TOTAL 100.00%

Process Patented under U.S. No. 3,252, 788

*Equivalent 2,4-Dichlorophenoxyacetic acid 0.60%

**Equivalent to 2-(2-methyl-4-chlorophenoxy) propionic acid 0.56%

EPA Est. No. 9198 OH-1 Net Weight 20 lbs. EPA Reg. No. 7784-48

HERITAGE HOUSE PRODUCTS CORP. Cleveland OH 44128

PRODUCT NUMBER 111-03

HERITAGE HOUSE

SYSTEMIC CHICKWEED & DANDELION WEED KILLER

SYSTEMIC CHICKWEED & DANDELION WEED KILLER

COVERS 5,000 Sq. Ft.

111-03

BEST DOCUMENT AVAILABLE

SYSTEMIC CHICKWEED & DANDELION

WITH MCPP and 2,4-D

Covers 5,000 Sq. Ft.

HERITAGE HOUSE SYSTEMIC CHICKWEED & DANDELION WEED KILLER kills most broadleaved and vining type weeds such as Buckhorn, Dandelion, Curly Dock, Plantain, Thistles, Chickweed, Clover, Ground Ivy, and Purslane.

DIRECTIONS FOR USE

*It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CAUTION: Use only when there is no threat of drift. Keep spray away from St. Augustine, Dichondra, carpet grass and grass seedlings in newly seeded ground. Drift of dust or vapor may cause injury to nearby susceptible plants, such as vegetables, flowers, grapes, fruit trees and ornamentals. Avoid contact with flower buds or shrubs. If accidentally deposited on flower buds, shrubs, or trees, wash off immediately. Do not use on crops that will be used for human consumption. Do not graze animals on treated areas. Do not use on water used for irrigation or domestic purposes. If sprayed on a lawn, do not mow for 24 hours. Do not walk on treated areas for 24 hours. Do not allow children or pets to play on treated areas.

STORAGE AND DISPOSAL: Do not store near food, feedstuffs, or other materials. Store in a dry place. Do not use if container is damaged or leaking. Do not pour contents into drain or on ground. Clean equipment immediately after use. Dispose of empty container in accordance with local, state, or federal regulations.

WHEN TO APPLY: Use only when weeds are actively growing and weather conditions are favorable. Do not apply if temperature is below 50 degrees Fahrenheit or if rain is expected within 24 hours.

HOW TO APPLY: For optimum results, apply when moisture is on grass. Apply over drive lawn area. Use a spreader set for an application rate of 10-15 lbs. per 1,000 Sq. Ft. Shut off spreader as you stop or turn around. Spread evenly, avoiding or heavy traffic within 24 hours. Reduce application rate in areas of heavy traffic. Do not apply to wet grass. Do not apply to areas where there is a possibility of drift. Do not apply to areas where there is a possibility of drift. Do not apply to areas where there is a possibility of drift.

SPREADER SETTINGS CAUTION: Note - Spreader settings are only approximate. Age and condition of spreader will affect application. Users should carefully observe rate of application at beginning of spread and make adjustments if necessary. Our products have been tested on new spreaders only.

SPREADER	NORMAL RATE	SPRINKLER APPLICATION RATE
Hand	10-15%	0.5
Carton	4-6%	0.4
Ground	10-15%	0.5
Grass 4000	8-10	0.8
Grass 4000	8-10	0.8
Grass 4000	8-10	0.8
Grass 4000	8-10	0.8
Grass 4000	8-10	0.8
Grass 4000	8-10	0.8
Grass 4000	8-10	0.8

SPREADER SETTINGS CAUTION: Note - Spreader settings are only approximate. Age and condition of spreader will affect application. Users should carefully observe rate of application at beginning of spread and make adjustments if necessary. Our products have been tested on new spreaders only.

ACCEPTED

17 MAR 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide EPA Reg. No. 7784-48 registered under

111-03

HERITAGE HOUSE

SYSTEMIC CHICKWEED & DANDELION WEED KILLER

55

56

SYSTEMIC CHICKWEED & DANDELION WEED KILLER