

SLIMEX 11 SLIMICIDE

7774-3

ACTIVE INGREDIENTS:

Tetrahydro-3,5 dimethyl-2H-1,3,5-	
thiadiazine-2-thione	19.0%
2-Mercaptobenzothiazole	2.5%
INERT INGREDIENTS	78.5%

Total-----100.0%

DIRECTIONS FOR USE

Houghton Slimex 11 is used industrially for controlling the growth of bacteria and fungi. Specifically, it controls the growth of slime forming organisms in paper mills. It is recommended for slime control in white water and for the preservation of pulp stock. The dosage rate varies between 0.4 and 2.0 pounds per ton of pulp or paper produced depending on mill conditions. Slimex 11 may be added anywhere in the system prior to the sheet forming area, or in the recirculating white water system. Detailed information on application procedures will be furnished on request.

W A R N I N G

Harmful if swallowed. May cause skin irritation and eye injury. Do not get in eyes, on skin, or clothing. Wear rubber gloves and goggles when handling material. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes; for eyes, get medical attention. Keep container closed when not in use. Avoid inhalation. In case of swallowing Slimex 11, obtain immediate medical attention.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not allow washings from empty drums and application equipment to be discharged into streams. Apply this product only as specified on this label.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

For industrial use only.

E. F. HOUGHTON & COMPANY

Philadelphia, Pa.
 Detroit, Mich.
 Chicago, Ill.

Carrollton, Ga.
 Manchester, Conn.
 South San Francisco, Calif.

U.S.A.

Net Wt. _____ lbs.