

PRECAUTIONARY STATEMENTS

SLIMEX® 16
Slimeicide

DIRECTIONS FOR USE

HAZARD TO HUMANS AND ANIMALS

IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye and skin irritation. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin, or clothing. Protective clothing including long pants, long-sleeved shirt, gloves, hat, boots and goggles or face shield should be worn during handling.

Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with local, state or federal permits. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of container or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

KEEP CONTAINER CLOSED.

Active Ingredient	
(Nabam) Disodium ethylene bisdithiocarbamate	22%
Inert Ingredients	78%
Total	100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact with skin, flush with plenty of water for at least 15 minutes.

In case of contact with eyes, flush promptly and thoroughly with plenty of clear water for at least 15 minutes. Immediately contact physician.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if those are not available, drink large quantities of water. Immediately contact physician.

In case of inhalation, immediately remove affected person from contaminated area to fresh air. Immediately contact physician.

See side panel for additional precautionary statements.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Slimex 16 is used industrially for controlling the growth of bacteria and fungi. Specifically, it controls the growth of slime-forming organisms in paper mills. It is recommended for slime control in white water and the preservation of mill stock.

The dosage rate varies between 0.4 and 2.0 pounds per ton of pulp or paper produced depending on mill conditions. Detailed information on application procedures will be furnished on request.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.


Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult federal, state or local authorities for approved alternative procedures.

E. F. HOUGHTON & CO.
Valley Forge, PA 19482

Branches: Allentown (Fogelsville), PA/Carrollton, GA/
Chicago/Detroit/Longview, WA/North Haven, CT/Santa Ana, CA/
Sales Offices in principal cities.

EPA Reg. No. 7779-9
EPA Est. 7779-GA-1

Net Weight on Container



ACCEPTED
JAN 13 1983
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under 7779-9
EPA Reg. No.