

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND ANIMALS

WARNING

Causes eye and skin irritation. Do not get into eyes, on skin, or clothing. Protective clothing including long pants, long-sleeved shirt, gloves, hats, boots and goggles or face shield should be worn during handling. Use with adequate ventilation. Avoid breathing vapor or dust.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

KEEP CONTAINER CLOSED

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material, when such use and/or handling is contrary to label instructions.

SLIP
S

Active Ingredient

Nabam (Disodium ethylphosphorothioate)

Inert Ingredients

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL USE

In case of contact, immediately flush eye with water and call a physician. Remove and wash contaminated clothing.

If swallowed, drink promptly a large quantity of water. If inhaled, remove affected person from contaminated area and call a physician for additional precautionary statements.

2 of 2

® 16
DE

ate).....	22.5%
.....	77.5%
Total.....	100%

CHILDREN

G

of water for at least 15 minutes. For eyes, before reuse.

ites, gelatin solution, or if these are not diately. In case of inhalation, immediately . Call a physician immediately. See side

>

1.

2.

DIRECTIONS FOR USE
TREATMENT

Slimex 16 is used industrially for controlling the growth of bacteria and fungi. Specifically, it controls the growth of slime-forming organisms in pulp and paper mills. It is recommended for slime control in white water systems and for the preservation of pulp stock.

The dosage rate varies between 0.4 and 2.0 pounds per ton of pulp or paper produced depending on mill conditions. Specific use-directions may be obtained by referring to the Technical Bulletin for Slimex 16.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE

Do not store near open flame or excessive heat. Protect from freezing. Store in areas with adequate ventilation. Damaged or leaking containers should be handled immediately.

PESTICIDE DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

ACCEPTED

MAR 13 1986

Under Fungicide Control as amended for the pesticide registered under EPA Reg. No. 7779-9