

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 1118-10 SUBJECT
TO ATTACHED COMMENTS.

ACTIVE INGREDIENT

Methylenebisthiocyanate 10.0%

INERT INGREDIENTS 90.0%

Total 100.0%

DIRECTIONS FOR USE

Houghton Slimex 33 is used industrially for controlling the growth of bacteria and fungi. Specifically, it controls the growth of slime forming organisms in paper mills. It is recommended for slime control in paper mill white water systems. The dosage rate varies between 0.1 and 0.6 pounds per ton of paper produced, depending upon mill conditions. The exact dosage will depend upon mill conditions and the extent of biological contamination. Detailed information on specific application procedures will be furnished on request.

DANGER! KEEP OUT OF REACH OF CHILDREN

May be harmful or fatal if swallowed or absorbed through the skin. Causes eye burns and skin irritation. Wear goggles or face shield and rubber gloves when handling. Keep away from heat and open flames. Keep container closed when not in use. Use with adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling.


FIRST AID:

In case of accidental contact of skin or eyes, wash immediately with copious amounts of water for at least 15 minutes and call physician immediately.

Antidote: If swallowed, induce vomiting. Administer milk, beaten egg whites, or flour and water and call a physician immediately.

CAUTION:

Treated waters may be harmful to fish and other wildlife.



SLIMEX 33 (Cont'd)

E.F. HOUGHTON & COMPANY

Philadelphia Detroit Chicago Carrollton South San Francisco

U.S.A.

Net wt. lbs.