

# MEX 34 nicide

## SLIMEX<sup>®</sup> 34 SLIMICIDE

ACTIVE INGREDIENT  
INERT INGREDIENT

### DIRECTIONS FOR USE

Apply to the water in the container to be treated. The product will kill the larvae and pupae of the housefly, stable fly, and other common pests. The disease rate varies with the age of the pupae and the conditions. For pupal present in the container, apply 1/2 ounce per gallon. Slimex 34 is primarily dispersed directly from the container to the water. It can be fed continuously or intermittently, or as a manual application. In addition are the machine chest, can, spray, and other paper, or similar. Technical assistance concerning specific problems will be furnished on request.



POISON

**Antidote:** If swallowed, induce vomiting. Administer milk, beaten egg whites, or flour and water and call a physician immediately.

**DANGER:** May be fatal if swallowed or absorbed through the skin. May produce severe eye damage on contact. In case of contact with skin or eyes, wash immediately with large amounts of water and rub this clean immediately.

Wear goggles or face shield and rubber gloves when handling. Keep away from heat and open flames. Keep container closed when not in use. Use with adequate ventilation. Wash thoroughly after handling. Do not reuse container. Destroy when empty.

This product is toxic to fish and all life. Treated effluent should not be discharged where it will enter lakes, streams, ponds, or public water. Do not allow washings from empty drums and application equipment to be discharged into streams. Apply this product only as specified on this label.

## DANGER

### Keep out of reach of children

**E. F. HOUGHTON & COMPANY**

PHILADELPHIA

DETROIT

CHICAGO

CARROLLTON

SOUTH SAN FRANCISCO

U. S. A.

Net Wt.

lbs.

EPA Reg. No. 7773-17