

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND ANIMALS

WARNING

HAZARDOUS IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye and skin irritation. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin, or clothing. Protective clothing including long pants, long-sleeve shirt, gloves, hat, boots and goggles or face shield should be worn during handling.

Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with NPDES permit. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

KEEP CONTAINER CLOSED.

E. F. HOUGHTON & CO.
Valley Forge, PA 19462

Other Plants: Allentown (Fogelsville), PA/Carrollton, GA/
Chicago/Detroit/Longview, WA/North Haven, CT/ Santa Ana, CA/
Sales Offices in principal cities.

SLIMEX® 4416
Slimicide

Active Ingredient	
(Nabam) Disodium ethylene bisdithiocarbamate	22%
Inert Ingredients	78%
Total	100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact with skin, flush with plenty of water for at least 15 minutes.

In case of contact with eyes, flush promptly and thoroughly with plenty of clear water for at least 15 minutes. Immediately contact physician.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Immediately contact physician.

In case of inhalation, immediately remove affected person from contaminated area to fresh air. Immediately contact physician.

See side panel for additional precautionary statements.

EPA Reg. No. 7779-18

Net Weight on Container

DIRECTIONS FOR USE

It is a violation of federal law to use this product in inconsistent with its labeling.

SlimeX 4416 is used industrially for controlling the growth of bacteria and fungi. Specifically, it is used to eliminate objectionable odors in water dispersible metalworking fluids.

The recommended dosage level is in the range, 200-500 pp (2.5-6.25 oz. per 100 gallons) depending on the severity of the problem.



For individual machines, add SlimeX 4416 directly to the reservoir. For central systems, add material to the discharge side reservoir. This treatment should be repeated on a weekly basis.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty containers.

Pesticide or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before sending to drum conditioner or destroying by perforation or crushing and burying in a safe place. Consult federal, state or local authorities for approved alternative procedures.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND ANIMALS

WARNING

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes eye and skin irritation. Avoid breathing vapor or mist. Use with adequate ventilation. Do not get into eyes, on skin, or clothing. Protective clothing including long pants, long-sleeve shirt, gloves, hat, boots and goggles or face shield should be worn during handling.

Immediately remove and wash contaminated clothing before reuse. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public water unless in accordance with NPDES permit. For guidance, contact your Regional Office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this pesticide only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour or store near heat or open flame.

KEEP CONTAINER CLOSED.

E. F. HOUGHTON & CO.
Valley Forge, PA 19402

Other Plants: Allentown (Fogelsville), PA/Carrollton, GA/
Chicago/Detroit/Longview, WA/North Haven, CT/ Santa Ana, CA/
Sales Offices in principal cities.

SLIMEX® 5101
Slimecide

Active Ingredient	
(Nabam) Disodium ethylene bisdithiocarbamate	22%
Inert Ingredients	78%
Total	100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

In case of contact with skin, flush with plenty of water for at least 15 minutes.

In case of contact with eyes, flush promptly and thoroughly with plenty of clear water for at least 15 minutes. Immediately contact physician.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Immediately contact physician.

In case of inhalation, immediately remove affected person from contaminated area to fresh air. Immediately contact physician.

See side panel for additional precautionary statements.

EPA Reg. No. 7779-19

Net Weight on Container

DIRECTIONS FOR USE

It is a violation of federal law to use this product in inconsistent with its labeling.

Slimecide 5101 is used in industrial recirculating cooling to reduce the number of living algae, bacteria and fungi.

Initial Dose

In a clean system with no algae or microbial slime visible, add 50 gallons of Slimecide 5101 per 1,000,000 gallons of recirculating cooling water.

When a system is noticeably fouled, apply 100 gallons Slimecide 5101 per 1,000,000 gallons of water in the system at a point where it will be uniformly mixed. Repeat control is achieved.

Subsequent Treatment

When control of microbial growth is evident, apply 50 gallons of Slimecide 5101 per 1,000,000 gallons of water in the system once a week. Repeat as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty containers.

Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse the container or equivalent method before reuse to drum conditioner or destroying by perforation or crushing in a safe place. Consult federal, state or local authorities for approved alternative procedures.

