7791-			30-2			70.004	1/5	
United States  Environmental Protection  Washington, DC 2046			on Agency		Registration Amendment Other		OPP Identifier Number	
Application for Pesticide - Section I								
1. Company/Product Number 7792-5			2. EPA Product Manager Linda Arrington			3.19	None Restricted	
4. Company/Product (Name) Roebic Root EndZ			PM# Notification Team					
5. Name and Address of Applicant (Include ZIP Cade) Roebic Laboratories, Inc. 25 Connair Road Orange, CT 06477 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 2(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.  Preduct Name					
			Section -					
back label panel. This notific	For section I ar TE: Not for sal provisions of Pf	Final printed labels in repsonse to Agency letter dated "Me Too" Application.  SEP 3 0 2003  Other - Explain below.  I and Section II.)  r sale "or use" in the State of Connecticut or in the California counties of" on the of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have this product. I understand that it is a violation of 18 U.S.C. Sec 1001 to willfully make any						
false statement to EPA. I fund in violation of FIFRA and I ma	ther understand that if this n	notification is not nt action and per	t consistent wit	h the terms of PR Nections 12 and 14 o	lotice 98-10 and			
1. Material This Product Will	Be Packaged In:							
Child-Resistant Packaging Yes No Certification must be submitted		lo. per	Yes No	No. per container		Metal Plastic Glass Paper	Specify)	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions  Label Container  6. Manner in Which Label is Affixed to Product Lithograph Other								
O. Marino III Vinder Cador II		Lithograph Paper glued Stenciled	đ					
		S	ection - I	V				
1. Contact Point (Complete	iterns directly below for id	ientification of	individual to b	e contacted, if ned	cessary, to proc	ess this	application.)	
Name Marla K. Jackson		F	Title Telepho Agent for Roebic Laboratories, Inc. 7elepho 972-939			•	e No. (Include Area Code) 8390.	
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.  I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  6. Date Application Received  (Stamped)								
2. Signeture Mala Ke	Q	3, Ti Age		aboratories, Inc.			e a sector	
4. Typed Name Marla K. Jackson		5. Da	5. Date 09/10/2003				The state of the s	

SEP 3 0 2003

## **ROEBIC®**

# **ROOT ENDZ**<sup>TM</sup>

<b>SEWER</b>	PIPE	ILLUST	RATION
WITH R	COT	INTRUSI	IONI

#### **ACTIVE INGREDIENT:**

Copper sulfate pentahydrate\* ...... 19.8%

TOTAL: ...... 100.0%

\*Metallic copper equivalent, 4.95%

#### KILLS AND CONTROLS ROOTS

## Keep Out of Reach of Children **DANGER**

FIRST AID  Have the product container or label with you when calling a poison control center or doctor, or going for treatment.				
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
If on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
If swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>			
	SICIAN: Probable mucosal damage may contraindicate the use of gastric y also contact 1-800-222-1222 for emergency medical treatment information.			

See back panel for additional precautionary statements

Net Contents \_\_\_\_ (\_\_\_ L)



#### **ROEBIC**<sup>®</sup>

## LABORATORIES ROOT ENDZ™

Is a convenient way to kill roots in all plumbing systems.

Ideal for "low flow" toilets.

Do not apply through sink or tub drains

#### **Directions For Use:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- 1. Use at night before retiring, or at times of low water flow.
- 2. For sewer and septic systems, Use Roebic Root EndZ twice yearly at the rate of one quart to each 75 to 100 feet of sewer or septic lines. Apply in a toilet nearest sewer or septic lines. For toilets, flush after each quart of application. If sewer or septic line is completely blocked, use mechanical or chemical methods to obtain some flow. Follow with repeat treatments until free flow is restored. Resume with semi-annual preventive treatments. You may also treat a septic tank drainfield through the distribution box. Do Not apply through sinks or tub drains.
- 3. For roots in separate bathroom or laundry wastewater systems, pour into a bathroom toilet, floor drain or laundry standpipe drain and follow with 2-3 gallons of water to move the product to the area of root intrusion.

NOTE: Not for sale <u>or use</u> in the State of Connecticut or in the California counties of Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano and Sonoma. (Optional)

### Storage & Disposal

Storage: Store only in tightly closed original container in a secure area inaccessible to children. Avoid storage near food and feed. Always store container in an upright position. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drains except as directed above.

#### **Precautionary Statements**

#### Hazards to Humans & Domestic Animals

Danger: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, or on clothing or skin. Wear protective eyewear (safety glasses), protective clothing and chemical resistant gloves. Wash thoroughly with soap and water before eating, drinking or use of tobacco. May be harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse.

#### **Environmental Hazards**

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water except as specified on the labeling

415

### [BACK PANEL CONT'D]

EPA Reg. No. 7792-5

EPA Est. No. 48520-1

Roebic Laboratories, Inc. 25 Connair Rd.; Orange, Connecticut 06477

[BAR CODE LOCATION]

Revised 9/10/2003 S:\Main\Roebic\Labels\Roebic Root EndZ Label

3/5

## Brazos Associates, Inc.®

1806 Auburn Drive ● Carrollton, Texas 75007-1451 Phone: 972-939-8390 ● Facsimile: 972-939-8370

By Courier Delivery

September 10, 2003

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Attn: Linda G. Arrington

Notification Team

RE: Roebic Root EndZ

EPA Reg. No. 7792-5

Dear Ms. Arrington:

On behalf of our client Roebic Laboratories, Inc., please find enclosed a notification to add "or use" to the optional statement "NOTE: Not for sale or use in the State of Connecticut or in the California counties of Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano and Sonoma" to the above referenced registration file. This notification is being filed in accordance with PR-Notice 98-10. One (1) copy of the product labeling with the changes underscored is enclosed.

If you have any questions or need further information please do not hesitate to contact us.

Sincerely,

Marla K. Jackson /

Agent for Roebic Laboratories, Inc.

Mala K./Je

enclosure as noted

cc: Dave Lawler - Roebic Laboratories, Inc.