

BARN STROBANE METHYL PARATHION

EMULSIFIABLE CONCENTRATE

Contains 6 Lbs. Strobane and
3 Lbs. Methyl Parathion Per Gallon

FOR CONTROL OF APHIDS, ARMYWORMS, BOLL WEEVIL,
BOLLWORMS, CLIMBING CUTWORMS, COTTON LEAF-
WORM, FLEAHOPPER, FLEA BEETLE, RED SPIDER MITES,
THRIPS, GRASSHOPPERS.


ACTIVE INGREDIENTS:

**O, O-dimethyl O-p-nitrophenyl phosphorothioate	27.0%
***Terpene Polychlorinates (65% Chlorine)	53.0%
Xylene	10.0%

INERT INGREDIENTS

TOTAL 100.0%

- * Registered TM Tenneco Chemicals, Inc.
- ** Methyl Parathion
- *** Strobane, consisting of polychlorinates of camphene,
pinene, and related terpenes.



DANGER - KEEP OUT OF REACH OF CHILDREN

See Antidote Statement And Other Required
Warning Statements On Side Panels

Do Not Use Or Store Near Heat Or Open Flame
Decontaminate Or Destroy Empty Container —
Perforate, Crush

Protect From Temperatures Below Freezing

USDA Reg. No. 7794-52

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions not reasonably foreseeable to seller, and Buyer assumes the risk of any such use. This warranty may be varied only by agreement in writing by a duly authorized representative of this company.

CONTENTS _____ GALLONS



OBSERVE THESE PRECAUTIONS

Do not apply or use with drift to areas considered by the state to be harmful to beneficial animals. Avoided areas should not be reentered until drifting insecticide and volatile residues have dissipated. Keep out of the reach of children and domestic animals. Do not contaminate food or feed products. Keep away from heat and open flame. To prevent re-use, empty containers to be decontaminated and destroyed. Decontaminate by washing thoroughly with a strong solution of alkali and detergent. Rinse with water. Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supplies. Use 1 cup detergent and 2 lbs. of lye in 5 gallons of water to decontaminate drum or to hasten degradation of waste spray solution.

DANGER!

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING.

Do Not Swallow or Get in Eyes, on Skin or on Clothing. Do Not Breathe Dust or Vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing, and wash skin with soap and water, wash clothing before re-use. In case of spillage, wash down with large amounts of water. Decontaminate area and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.



ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1-100 grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If inhaled or swallowed, induce vomiting immediately. This may be done by inserting a finger into the throat, or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the face, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing and wash face with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 10 minutes. IF WARNING SYMPTOMS APPEAR, Administer the 1-100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNTIL WARNING SYMPTOMS APPEAR. IF WARNING SYMPTOMS APPEAR, keep patient prone and quiet. If not breathing, respiration immediately. If patient not breathing, Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

Methyl Parathion is a potent inhibitor and treatment of severe poisoning should include the use of atropine. Strobane produces central nervous system excitation which may be due to the parathion acid derivatives. We would feel that these treatments do not conflict with one another, but the physician with the information cited above and especially that as the information contained in the booklet entitled "Clinical Handbook of Economic Poisons" should be aware that a patient suffering simultaneously from both methyl parathion and strobane poisoning. This booklet was prepared by the U. S. Department of Health, Education, and Welfare, Public Health Service, Communicable Disease Center, Atlanta, Georgia.

RED BARN CHEMICALS, INC.