

For application to crops mix the required amount of this material with sufficient water to give uniform coverage. Time applications in accordance with state and federal recommendations. Suggested rates of application are given for specific crops listed on this label.

For adequate application use a minimum of 2 to 3 gallons of the spray mixture per acre.

Apply toxic to fish and wildlife. Do not contaminate any body of water or apply to any area not specified on the label.

Do not apply during bloom when honey bees and other pollinating insects are active.

When entering treated fields within 24 hours after application should wear protective clothing.

RECOMMENDATIONS FOR USE

The above rates given below are for mixing with sufficient water to provide a minimum volume of 1 to 3 gallons per acre of spray mixture. USDA Reg. No.

For aphids, Fall weevil, cotton fleahopper, cotton leafworm, thrips, spider mites (certain species) Use 2/3 to 1 1/2 pints per acre.

Repeat applications when species appear. Repeat as needed.

For cutworm, cabbage looper, tarnished plant bug -- Use 2 2/3 - 1


Repeat applications at 5 day intervals, or as necessary.

Do not apply to cotton within 5 days of harvest.

Do not use on or feed treated forage or gin trash to dairy animals or to animals intended for slaughter.

Xylene	27.6%
INERT INGREDIENTS	10.0%
TOTAL	100.0%

*EPN - A DuPont Product
**Methyl Parathion



DANGER - Keep Out of the Reach of Children


See Antidote statement and other required warning statements on the back panel

Do Not Use or Store Near Heat or Open Flame

Decontaminate Empty Container or Destroy -- Perforate, Crush

Protect From Temperatures Below Freezing

CONTENTS _____ GALLONS



RED BARN CHEMICALS, INC.

MONROE, LOUISIANA



NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions not reasonably foreseeable to seller, and Buyer assumes the risk of any such use. This warranty may be varied only by agreement in writing by a duly authorized representative of this company.

RED BARN STROBANE - METHYL PARATHION

GENERAL INFORMATION

**BEFORE USING THIS PRODUCT — READ THE LABEL CAREFULLY
PAY PARTICULAR ATTENTION TO THE PRECAUTIONS AND
WARNING STATEMENTS**

If conditions as set forth on this label are not acceptable, return the unopened container and contents at once for full credit or refund of purchase price.

The suggestions and Directions for Use of this product are based on information we believe to be reliable and appropriate. They are made in good faith, but without guarantee.

Severe crop damage or other unintended results may follow the use of this product because of unfavorable growing conditions; unfavorable weather; presence of other products or materials in or on the soil or crop being treated; or because of the method of use or application.

Specific instructions to cover all contingencies surrounding the use of this product are beyond the scope or space on a product label; therefore the exercise of care and good judgement in the use of this material is urged, particularly when unusual weather, soil conditions, or weed or crop growth are involved.

Consult State Agricultural Experiment Station and Extension Service Specialists for additional information concerning unusual local problems involving the use of this material.

This product is extremely toxic and should be handled only by experienced personnel using approved safety equipment. It is formulated for mixing with water before application. Apply with conventional hydraulic sprayers, low volume ground machines or airplane sprayers.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label.

Do not apply during bloom when honey bees and other pollinating insects are active.

Workers entering treated fields within 24 hours after application should wear protective clothing.

DIRECTIONS FOR USE

The dosage rates given below are for mixing with water to provide a minimum volume of 1 to 3 gallons of diluted spray per acre.

ON COTTON For control of aphid, boll weevil, cotton leafworm, fall armyworm, fleahopper, grasshopper, Lygus bug, thrips. Use 1/3 to 2/3 quart per acre.

For control of bollworm, cabbage looper, cutworm, some species of spider mites. Use 1/3 to 1/2 gallon per acre.

Apply at 2 to 5 day intervals or as necessary to secure control.

Do not apply after broadcast sowing with 5 days of hand picking. Do not spray birds, animals, or animals kept in the home or in treated fields.

EMULSIFIABLE CONCENTRATE

Contains 6 Lbs. Strobane and
3 Lbs. Methyl Parathion Per Gallon

FOR CONTROL OF APHIDS, ARMYWORMS, BOLL WEEVIL, BOLLWORMS, CLIMBING CUTWORMS, COTTON LEAFWORM, FLEAHOPPER, FLEA BEETLE, RED SPIDER MITES, THRIPS, GRASSHOPPERS.


ACTIVE INGREDIENTS:

**O, O-dimethyl O-p-nitrophenyl phosphorothioate	27.0%
***Terpene Polychlorinates (65% Chlorine)	53.0%
Xylene	10.0%

INERT INGREDIENTS

TOTAL	100.0%
-------	--------

- * Registered TM Tenneco Chemicals, Inc.
- ** Methyl Parathion
- *** Strobane, consisting of polychlorinates of camphene, pinene, and related terpenes.



DANGER — KEEP OUT OF REACH OF CHILDREN


See Antidote Statement And Other Required
Warning Statements On Side Panels
Do Not Use Or Store Near Heat Or Open Flame
Decontaminate Or Destroy Empty Container —
Perforate, Crush

Protect From Temperatures Below Freezing

USDA Reg. No. 7794-62

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions not reasonably foreseeable to seller, and Buyer assumes the risk of any such use. This warranty may be varied only by agreement in writing by a duly authorized representative of this company.

CONTENTS _____ GALLONS



OBSERVE THESE PRECAUTIONS

Do not apply or allow to drift to areas occupied by beneficial animals. Various areas should not be treated with insecticide and vertebrate predators have been reported. Do not contaminate children and domestic animals. Do not contaminate. Keep away from heat and open flame. To prevent contamination and destruction of contents, decontaminate and destroy. Decontaminate with a strong solution of alkali and detergent. Rinse spray equipment and containers and dispose in non-crop lands located away from water supply. Use 1 cup detergent and 2 lbs. of lye in 5 gallon drum or to hasten degradation of waste spray.

DANGER!

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. REPEATED INHALATION WITHOUT SYMPTOMS. PROGRESSIVE TOXICITY TO METHYL PARATHION POISONING. Do Not Swallow or Get in Eyes, on Skin or on Dust or Vapors. Wear clean natural rubber protective clothing and goggles. Replace gloves frequently. Wear a mask or respirator of a type approved by Agriculture for Methyl Parathion protection and water after handling and before eating or drinking. In case of contact, remove and wash skin with soap and water, wash cloth of spillage, wash down with large amounts of water and equipment by washing with a concentrated detergent and rinse with water.



ANTIDOTE AND FIRST AID

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining 1-100 grain atropine tablets for emergency use. **INTERNAL:** If the patient has swallowed or inhaled the material, give warm salt water. Do not induce vomiting. **EXTERNAL:** If the material has been on the skin or on the clothing, wash the skin with soap and run water. If the patient has inhaled the material, get into fresh air. **NEVER ADMINISTER ATROPINE TABLETS UNTIL WARNING SYMPTOMS APPEAR.** If warning symptoms appear, do not give atropine until the patient is breathing. Transport the patient immediately.

NOTE TO PHYSICIANS

Methyl Parathion is a carbamate inhibitor and its antidote should include the use of atropine. Strobane is a stimulant which may irritate the larynx and cause the patient to cough. Do not contact the patient with the antidote until the patient is breathing. Information contained in the booklet entitled "Clinical Toxicology" should be used to treat a patient suffering from methyl parathion and strobane poisoning. For more information, contact the U.S. Department of Health, Education and Welfare, Communicable Disease Center, Atlanta, GA.