

REGISTERED TRADE MARK OF THE UNITED STATES PATENT AND TRADEMARK OFFICE
 PAY PARTICULAR ATTENTION TO THE INSTRUCTIONS AND DIRECTIONS STATEMENTS

If conditions set forth on this label are not attainable, return the unopened container and contents at once for full credit or refund of purchase price.

The statements and Directions for Use of this product are based on information we believe to be reliable and appropriate. They are made in good faith, but without guarantee.

Severe crop damage or other unintended results may follow the use of this product because of unfavorable growing conditions; unfavorable weather; presence of other products or materials in or on the soil or crop being treated; or because of the method of use or application.

Specific instructions to cover all contingencies surrounding the use of this product are beyond the scope or space on a product label, therefore the exercise of care and good judgment in the use of this material is urged, particularly when unusual weather, soil conditions, or seed or crop growth are involved.

This product is extremely toxic and should be handled only by experienced personnel using approved safety equipment. It is formulated for mixing with water before application. The recommended amount of this concentrate should be diluted with sufficient water to apply a minimum volume of 2 to 3 gallons of spray to the crop to be treated. Apply with conventional hydraulic sprayers, low volume ground machines or airplane sprayers.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Do not apply when weather conditions favor drift from areas treated. Do not apply during bloom when honey bees and other pollinating insects are active.

Workers entering treated fields within 24 hours after application should wear protective clothing.

RECOMMENDATIONS FOR USE

The dosage rates given below are for mixing with water to provide a minimum of 2 to 3 gallons of diluted spray per acre.

R-E-D F-A-R-M M-A-T-T-E-R-S F-A

EMULSIFI

CONTAINS 5 IPS MARKET BALANCE

FOR CONTROL OF ARMS, ANTHRAX, CULICID, COTTON LEAFWORM, FLEAHOG THRIPS, GRASSHOPPER

ACTIVE INGREDIENTS:

*O,O-dimethyl O-p-nitrophenyl ph
 **Toxaphene - - - - -
 Xylene - - - - -

INERT INGREDIENTS - - - - -

TOTAL - - - - -

* Methyl Parathion
 ** Technical Chlorinated Camphene (



DANGER - KEEP OUT

See Antidote State
 Warning Statements

Do Not Use Or Stor

Decontaminate Or D
 Perf

Protect from Tempe

USDA Reg. No _____

NOTICE: Seller warrants that this and is reasonably fit for the purpose with directions under normal conditions any other warranty of merchantability

presence of other products or materials in or on the soil or crop being treated; or because of the method of use or application.

Specific instructions to cover all contingencies surrounding the use of this product are beyond the scope or space on a product label, therefore the exercise of care and good judgment in the use of this material is urged, particularly when unusual weather, soil conditions, or wood or crop growth are involved.

This product is extremely toxic and should be handled only by experienced personnel using approved safety equipment. It is formulated for mixing with water before application. The recommended amount of this concentrate should be diluted with sufficient water to apply a minimum volume of 2 to 3 gallons of spray to the crop to be treated. Apply with conventional hydraulic sprayers, low volume ground machines or airplane sprayers.

Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Do not apply when weather conditions favor drift from areas treated.

Do not apply during bloom when honey bees and other pollinating insects are active. Workers entering treated fields within 24 hours after application should wear protective clothing.

RECOMMENDATIONS FOR USE

The dosage rates given below are for mixing with water to provide a minimum volume of 1 to 3 gallons of diluted spray per acre.

ON COTTON: For control of aphids, boll weevil, cotton leafworm, fleahopper, flea beetle, grasshopper, thrips, some species of spider mites - Use 1/2 to 1 pint per acre. For armyworm (up to 3rd instar), bollworm, tobacco budworm, climbing cutworms - Use 2 to 3 pints per acre. Do not apply within 5 days of hand picking. Do not graze dairy animals or animals being finished for slaughter in fields treated late in the season.

ON VEGETABLES: For control of aphids, cabbage looper, ~~lettuce root fly~~, leafhopper - Use 1 to 1 1/2 pints. Do not apply after seedling stage on leaf lettuce. Do not apply to head lettuce when heads are beginning to form. Do not apply to head lettuce when heads are not to be harvested.

ON SCUMPS: For blister beetle, fall armyworm, green cloverworm, leaf beetle, stink bugs, velvet bean caterpillar, corn earworm, and loopers - Use 1 to 1 1/2 pints. Do not apply to scumps within 30 days of harvest. Do not feed treated plants or animals made from treated plants to poultry, dairy animals, or animals being finished for slaughter. Do not feed scump with seeds to livestock or poultry. Birds and other animals in treated areas may be killed.

INERT INGREDIENTS -----
TOTAL -----

- * Methyl Parathion
- ** Technical Chlorinated Benzene (



DANGER - KEEP OUT

See Antidote State
Warning Statements

Do Not Use Or Store

Decontaminate Cr D
Perf

Protect From Temper

USDA Reg. No _____

NOTICE: Seller warrants that this and is reasonably fit for the purpose with directions under normal conditions. Any other warranty of merchantability expressed or implied, extends to the instructions not reasonably foreseeable of any such use. This warranty is by a duly authorized representative

CONTENTS _____

RED B

RED BARRI CH

SHREVEPORT

able weather;
or crop being

g. the use of this
herefore the
rial is urgent,
or crop growth

by experienced personnel
g with water before
ould be diluted with
s of spray to the crop
low volume ground

ody of water nor
hen weather conditions

ing insects are active.

ation should wear

rovide a minimum

orm, fleahopper,
es - Use $\frac{1}{2}$ to 1
otacco budworm,
ly within 5 days
g finished for


~~inch bug,~~
stage on leaf
to them if the

worm, leaf beetles,
rs - Use 1 to ~~1.6~~ 1.6
Do not feed treated
iry animals, or animals
sh to livestock or poultry.

INERT INGREDIENTS ----- 10.0 %

TOTAL ----- 100.0 %

- * Methyl Parathion
- ** Technical Chlorinated Camphene (Chlorine Content 67-69%)



DANGER - KEEP OUT OF REACH OF CHILDREN

See Antidote Statement And Other Required
Warning Statements On Side Panels

Do Not Use Or Store Near Heat Or Open Flame


Decontaminate Or Destroy Empty Container -
Perforate, Crush

Protect From Temperatures Below Freezing

USDA Reg. No _____

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions not reasonably foreseeable to seller, and Buyer assumes the risk of any such use. This warranty may be varied only by agreement in writing by a duly authorized representative of this company.

CONTENTS _____ Gallons



RED BARN CHEMICALS, INC.
SHREVEPORT, LOUISIANA

ACCEPTED
FEB 1958
7794-54

children
Keep aw
to be de
with a s
Rinse sp
in no d
Use 1 cu
drum or

POISON
DANGEROUSLY
CONTACT
TO A
Do Not
Dust or
ective
gloves.
of Agric
and wa
the eyes
ical atte
and wa
of spilla
and equ
tergent

ATROPI
ONING
1.100
MEDIAT
INTERN
ately
warm s
ANYTHI
EXTERN
move p
ated cl
gets in
minutes
atropine
WARNI
patient
not bre

WARNI
blame
the
THE AD
sym
sulf
comple
post
for 48
proh
ther
by bloc

ARMYWORMS, BOLL WEEVIL, BOLLWORM, CLIMBING
 , FLEAHOPPER, FLEA BEETLE, RED SPIDER MITES,

Methyl phosphorothioate - - - - -	54.5 %
- - - - -	5.4 %
- - - - -	30.1 %
- - - - -	10.0 %
- - - - -	100.0 %

mphe (Chlorine Content 67-69%)



KEEP OUT OF REACH OF CHILDREN

Statement And Other Required
 Statements On Side Panels

Cr Store Near Heat Cr Open Flame

Cr Destroy Empty Container -
 Perforate, Crush

om Temperatures Below Freezing

at this product conforms to its chemical description
 the purpose stated on the label when used in accordance
 conditions of use, but neither this warranty nor
 ability or fitness for a particular purpose,
 ds to the use of this product contrary to label
 foreseeable to seller, and Buyer assumes the risk
 warranty may be varied only by agreement in writing
 representative of this company.

ENTS _____ Gallons


ACCEPTED
 FEB 1962
 7794-54

OBSERVE THESE PRECAUTIONS

Do not apply or allow to drift to areas occupied by undisturbed humans or beneficial animals. Watersheds should not be reentered until drifting insecticide and volatile residues have dissipated. Keep out of the reach of children and domestic animals. Do not contaminate food or feed products. Keep away from heat and open flame. To prevent re-use, empty containers to be decontaminated and destroyed. Decontaminate by washing thoroughly with a strong solution of alkali and detergent. Rinse with water. Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supplies. Use 1 cup detergent and 2 lbs. of alkali in 5 gallons of water to decontaminate drum or to hasten degradation of waste spray solution.

DANGER!

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do Not Swallow or Get in Eyes, on Skin, or on Clothing. Do Not Breathe Dust or Vapors. Wear clean natural rubber gloves, clean, waterproof protective clothing, and goggles. Release gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of ~~skin~~ contact, remove all contaminated clothing and wash skin with soap and water, wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.



ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1,100 grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING. **INTERNAL:** If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water. If the victim is sedate a glass of water. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. **EXTERNAL:** If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 10 minutes. IF WARNING SYMPTOMS APPEAR, Administer two 1,100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. See WARNING SYMPTOMS below. Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, increased pulse, pupillary dilation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic agent of choice against parasympathetic overactivity. In the early stages of poisoning, atropine, 1-2 mg. q. 2-3 hours until complete atropinization has been achieved. Maintain atropinization, best by postural drainage. Oxygenation of the patient is necessary. Administer atropine only for 48 hours. If atropine is given in excess, the patient may develop symptoms of prolonged atropinization, such as dry mouth, dry skin, and tachycardia. Avoid further exposure until the time for atropine regeneration has been determined by blood test.

