

1132 1870-2

1043


TAG 1 FRONT

UN1017RQ

CHLORINE

LIQUIFIED GAS

UNDER PRESSURE - NONFLAMMABLE



FOR USE AS A DISINFECTANT AND ALGAECIDE from larger stationary cylinders (1-ton and 150 lb.), by experienced personnel only, in municipal water supplies, sewage and water management plants, and in commercial and industrial swimming pools; as a slimeicide in water cooling systems and in paper mills. This product cannot be transferred to portable cylinders for providing a pesticidal service under this registration number. Pool service operators who service swimming pools with portable cylinders must obtain their own registration with EPA. Repackagers and reformulators must obtain their own registrations with EPA.

ACTIVE INGREDIENT:

CHLORINE\*.....95.5%
INERT INGREDIENTS:.....0.5%

KEEP OUT OF REACH OF CHILDREN
DANGER POISON

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

If inhaled, remove to fresh air. If not breathing, administer artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen, preferably with a physician's advice. Keep warm by covering with a blanket and keep quiet. Call a physician immediately. In case of skin or eye contact, immediately flush all affected areas with large amounts of running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Contact a physician if skin irritation persists. For eyes, hold eyelids apart during the flushing to ensure rinsing of the entire surface of the eye and lids with water. Call a physician immediately.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: May be fatal if inhaled. Do not breathe air containing this gas. Corrosive to eyes, skin and mucous membranes in presence of moisture. Do not get in eyes, on skin, or clothing. Wear goggles, protective clothing and rubber gloves when handling. Do not heat containers.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the U.S. Environmental Protection Agency.

CHEMICAL-PHYSICAL HAZARDS: Chlorine is a non-flammable gas, liquified, under pressure. Do not drop cylinder. Keep away from intense heat or open sunlight. Corrosive to most metals in the presence of moisture.

HAWKINS CHEMICALS, INC.
3100 E. Hennepin Ave.
Minneapolis, MN 55413
(612)331-6910

BEST AVAILABLE COPY

\*Meets ANSI/AWWA B301-87

TAG 1 BACK

**DIRECTION FOR USE:  
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with the labeling. Have available gas masks approved by the US Bureau of Mines or the National Institute for Occupational Safety and Health. Handle and use only in accordance with practice recommended in the Chlorine Manual published by the Chlorine Institute, Inc., Washington, DC. Use only in well ventilated areas. Only specifically designed dispensing equipment should be used in accordance with manufacturer's instructions and according to state regulatory agency recommendations for dosages or residual chlorine levels which should be maintained for each specific site of application.

**STORAGE & DISPOSAL**

**STORAGE:** Cylinders and ton containers of chlorine should be stored in a dry area away from sources of heat and protected from direct sunlight and precipitation. Cylinders must not be stored where they will be exposed to temperatures warmer than 54.5°C (130°F). They should be segregated from other compressed gases and never stored near hydrocarbons, finely divided metals, turpentine, ether, anhydrous ammonia or other flammable materials. All storage containers must have a weather resistant label attached near the outlet valve and must not be accessible to the general public.

**DISPOSAL OF CONTAINER:** All chlorine containers are returnable and should be properly identified with return tags and returned as promptly as possible to the supplier according to prescribed instructions and practices recommended by the Chlorine Institute. All valves must be closed tight and closures or caps secured. It is illegal to ship a leaking chlorine container.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


Do not contaminate food or animal feed by storage or disposal.

**DO NOT STORE IN DIRECT SUNLIGHT  
DO NOT DROP CYLINDER**

Return Empty Cylinder and Valve Protection Hood to  
One of the Locations Nearest You That is Listed Below.

HAWKINS CHEMICALS, INC.  
3100 E. Hennepin Ave.  
Minneapolis, MN 55413  
(612)331-6910

(CONT'D ON NEXT PAGE)




DIVISION

- Feed-Rite Control - Minneapolis, MN: (612) 331-9100
- Fargo, ND: (701) 293-9618
- Fond du Lac, WI: (414) 923-1850
- Slater, IA: (515) 685-2250
- Arrowhead Chemicals - Superior, WI: (715) 392-5121
- Dakota Chemicals - Aberdeen, SD: (605) 275-6290
- Sioux Falls, SD: (605) 368-5793
- Black Hawk, SD: (605) 787-6881
- Mon-Dak Chemicals - Washburn, ND (701) 462-8588
- Billings, MT (704) 245-6246
- Hawkins Chemicals - Minneapolis, MN (612) 331-6910
- \*St. Paul, MN: (612) 774-9604
- \*Chlorine Repackaging Plant

EPA REG. NO. 7870-2  
EPA EST. NO. 7870-MN-1

NET WT.: LBS.



**BEST AVAILABLE COPY**