

# MEADOWS HOUSEHOLD CONTACT AND RESIDUAL SPRAY

## PROFESSIONAL STRENGTH

**Ready to Use Spray — Residually Kills:**  
Roaches, Ants, Ticks, Fleas and other listed insects

For use in homes and non-food areas of kennels, commercial buildings, warehouses, theatres, office buildings, schools, motels, hotels, restaurants and food processing facilities.

### ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin D) .....	0.050%
Related compounds .....	0.001%
N-methyl bicycloheptene dicarbonylimide .....	0.400%
*Chlorpyrifos (O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate) .....	0.500%

**INERT INGREDIENTS:** ..... 99.046%  
100.000%

Contains Petroleum Distillate  
MCK-284, Insecticide Synergist  
\*U.S. Patent No. 3,244,588 — Dow Chemical Company

## CAUTION

**KEEP OUT OF REACH OF CHILDREN**

### PRACTICAL TREATMENT

- IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING:** Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED:** Remove to fresh air if effects occur, and call a physician.
- IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician.

NET CONTENTS <sup>16</sup> 12 OZ.

Manufactured by:  
**ZOE CHEMICAL COMPANY, INC.**  
NEW HYDE PARK, NY 11040

EPA Reg. No. 7885-49

EPA Est. No. 7885-NY-1

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

## PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals**  
**CAUTION**

May be fatal if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and water after handling. If poisoning occurs, get prompt medical aid. Remove pets, birds and cover fish aquarium before spraying.

**Note To Physician:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection, is antidote of choice.

### PHYSICAL HAZARDS

Do not use or store near heat or open flame.

## DIRECTIONS FOR USE

### SHAKE WELL BEFORE USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool dry area away from heat or open flame.

**Disposal:** Do not reuse empty container. Wrap container and put in trash collection.

**General:** Use Residual Spray from D-TRANS® Intermediate 2247 as a spot or crack and crevice treatment to control cockroaches, waterbugs, silverfish, ticks, fleas and other insects listed below. Apply surfaces until wet. Repeat as needed.

**For Spot Treatment: TO KILL COCKROACHES, ANTS, CRICKETS, SILVERFISH, SPIDERS and SOWBUGS:** Spray areas where these pests are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators and cabinets and around garbage cans, plumbing and other installations. Pests driven out of hiding places should be sprayed directly. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. Repeat as necessary.

**TO KILL BROWN DOG TICKS and FLEAS:** Thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding should be removed and replaced with clean, fresh bedding after treatment. **Do Not Spray Pets With This Product.** Do not apply directly to feed. In commercial feed handling facilities, cover or remove any feed and feed processing equipment during application. Do not apply while feed processing is underway. In the home, all feed processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

**CRACK AND CREVICE TREATMENT:** Application within food establishments (places other than private residences in which food is held, processed, prepared, or served) including, but not limited to: restaurants, grocery stores, bakeries, bottling plants, canneries, and grain mills.

**FLIES and MOSQUITOES:** Use only out of doors as an aid in reducing annoyance from these insects. Spray outside surfaces of window and door frames as well as other areas where these pests may enter the home. Also spray dark corners and localized resting areas (such as under eaves) of porches, patios and garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when necessary.

