# **DIRECTIONS**

· /

### BLEACH:

Dilute one gallon of LASS-O with 9 gallons of water to prepare the standard working bleach solution of 1.0%. Use product immediately.

If  $\frac{1}{2}$  of 1.0% is desired, use one gallon of LASS-0 with 19 gallons of water.

### DISINFECTANT:

First clean, then rinse with a solution of 5 oz. of 1.0% solution to 2 gallons of water for hard non-porous. For porous surfaces and surfaces difficult to clean use 15 oz. of 1.0% solution to 2 gallons of water for rinsing.

POOL CHLORINATION: A dosage of 8 fl. oz. of LASS-O per 1000 gallons of water (5 ppm) is recommended whenever pool is emptied and refilled. Bathers should not be allowed to enter pool until the chlorine residual falls below 3 ppm.

CHLORINE RESIDUAL MAINTENANCE: As a daily dose, add 8 fl. oz. of 10% Sodium Hypochlorite Solution for every 5,000 gals. of water, whether pool is in use or not. Since maintenance of an adequate chlorine level (0.6 to 1.0 ppm) is important in keeping a pool sanitary, the water should be tested frequently with a chlorine test kit, and the pH maintained at 7.2 to 7.6.

Degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

# LASS-C SOLUTION SOLUTION

# WARNING: KEEP OUT OF REACH OF CHILDREN

STORE IN A COOL PLACE OUT OF DIRECT SUNLIGHT.

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS.

DO NOT USE WITH AMMONIA OR TOILET BOWL CLEANERS

NET 1 GALLON

# ASS-G SOUN HYPOCHLORITE SOLUTION


ING: KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS.

LE IN A COOL PLACE OUT OF DIRECT SUNLIGHT

NOT USE WITH AMMONIA OR TOILET BOWL CLEANERS

NET 1 GALLON



EPA REG NO 7905-23 EPA EST NO 7905-TX-1

# WARNING

## KEEP OUT OF REACH OF CHILDREN

MAY CAUSE SEVERE EYE AND SKIN IRRITATION. HARMFUL IF SWALLOWED. DO NOT GET ON SKIN, IN EYES, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

### **FIRST AID**

EXTERNAL — In case of contact, flush skin with plenty of soap and water; if in eyes flush with water for at least 15 minutes. Call a physician.

INTÉRNAL — Give milk, raw egg or mucilage. Call a physician.

THIS PESTICIDE IS TOXIC TO FISH. KEEP OUT OF LAKES, PONDS, OR STREAMS. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. DO NOT REUSE EMPTY CONTAINER. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT IN A SAFE PLACE.

MANUFACTURED BY

LABBCO INCORPORATED

HOUSTON, TEXAS 77021