


CONTENTS

ONE PINT
16 FLUID OUNCES

ACCEPTED
Oct 10, 1943
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. *7909-2* SUBJECT
 TO ATTACHED COMMENTS.



**LIQUID
 ALGAECIDE
 FOR SHOCK TREATING
 RESISTANT GROWTH**

ACTIVE INGREDIENTS:
 Isopropanol, Bis(Tri-n-Butyltin) Oxide. 98.5% Min
 INERT INGREDIENTS: Moisture 1.5% Max.
 Bis(Tri-n-Butyltin) Oxide .1 lb. per pint

EPA REG. NO. 7909-2

CAUTION
KEEP OUT OF REACH OF CHILDREN
 See back of panel for additional cautions
ATLANTIC CHEMICAL & EQUIPMENT CO.
ATLANTA, GEORGIA 30325

*For Use in Cooling Towers
 and Evaporative Condensers*

DIRECTIONS

If system is heavily contaminated with algal slime or scale, first clean with Ace Condenser Cleaner or Ace Scale Remover.

1. Add 2 oz. Ace Liquid Algaecide to each 100 gals. water in system. Pour in at pump intake.
2. Frequency of application can only be determined by experience on individual systems as type of algae, pH, temperature, etc. are different in each system and influence the application frequency. Frequency of application can vary from two weeks to two months.

WARNING

MAY BE FATAL IF SWALLOWED. CAUSES SKIN IRRITATION. FLAMMABLE. KEEP AWAY FROM OPEN FLAMES. DO NOT BREATHE SPRAY MIST. MAY BE ABSORBED THROUGH THE SKIN.

CAUTION

Do not use in drinking water or swimming pools. Do not get on skin, eyes or clothing. For eyes, immediately flush with plenty of water, if irritation persists get medical attention. In case of contact, immediately remove affected clothing. Wash skin with soap and water. If irritation persists get medical attention. Wash contaminated clothing before reuse. Avoid contamination of food. Do not allow water containing Ace Liquid Algaecide to come in contact with plants or grass.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams or ponds. Rinse empty container with water and discard it.

2

4

6

8

10

12

14