
\$5.95

### FEDERAL



### 

ECONOMICAL HIGHLY EFFECTIVE CONTROLS DANDELIONS AND OTHER BROAD LEAF WEEDS WHILE PROVIDING A COMPLETE **FERTILIZATION** 

**COVERS** 5,000

U.S.D.A. REG. #7943-5

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE BACK PANEL FOR ADDITIONAL CAUTIONS

2, 4-BICHLOROPHIBHORY ACUTIC ACID\* . . . 1. 0%

ADDRESS TRANS HERENCEDAL) ..... 90. 0%



# HIGHLY EFFECTIVE CONTROLS DANGELIONS AND OTHER BROAD LEAF WEEDS WHILE PROVIDING A COMPLETE FERTILIZATION

THEREIS OF THE PARTY OF THE PAR

COVERS
5,000
SQUARE
FEET
(50'X100')

U.S.D.A. REG. #7943-5

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE
BACK PANEL FOR ADDITIONAL CAUTIONS

### QUARANTEED ANALYSIS

REICIDAL

ACHVE INCIDENTIA

A DISTRICT OF A CITY ACTOR ACTOR

HERT ADTHER THAN HERBICIDAL! ..... 99, 09

TOTAL 100.00%

\*SQUIVALENT TO 0.83% 2, 4-DICHLOSOPHENDIN

ACTUC ACID



# HIGHLY EFFECTIVE CONTROLS DANDELIONS AND OTHER BROAD LEAF WEEDS WHILE PROVIDING A COMPLETE FERTILIZATION

COVERS
5,000
SQUARE
FEET
(50 X100')

U.S.D.A. REG. #7943-5

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE
BACK PAHEL FOR ADDITIONAL CAUTIONS

GUARANTEED ANALYSIS

HERENCIDAL

ACTIVE INGREDIENTS

DIMETHYLANINE SALT OF

2, 4-DICHLOROPHENORY ACETIC ACID\* . . . 1. 0%

INGET (OTHER THAN HERENCIDAL) . . . . . 99. 0%

TOTAL 100.00%

\*SQUIVALENT TO 9.83% 2, 4-DICHLOROPHENORY ACETIC ACID

JAN 1 9 1967

FUNGICIDE AND RODENTICIDE ACTOR ECONOMIC COIRON RECUERADES TO ATTACHE COMMENTAL

7943-5

# NET WEIGHT 22 POUNDS LAWN LIFE WEIGHT 22 POUNDS WEIGHT 22 POUNDS

### GUARANTEED ANALYSIS

### HERBICIDAL

## ACTIVE INGREDIENTS DIMETHYLAMINE SALT OF 2, 4-DICHLOROPHENOXY ACETIC ACID\* 1. 0% INERT (OTHER THAN HERBICIDAL) \*EQUIVALENT TO 0.83% 2, 4-DICHLOROPHENOXY ACETIC ACID

### LAWN FOOD

TOTAL NITROGEN (N)	20%
AVAILABLE PHOSPHORIC ACID (P205)	10%
SOLUBLE POTASH (K20)	5%

Potential Acidity 520 pounds Calcium Carbonate equivalent per ton.

FERENAL AMERICAL ARMANY

## CRANBURY, NEI **JERSEY**

# RECTIONS FOR USE

LAWN LIFE WEED & FEED is formulated to provide your lawn with a complete fertilization while at the same time controlling broad leaf weeds such as plaintain, dandelions, budsom, pigweed, ragweed, sour grass, wild onion and


many other farm weeds.

AWN LIFE WEED & FEED is formulated to control uneightly bread loaf weeds in your farm while at the same time leading the greace to that they great vigorously and preduce a thick, great weed free test. This combination is highly

to and warm days. form is safer to use then a spray. or or Pall, however, the best results are obtained when

- to be treated.
- Sprints tewn prior to application or apply efter light re Avoid application during periods of high winds to avoid İ
- drift on surrounding plants.
- r the lawn for 24 hours after application.
- Do not treat new lewns until after the third mowing or w
- Apply LAWN LIFE WEED & PEED of 1 hen grasses are comparatively well established. application after 10-14 days may be necessary. do per 1000 sq. ft.  $(29^{\circ} \times 40^{\circ})$  which is best accom-

# ER SETTINGS:



These suggestions are for your guidance in spreading LAWN LIFE WEED & FEED, and are in no sense a guarantee of exact application. Ays, condition of spreader, speed of operation and roughness of terrain can cause variations in rates applied.

CAUTION: Avoid inhalation or contamination of food stuffs. Wash hands after handling.

Do not stare near fertilizer, seeds, insecticides or fungicides. Do not allow dust to drift onto susceptible plants such as arramentals vegetables, etc.

Bent grasses and clover may exhibit slight injury however they will recover after a shart period when product is used as directed.

### EDERAL CRANBURY, GAL EW JERSEY COMPANY

16347-06

12655 23.8