

F R O N T O F B A G

WEEDS
2,500
SQUARE
FEET
(50'X50')

\$2.50

Ingredient Statement

Herbicidal	
Active Ingredients	
Dimethylamine Salt of 2, 4-Dichlorophenoxyacetic Acid*	1.20%
Isooctyl Ester of Silvex**	
2-(2,4, 5-Trichlorophenoxy) Propionic Acid	.20%
Inert Ingredients	98.80%
Total	100.00%

ACCEPTED
DECEMBER 6, 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDIC ACT
FOR ECONOMIC PERSON REGISTRA-
TION UNDER NO. 7943-12

*Equivalent to 1.0% 2,
4-Dichlorophenoxyacetic Acid
**Equivalent to .24% Silvex

EPA Reg. No. 7943-12

7 LBS. NET WT.

(18 Point Type)
(12 Point Type)

CAUTION: Keep Out of Reach of Children, See
Back Panel For Additional Cautions

FEDERAL

LAWN

MASTER

LAWN WEED KILLER

Contains

SILVEX

CONTROLS DANDELIONS AND
OTHER BROAD LEAF WEEDS.

ECONOMICAL AND HIGHLY EFFECTIVE

COVERS 5,000 SQ. FT.
(50'x100')

OLD FOX
Turf Feed & Weed Killer

- I ELIMINATES LAWN WEEDS
Such as: Dandelions, Plantain, Suckernut, Chickweed,
knotweed, Sorrel and many others.
- II PROVIDES COMPLETE FERTILIZATION

Ingredient Statement

HERBICIDAL

ACTIVE INGREDIENTS

Dimethylamine Salts of 2,4-Dichlorophenoxyacetic Acid*	.94%
Is.octyl Ester of Silvex (2-(2,4,5-Trichlorophenoxy) Propionic Acid**	.58%
<u>INERT INGREDIENTS (Other than Herbicidal)</u>	<u>98.48%</u>
Total	100.00%

- * Equivalent to .78% 2,4-Dichlorophenoxyacetic Acid
** Equivalent to .41% Silvex

U.S.D.A. REG. #7943-~~5~~ 14

CAUTION: Keep out of Reach of Children.
See back panel for additional Cautions.

NET WEIGHT 22 POUNDS

OLD FOX
TURF FOOD & WEED KILLER

Ingredient Statement

HERBICIDAL

ACTIVE INGREDIENTS

Dimethylamine Salts of 2,4-Dichlorophenoxyacetic Acid*	.54%
Isooctyl Ester of Silvex (2-(2,4,5-Trichlorophenoxy)Propionic Acid)**	.58%
<u>INERT INGREDIENTS</u>	<u>98.48%</u>
Total	100.00%

- * Equivalent to .78% 2,4-Dichlorophenoxyacetic Acid
** Equivalent to .41% Silvex

LAWN FOOD

Total Nitrogen (N)	20%
Available Phosphoric Acid (P_2O_5)	10%
Soluble Potash (K_2O)	5%

Potential Acidity: 500 pounds Calcium Carbonate equivalent per ton.

Manufactured For

OLD FOX AGRICULTURAL PRODUCTS, INC.

East Providence, R.I.

OLD FOX TURF FOOD & WEED KILLER is formulated to provide your lawn with an adequate fertilization while at the same time it eliminates or greatly reduces leaf weed such as dandelions, buckhorn, chickweed, sernel, knotweed and many others. This product properly applied to the lawn will, therefore, produce a rich, green, weed free turf. The combination of ingredients is highly effective, economical and easy to use. There is nothing to add or mix and no spray to drift.

DIRECTIONS FOR USE

OLD FOX TURF FOOD & WEED KILLER can be used during the Spring, Summer or Fall, however, the best results are obtained when the weeds are growing vigorously due to adequate soil moisture and warm days.

1. Apply between mowings to provide sufficient leaf surface to be treated.
2. Sprinkle lawn prior to application or apply after light rain fall.
3. Avoid application during periods of high winds to avoid drift on surrounding plants.

- 1. Delay application when rain is predicted and do not water the lawn for 24 hours after application.
- 2. Do not treat new lawns until after the third mowing or when grasses are comparatively well established.
- 3. Some weeds are more resistant than others and a second application after 10-14 days may be necessary.
- 4. Apply OLD FOX TURF FOOD & WEED KILLER at the rate of 4 1/2 pounds per 1000 sq. ft. (25'x40') which is best accomplished by the use of a lawn spreader set at the number listed below.

SUGGESTED SPREADER SETTINGS

Lawn Beauty	8
Scott's	6
Jackson	5

These suggestions are for your guidance in spreading OLD FOX TURF FOOD FOOD & WEED KILLER, and are in no sense a guarantee of exact application. Age, condition of spreader, speed of operation and roughness of terrain can cause variations in rates applied.

CAUTION: Avoid inhalation or contamination of food stuffs. Avoid contact with skin, eyes or clothing. Wash hands after handling. Do not store near fertilizer, seeds, insecticides or fungicides. Do not allow dust to drift onto susceptible plants such as ornamentals, vegetables, etc. Bent grasses and clover may exhibit slight injury, however, they will recover after a short period when product is used as directed. Vapors from this product may injure susceptible plants in the immediate vicinity. Do not reuse container. Destroy when empty.