

Mauget®

**IMICIDE™****Systemic Insecticide  
In Ready To Use Capsules****For Tree Injection Use for Seasonal Control  
of Certain Insects on Ornamental Trees****Active Ingredient:**

imidacloprid	
1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-midazolidinimine	10.0%
Inert Ingredients:	90.0%
Total	100.0%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION****STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available, by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**IF ON THE SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**Note to Physician:** No specific antidote is available. Treat the patient symptomatically.

**In Case of Emergency:** 1-800-535-5053 is the telephone number of the Infotrac Chemical Emergency Response System.

Manufactured by:

J. J. Mauget Company  
Arcadia, CA 91006

EPA Reg. No.: 7946-16  
EPA Est. No.: 7946-CA-1

Net Contents: 25 units

— 4 ml ea.  
— 3 ml ea.  
— 2 ml ea.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**Personal Protective Equipment:**

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical resistant gloves such as polyethylene or butyl rubber or neoprene rubber or viton
- Protective eyewear

**ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**ACCEPTED**

JUL 28 2000

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
Registered under  
EPA Reg. No. 7946-16

Page 1

Revision, 5/11/00

## GENERAL DIRECTIONS

Measure the tree at chest height in inches. If measuring the circumference of the tree, divide this number by six (6) to determine the number of capsules needed. If measuring the diameter of the tree (dbh), divide this number by two (2) to determine the number of capsules needed. Apply the injector units around the tree at the root flare. Apply the following dosage depending on tree diameter:

- 2 ml – up to 10 inches dbh;
- 3 ml – 10 to 36 inches dbh; or
- 4 ml – 36 inches dbh and above.

Consult the enclosed pamphlet, "Directions for Use and Application of Mauget® Micro-Injection System," for additional instructions. Applicators shall remove capsules promptly after treatment.

## Recommended Target Insects on Ornamental Trees

- Adelgids
- Aphids
- Black Vine Weevil Larvae
- Bronze Birch Borer
- Elm Leaf Beetle
- Eucalyptus Longhorned Borer
- Flatheaded Borers (including Alder Birch Borer)
- Japanese Beetle
- Lacebugs
- Leafhoppers
- Leafminers
- Mealybugs
- Psyllids (including Lerp Psyllid)
- Pine Tip Moth-Larvae
- Royal Palm Bugs
- Scale Insects
- Thrips
- Whiteflies

## RESTRICTIONS

Do not inject trees that are less than two inches in diameter.

Do not inject trees within two weeks of any other spray or soil chemical treatment.

Do not treat trees that are suffering from stress such as lack of moisture or herbicide damage.

This product is not to be used on trees that will produce food within the year following treatment.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store capsules in an upright position, above 45° F, in a cool dry place.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Dispose of empty capsules in a sanitary landfill or by incineration if approved by State and Local authorities.

## NOTICE OF WARRANTY

J.J. Mauget Co. makes no warranty of merchantability, fitness for any purpose or otherwise expressed or implied concerning this product or its uses that extend beyond the use of the product under normal conditions in accord with the statements made on this label.