1/2

Mauget. IMICIDE™

SYSTEMIC INSECTICIDE IN READY TO USE CAPSULES

FOR TREE INJECTION USE FOR SEASONAL CONTROL OF CERTAIN INSECTS ON ORNAMENTAL TREES

KEEP OUT OF REACH OF CHILDREN CAUTION

CAUTION	
	FIRST AID
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, perferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.
IF ON THE SKIN OR CLOTHING	 Take off containated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information.	
NOTE TO PHYSICIAN There is no sectio and to available. Treat Patient symptomatically.	
EPA Reg. No.:	Under the Federal Insection Fungloide, and Rederatoide Acc argumented, for the pecificitie 7946-CA-1 PARGE No. 1946-16 Trents: 25 capsules of feeder tubes
L	

__ 25 capsules @ 2mL, 50 mL net, or __ 25 capsules @ 3mL, 75 mL net, or __ 25 capsules @ 4 mL, 100 mL net

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes eye irritation Wash thoroughly with soap and water after handling. Avoid breathing vapors. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT:

Some Materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

APPLICATOR AND OTHER HANDLERS MUST WEAR:

- · Long-sleeved shirt and long pants.
- · Shoes plus socks
- Chemical resistant gloves, such as polyethylene or butyl rubber or neoprene rubber or viton
- · Protective eyewear

ENVIRONMENTAL HAZARDS:

This pesticide is highly toxic to aquatic invertabrates. Do not apply directly to water, or to areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS:

Do not use or store near heat or open flame.

. DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW. TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with it's labeling and the Worker Protection Standard, 40°CFR170. This standard contains requirements for the protection of agricultural workers on farms, forest, nurseries and creenhouses, and the handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

GENERAL DIRECTIONS

Measure the tree at chest height in inches. If measuring the circumference of the tree, divide this number by six (6) to determine the number of capsules needed. If measuring the diameter of the tree, divide this number by two (2) to determine the number of capsules needed. Apply the injector units around the tree at the root flare. Apply the following dosage depending on tree diameter;

2 ml - up to 10 inches dbh 3 ml - 10 to 36 inches dbh; or 4 ml - 36 inches dbh and above

Consult the enclosed pamphlet "Directions for use and application of Mauget "Micro-Injection System" for additional instructions. Applicators shall remove capsules promptly after treatment. Trees in advanced stages of insect infestations may not respond to treatment. The health of the tree will determine the rate of uptake.

RECOMMENDED TARGET INSECTS ON ORNAMENTAL TREES

ADELGIDS

APHIDS

BLACK VINE WEEVIL LARVEA

BRONZE BIRCH BORER

COTTONWOOD LONGHORNED BORER*

ELM LEAF BEETLE

EUCALYPTUS LONGHORNED BORER

FLATHEADED BORER (including Alder Birch Borer)

JAPANESE BEETLE

LACEBUGS

LEAFHOPPERS

LEAFMINERS

MEALYBUGS

PINE TIP MOTH LARVAE

PSYLLIDS (INCLUDING LERP PSYLLID)

ROYAL PALM BUGS

SCALE INSECTS

THRIPS

WHITEFLIES

RESTRICTIONS

Do not inject trees that are less than two inches in diameter.

This product is not to be used on trees which will produce food within the year following treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.


STORAGE: Store capsules in an upright position, above 45°F, in a cool, dry place.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Dispose of empty capsules in a sanitary landfill or by incineration if approved by State and local authorities.

NOTICE OF WARRANTY

J.J. MAUGET CO. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USE WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CON-DITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.



^{*} Imicide is not registered in California for controlling this insect