

Mauget[®]

IMICIDE[®]

**SYSTEMIC INSECTICIDE
IN READY TO USE CAPSULES**

**FOR TREE INJECTION USE FOR SEASONAL CONTROL OF
CERTAIN INSECTS ON ORNAMENTAL TREES**

ACTIVE INGREDIENT:
 Imidacloprid (110.7 mg/mL)
 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2 imidazolidinimine..... 10.0%

INERT INGREDIENTS..... 90.0%
 TOTAL..... 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID	
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information.	
NOTE TO PHYSICIAN	
There is no specific antidote available. Treat Patient symptomatically.	

Mfg. By: J.J. Mauget Co.
 Town, State: Arcadia, CA 91006
 EPA Reg. No.: 7946-16
 EPA Est. No.: 7946-CA-1

Net Contents: 25 capsules plus 25 feeder tubes per carton.
 _____ 25 capsules @ 2mL, 50 mL net, or
 _____ 25 capsules @ 3mL, 75 mL net, or
 _____ 25 capsules @ 4mL, 100 mL net
 _____ Shipping box: 12 Cartons as above.
 _____ 288 capsules @ 4mL each, 1152mL net; 288 feeder tubes.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes eye irritation. Wash thoroughly with soap and water after handling. Avoid breathing vapors. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT:
 Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

APPLICATOR AND OTHER HANDLERS MUST WEAR:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves, such as polyethylene or butyl rubber or neoprene rubber or viton
- Protective eyewear

ENVIRONMENTAL HAZARDS:
 This pesticide is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS:
 Do not use or store near heat or open flame.

ACCEPTED
 MAY 14 2003
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 Registered under
 EPA Reg. No. 7946-16

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with it's labeling and the Worker Protection Standard, 40 CFR 170. This standard contains requirements for the protection of agricultural workers on farms, forest, nurseries and greenhouses, and the handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

GENERAL DIRECTIONS

Measure the tree at chest height in inches. If measuring the circumference of the tree, divide this number by six (6) to determine the number of capsules needed. If measuring the diameter of the tree (DBH), divide this number by two (2) to determine the number of capsules needed. It is preferred to apply the injector units around the tree at the root flare.

The following dosage, per capsule, is generally recommended depending on tree diameter:

- 2 ml capsules – 2 to 10 inches DBH
- 3 ml capsules – 10 to 36 inches DBH
- 4 ml capsules – 36 inches DBH and above.

For heavier infestation and/or more resistant insects, it is recommended that 3 mL capsules or 4mL capsules be used on trees having a DBH of 2 inches and above. Consult the enclosed pamphlet "Directions for Use and Application of Mauget Micro-Injection System" for additional instructions. Applicators shall remove capsules promptly after treatment. Trees in advanced stages of insect infestation may not respond to treatment. The health of the tree and the environmental conditions will determine the rate of uptake.

RECOMMENDED TARGET INSECTS ON ORNAMENTAL TREES
ADELGIDS
APHIDS
BLACK VINE WEEVIL LARVAE
BRONZE BIRCH BORER
COTTONWOOD LONGHORNED BORER*
DOUGLAS FIR GALL MIDGE
DOUGLAS FIR CONE MOTH LARVAE
ELM LEAF BEETLE
EUCALYPTUS LONGHORNED BORER
FLATHEADED BORER (including Alder Birch Borer)
JAPANESE BEETLE
LACEBUGS
LEAFHOPPERS
LEAFMINERS
MEALYBUGS
PINE TIP MOTH LARVAE
PSYLLIDS (including Lerp Psyllid)
ROYAL PALM BUGS
SCALE INSECTS
THRIPS
WHITEFLIES
<p>FOR USE ONLY UNDER U.S.D.A. SUPERVISION U.S.D.A. RATE SPECIFICATIONS FOR ASIAN and CITRUS LONGHORNED BEETLE PROGRAMS.</p> <p>The following rates are generally recommended as a function of tree diameter at breast height (DBH).</p> <ul style="list-style-type: none"> 2 to 11 inches DBH – 2 mL per diameter inch. 12 to 23 inches DBH – 4 mL per diameter inch. 24 to 35 inches DBH – 8 mL per diameter inch. 36 inches DBH and above use 12 mL per diameter inch. <p>Minimum horizontal spacing on injection sites; 3 inches Minimum vertical spacing on injection sites; 6 inches. Preferably vertical spacing should be staggered and not aligned.</p> <p>Do not apply more than once a year.</p>

* Imicide is not registered in California for controlling this insect.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store capsules in an upright position, above 45°F, in a cool, dry place.
PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Dispose of empty capsules in a sanitary landfill or by incineration if approved by state and local authorities.

RESTRICTIONS

Do not inject trees that are less than two inches in diameter.

This product is not to be used on trees which will produce food within the year following treatment.

NOTICE OF WARRANTY

J.J. MAUGET CO. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USE WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

