

7946-21

) 3/15/2001 )

1/4

MAR 15 2001

J.J. Mauget Company  
c/o Mr. John Hebert  
Jellinek, Schwartz & Connolly, Inc.  
1525 Wilson Boulevard, Suite 600  
Arlington, VA 22209

Dear Mr. Hebert:

Subject: Imisol  
EPA Reg. No. 7946-21  
Your Submission of February 12, 2001

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that you:

1. Move the Agricultural Use Requirements box to appear at the beginning of the Directions for Use section. The first two sentences in the box must be moved out of the box and must appear directly beneath the misuse statement.

2. The Statement of Practical Treatment should be revised to conform with PR Notice 2001-1.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

*Mary L. Waller*

Mary L. Waller  
Product Manager (21)  
Fungicide Branch  
Registration Division (7505C)

Enclosure

7505C:CGable:cg:3/12/01

# Mauget IMISOL™

Systemic Insecticide / Fungicide in Ready to Use Capsules  
For Tree Injection Use For Seasonal Suppression of Certain  
Insects and Diseases of Ornamental Trees

**ACTIVE INGREDIENT:**

Debacarb	
[2-(2-ethoxyethoxy)ethyl-2-benzimidazole carbamate]	.....1.7%
Carbendazim Methyl 2-benzimidazole carbamate	.....0.3%
Imidacloprid	
1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine	.....5.0%
INERT INGREDIENTS:	.....93.0%
	100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available, by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**IF ON THE SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**NOTE TO PHYSICIAN:** There is no specific antidote available. Treat Patient symptomatically.

**IN CASE OF EMERGENCY:** 1-800-535-5053 is the telephone number of the Infotrac Chemical Emergency Response System.

See Reverse Side For Additional Precautionary Statements

### NOTICE OF WARRANTY

J.J. Mauget Co. makes no warranty of merchantability, fitness for any purpose or otherwise expressed or implied concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

Mfg. By:	J.J. Mauget Co.
Town, State:	Arcadia, CA 91006
EPA Reg. No.:	7946-21
EPA Est. No.:	7946-CA-1
Net Contents:	25 capsules plus 25 feeder tubes
_____	25 capsules @ 4 mL, 100mL net or
_____	25 capsules @ 6 mL, 150 mL net

REV.1/2001

### GENERAL DIRECTIONS

Measure the tree at chest height in inches. If measuring the circumference of the tree, divide this number by six (6) to determine the number of capsules needed. If measuring the diameter of the tree, divide this number by two (2) to determine the number of capsules needed. Apply the injector units around the tree at the root flare. Use the following dosage depending upon trunk diameter at breast height (DBH).

- 4 mL - 2 to 10 inches dbh
- 6 mL - 10 inches dbh and above

Consult the enclosed pamphlet "Directions for use and application of Mauget Micro-Injection System" for additional instructions. Applicators shall remove capsules promptly after treatment.

**Important:** Preventative application is more effective than therapeutic treatment in trees showing disease symptoms. Trees in advanced stages of disease development may not respond to treatment.

Uninfected trees will generally absorb the full amount of Imisol within 1 hour. Infected trees will absorb the material more slowly due to the vascular plugging caused by the disease. If Imisol is not absorbed within 24 hours, the tree is considered high risk and has a poor chance of survival.

### RESTRICTIONS

- Do not inject trees that are less than two inches in diameter.
- Do not inject trees within two weeks of any other spray or soil chemical treatment.
- Do not treat trees that are suffering from stress such as lack of moisture or herbicide damage.
- This product is not to be used on trees which will produce food within the year following treatment.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool dry place out of the reach of children. Do not store below 45° F. Store capsules in an upright position in closed container. Keep out of direct sunlight when possible.

**DISPOSAL:** Dispose of empty capsules in a sanitary landfill or by incineration if approved by State and Local authorities.

### AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

# Mauget®

## IMISOL®

**Disease Treatment:** Make application when disease first appears. Repeat treatment if disease symptoms progress. Do not repeat within 3 months of first application. Some diseases may require repeated yearly application. Preventative Dutch Elm Disease treatments are made 4 weeks after Bark Beetle emerges. Therapeutic treatments are made as soon as possible after flagging branch is observed. **IMISOL** insecticide/fungicide is for use on ornamental trees for the control of the following insects: Adelgids, Aphids, Elm Leaf Beetle, Japanese Beetle, Lacebugs, Leafhoppers, Leafminers, Mealybugs, Pine Tip Moth Larvae, Scale Insects, Thrips, and Whiteflies; and the following diseases:

USE	DISEASE
Alder	Ceratocystis Canker, Fusarium Wilt, Physalospora (Bleeding Canker)
Arborvitae	Kabatina Branch Canker
Ash	Anthracoze (Fall application only)
Bay Tree	Fusarium Wilt, Nectria Canker
Birch	Melanconium Dieback
Buckthorn	Nectria (Tubercularie) Canker
Camphor	Verticillium Wilt
Carob	Verticillium Wilt
Catalpa	Verticillium Wilt
Cedar	Coryneum Blight, Diplodia Tip Blight, Phomopsis (Kabatina)
Cypress	Cedar Branch Canker
Douglas Fir	Phomopsis Canker
Elm	Cephalosporium Ulmi (Elm Wilt), Ceratocystis Ulmi (Dutch Elm Disease), Cytospora Canker, Fusarium Wilt, Vermicularia Dieback, Verticillium Wilt
Fir	Cytospora Canker
Gum (Sweet)	Ceratocystis Canker
Madrone	Thielaviopsis Decline, Fusarium Wilt
Magnolia	Ceratocystis Canker
Maple	Verticillium Wilt
Mimosa	Fusarium Perniciosum (Mimosa Wilt)
Mulberry (Fruitless)	Ceratocystis Canker
Oak	Oak Wilt (Ceratocystis fagacearum), Anthracnose (Spring application only), Nectria Canker, Oak Decline, (Botryodiplodia Cephalosporium Dothiorella Fusarium, Fusarium Pestalotia Verticicladiella, Verticillium)
Olive	Fusarium Wilt, Verticillium Wilt
Palm	Penicillium Verwoeseni (Pink Bud Rot), Atropellis Canker, Ceratocystis Dieback
Pine	Fusarium moniforme F. Subglutinans (Pine Pitch Canker), Leptographium Canker
Pistachio (Non-Crop)	Verticillium Wilt
Poplar	Cytospora Canker
Redwood (Coast and Sierra)	Botryosphaeria Branch Canker, Coryneum Canker
Spruce	Cytospora Canker
Sycamore	Anthracoze (Spring application only), Ceratocystis Canker
Walnut (Black Non-Crop)	Melanconium Dieback
Willow	Cytospora Canker

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC  
ANIMALS  
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Causes eye irritation. Applicator must wear water proof gloves and face shield when applying this product. Wash thoroughly with soap and water after handling. Avoid breathing vapors. Remove contaminated clothing and wash before reuse.

**Personal Protective Equipment:**  
Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

- Applicators and other handlers must wear:**
- Long-sleeved shirt and long pants
  - Shoes plus socks
  - Chemical resistant gloves, such as polyethylene or butyl rubber or neoprene rubber of viton
  - Protective eyewear

**ENVIRONMENTAL HAZARDS**


This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.



41A

**ACCEPTED  
with COMMENTS  
in EPA Letter Dated:**

MAR 15 2001

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.**

17946-21

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....