

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Patricia Biggio J.J. Mauget Co. 5435 Peck Road Arcadia, CA 91006 MOTIFICATION
DEC 1 6 2013

Subject:

Notification to add restrictions for Oregon

Imicide HP

EPA Registration # 7946-25

Submission Date: November 27, 2013

#### Dear Patricia Biggio:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 received November 27, 2013. The Registration Division (RD) has reviewed these requests and finds that this action falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, please contact Jessica Rogala at (703) 347-0263 or via email at rogala.jessica@epa.gov.

Sincerely,

Jessica Rogala

Environmental Protection Specialist Insecticide-Rodenticide Branch Registration Division (7505P)

Please read instructions on reverse before completing forms		Form A	Approved MB No	. 2070-006	60. Approval expires 2-28-9
United States Environmental Protection Agency Washington, DC 20460			Registrat Amendm X Other		OPP Identifier Number
,	Application for P	esticide - Sect	ion I		<u> </u>
1. Company/Product Number 7946-25		EPA Product Manager     V. Eagle		3. Proposed Classification  x None Restricted	
4. Company/Product (Name) Imicide Hp		PM# X None Restricted			
5. Name and Address of Applicant (Include ZIP Code J.J. Mauget Co. 5435 Peck Road Arcadia, CA 91006  Check if this is a new address	÷)	6. Expedited Revie (b)(i), my product is to: EPA Reg. No Product Name			
	Sect	ion - II	***************************************		
Amendment - Explain below.  Resubmission in response to Agency letter date  X Notification - Explain below.  Explanation: Use additional page(s) if necessary.  Notification of minor label changes per PR  This notification is consistent with the provichanges have been made to the labeling of 18 U.S.C. Sec. 1001 to willfully make an with the terms of PR Notice 98-10 and 40 (enforcement action and penalties under se	(For section I and Section Notice 98-10. Issions of PR Notice 98 If the confidential state If y false statement to E INTERPORT 152.46, this produce is the section of the s	Agency letter of "Me Too" App  "Me Too" App  Other - Explain  3-10 and EPA regulations of formula of Formula of EPA. I further under luct may be in violated.	lication.  n below.  lations at 40 CF f this product. I rstand that if this	R 152.4 understa s notifica	nd that it is a violation it ion is not consistent
	Secti	on - III			
Material This Product Will Be Packaged In:		<u> </u>	·		
Child-Resistant Packaging  Yes No  * Certification must be submitted  Unit Packaging  If "Yes" Unit Packaging wgt.			Location of Label D	Metal Plastic Glass Paper Other (Spec	cify)
Label Container		·	On label. On label accor	npanving r	product.
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Other		, , , , ,	
		on - IV			
1. Contact Point (Complete items directly below for	identification of individual t	to be contacted, if nece			
Name Title Patricia Biggio Agent (SciReg, Inc.)				relephone No. (include Area Code) /U%/494-6500; cbell@SciReg.com	
Certification I certify that the statements which I have made on this form and all attachments thereto are true, accurate and comp				te.	6. Date Application Received

Typed Name
 Patricia Biggio

EPA Form 8750-1 (Rev. 3-94) Previous editions are obsolete

both under applicable law.

Signature

I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or

3. Title

5. Date

Agent (SciReg, Inc.)

26 NOV 2013

(Stamped)

November 26, 2013

Ms. Venus Eagle
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re: Notification consistent with PR Notice 98-10

- Imicide Hp (EPA Reg. No. 7946-25)

Dear Ms. Eagle:

On behalf of J.J. Mauget Co., SciReg, Inc. is submitting a notification consistent with PR Notice 98-10 to add the text "Do not apply this product, by any application method, to linden, basswood, or other *Tilia* species in the state of Oregon" under "Directions for Use" of the product label for Imicide Hp (EPA Reg. No. 7946-25). Two copies of the label, one with the changes clearly marked, are included.

Should you have any questions, please let me know.

Sincerely,

Patricia Biggio

Regulatory Specialist

Patricia Blygie

**Enclosures** 



# IMICIDE® Hp

FOR TREE INJECTION USE IN LIQUID LOADABLE INJECTORS SYSTEMIC INSECTICIDE

ACTIVE INGREDIENT:

Imidacloprid (110.7 mg/mL) 1-{(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine... OTHER INGREDIENTS:...

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-535-5053 for emergency treatment information. Remove contact lenses, if present, after the first 5 minutes, Call a poison control center or doctor for treatment advice Call a poison control center or doctor for treatment advice If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if Call a poison control center or doctor for treatment advice Do not give anything by mouth to an unconscious person Hold eye open and rinse slowly and gently with water for Do not induce vomiting unless told to do so by a poison Call a poison control center or doctor immediately for Rinse skin immediately with plenty of water for 15-20 IF SWALLOWED Have person sip a glass of water if able to swallow. Take off contaminated clothing. **HOT LINE NUMBER** FIRST AID hen continue rinsing eye. Move person to fresh air. control center or doctor reatment advice. 15-20 minutes. ninutes. IF ON SKIN OR CLOTHING IF INHALED IF IN EYES

## 7946-25 7946-CA-1 J.J. Mauget Co. Arcadia, CA 91006 Mfg. By: Town, State: EPA Pen. No∵ EPA Es\* Nc∷

NOTE TO PHYSICIAN
There is no specific antidote available. Treat patient symptomatically.

1 bottle @ 1 Liter
4 bottles @ 1 Liter ea., 4 Liters net
1 bottle @ 500 mL
4 bottles @ 500 mL ea., 2 Liters net 1 bottle @ 1 Liter Net Contents:

.ev. 11/26/2013

NOTIFICATION

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS

Causes eye irritation. Wash thoroughly with soap and water after handling. Avoid breathing Avoid contact with skin, eyes or clothing Harmful if swallowed or absorbed through the Remove contaminated clothing and wash before reuse.

# PERSONAL PROTECTIVE EQUIPMENT:

options, follow the instructions for category C on an EPA chemical resistance category selection Some materials that are chemical-resistant to this product are listed below. If you want more chart.

## APPLICATORS AND OTHER HANDLERS MUST WEAR:

Long-sleeved shirt and long pants Shoes plus socks

ene or butyl rubber or neoprene rubber or viton Protective eyewear Chemical resistant gloves, such as polyethyl-

contaminate water when disposing of equipment areas below the mean high water mark. Do not This pesticide is highly toxic to aquatic inverte-brates. Do not apply directly to water, or to ENVIRONMENTAL HAZARDS: washwaters.

## Do not use or store near heat or open flame. PHYSICAL OR CHEMICAL HAZARDS:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. DIRECTIONS FOR USE

species in the state of Oregon. Do not apply this during application. For any requirement specific to your State or Tribe, consult the agency Do not apply this product, by any application product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area method, to finden, basswood or other Tilia responsible for pesticide regulation.

# AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its tabeling and the Worker Protection Standard, 40 tains requirements for training, decontamination, CFR 170. This standard contains requirements farms, forests, nurseries and greenhouses, and notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker the handlers of agricultural pesticides. It confor the protection of agricultural workers on Protection Standard.

## APPLICATION EQUIPMENT

TARGET INSECTS
ON FOREST AND ORNAMENTAL TREES

solvent cleaner to remove any residual liquid from prior use. Disinfect injector tips between injector equipment/devices with care and in a cide Hp for compatibility with the injector and micide Hp is a solvent based insecticide for its liquid contact components before regular Clean the interior of the injector with a use with liquid loadable injectors. Test Imimanufacturer's directions and precautions. safe manner, in addition to following each tree injections use. Use liquid loadable

### DIRECTIONS

circumference of the tree, divide this number by six (6) to determine the number of injection needed. Apply the injector sites into the active For tree injection use with liquid loadable tree the tree (DBH), divide this number by two (2) to determine the number of injection sites valleys. Follow good injection practices. Use the following rates as a function of tree diameter at breast height (DBH). pressure injector systems. Measure the tree injectors. Follow manufacturer's directions and precautions in the use of liquid loadable, sapwood, evenly spaced around the tree at sites needed. If measuring the diameter of at chest height in inches. If measuring the the root buttress region avoiding the root

1.5 mL per inch DBH for trees 10 to 36 inches

2 mL per inch DBH for trees 36 inches DBH and above OBH

schedule. For heavier infestation and/or more Trees in advanced stages of insect infestation resistant insects, use 1.5 mL or 2 mL rates on may not respond to treatment. The health of the tree and the environmental conditions will Dosage per injection site is determined by dividing the number of injection sites into the total dosage per tree as per the above rate trees having a DBH of 2 inches and above. determine the rate of uptake.

#### Do not contaminate water, food or feed by STORAGE AND DISPOSAL storage or disposal.

an upright position, above 45°F, in a cool, dry place. PESTICIDE STORAGE: Store containers in

from the use of this product may be disposed of on site or at an approved waste disposal PESTICIDE DISPOSAL: Waste resulting facility.

incineration if approved by state and local authorities. Do not burn unless allowed by state and local ordinances. If burned, stay out container. Do not reuse or refill this contain-er. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by CONTAINER HANDLING: Nonrefillable

### RESTRICTIONS

Do not inject trees that are less than two inches in diameter. This product is not to be used on trees which will produce food within the year following treatment unless food crop on treated tree is discarded and destroyed

#### (including Emerald Ash Borer and Alder and Birch SCALE INSECTS (including Asian Cycad Scale) CITRUS LONGHORNED BEETLE COTTONWOOD LONGHORNED BORER EUCALYPTUS LONGHORNED BORER FLATHEADED BORER DOUGLAS FIR GALL MIDGE DOUGLAS FIR CONE MOTH LARVAE ELM LEAF BEETLE PSYLLIDS (including Lerp Psyllid) ROYAL PALM BUGS BLACK VINE WEEVIL LARVAE BRONZE BIRCH BORER **ASIAN LONGHORNED BEETLE** PINE TIP MOTH LARVAE JAPANESE BEETLE LACEBUGS LEAFHOPPERS LEAFMINERS MEALYBUGS WHITEFLIES

U.S.D.A. RATE SPECIFICATIONS FOR ASIAN and CITRUS LONGHORNED BEETLE PROGRAMS.
THE FOLLOWING RATES ARE FOR USE ONLY UNDER U.S.D.A. SUPERVISON. FOR USE WITH U.S.D.A. APPROVED INJECTION DEVICES. Read and follow the manufacturer's written documentation on the proper use and maintenance of the injector you are using. Use the following rates as a function of tree diameter at breast height (DBH).

24 inches DBH and above - 4 mL per diameter inch 2 to 23 inches DBH - 2 mL per diameter inch.

DIRECTIONS

number of injection holes needed. c) Make initial injector sites in the active sapwood, evenly spaced around the tree at the root buttress region and avoiding the root holes, measure the tree at breast height using a standference, divide this number by six (6) to determine the number of holes needed. b) If measuring the diam; that dose may be divided among the other initial injecinitial holes. The minimum horizontal spacing for injecspacing for injection sites is 6 inches. Stagger vertical spacing and do not align. Do not apply more than ard forestry tape measure, a) If measuring the circumthey may be spaced horizontally or vertically from the tion holes. e) if additional injection holes are needed, eter, divide this number by two (2) to determine the valleys. d) If a single hole cannot accept its full dose, To determine the initial number of needed injection tion sites is about 3 inches. The minimum vertical once per calendar year

## TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, J.J. MAUGET CO. MAKES NO WARRANTY OF MECHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESSED OR MIPLIED CONCERNING THIS PRODUCT OR 1TS USE WHICH NOTICE OF WARRANTY

EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.