



7946-30

10/29/2009

10 of 4

 U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration (under FIFRA, as amended)	EPA Reg. Number: 7946-30	Date of Issuance: OCT 29 2009
	Term of Issuance: Unconditional	
	Name of Pesticide Product: Abacide 2Hp	
Name and Address of Registrant (include ZIP Code): J.J. Mauget Co., c/o SciReg, Inc. 12733 Director's Loop Woodbridge, VA 22192		
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:</p> <ol style="list-style-type: none">1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.2. Make the following label changes before you release the product for shipment: Revise the EPA Registration Number to read, "EPA Reg. No. 7946-30."		
Signature of Approving Official:  John Hebert, Product Manager Insecticide-Rodenticide Branch, Registration Division (7505P)	Date: OCT 29 2009	

Page 2
EPA Reg. No. 7946-30

3. Storage stability (830.6317) and corrosion characteristics (830.6320) data must be submitted within 18 months from the date of this registration notice.

4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John Hebert
Product Manager
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

3044



ABACIDE™ 2Hp

SYSTEMIC MITICIDE/INSECTICIDE FOR USE WITH LOADABLE TREE INJECTORS AGAINST CERTAIN MITES/INSECTS OF ORNAMENTAL/OTHER TREES
INTENDED FOR USE BY PROFESSIONAL APPLICATORS

MFG. BY: J.J. MAUGET CO.
TOWN, STATE: Arcadia, CA 91006
EPA REGISTRATION NO: 7946-
EPA ESTABLISHMENT NO: 7946-CA-1

ACTIVE INGREDIENT:
Abamectin (CAS # 71751-41-2)..... 1.9%
OTHER INGREDIENTS:..... 98.1%
TOTAL..... 100.0%
1 gallon contains 0.15 lb abamectin

Net Contents:
____ 1 bottle @ 33.81 fl. oz. (1 liter)
____ 4 bottles @ 33.81 fl. oz. (1 liter) ea.; 1 gal., 7.3 fl. oz. (4 liters) net
____ 1 bottle @ 16.9 fl. oz. (500 ml)
____ 4 bottles @ 16.9 fl. oz. (500 ml) ea.; 2 qts., 3.6 fl. oz. (2 liters) net

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

	FIRST AID
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. ACCEPTED INFOTRAC 1-800-535-5053 for emergency treatment information.	

In EPA Letter Dated:
OCT 29 2009

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

7946-30

NOTE TO PHYSICIAN

Early signs of intoxication include dilation of pupils, muscular incoordination, and muscular tremors. Toxicity following accidental ingestion of ABACIDE 2Hp can be minimized by early administration of chemical absorbents (e.g., activated charcoal). If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Warning. May be fatal if swallowed. Causes substantial but temporary eye injury. Do not get in eyes. Harmful if absorbed through the skin or inhaled. Avoid contact with skin or clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE):
Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category B on an EPA chemical resistance category selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR:

- Long-sleeved shirt and long pants
- Chemical resistant gloves, such as barrier laminate or butyl rubber ≥ 14 mils
- Shoes plus socks
- Protective eyewear
- other

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

- Users should:
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
 - Remove contaminated clothing immediately and wash clothing before reuse.

NOTICE: This product contains a chemical (N-methyl pyrrolidone) known to the state of California to cause birth defects or other reproductive harm.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

RESTRICTIONS

For terrestrial uses. Due to toxicity to bees, use for tree micro-injection only as a post-bloom application. Do not inject trees that are less than two inches in diameter. This product is NOT to be used on trees which will produce food within the year following treatment.

APPLICATION EQUIPMENT

ABACIDE 2Hp is a solvent-based insecticide for use with liquid loadable injectors. Test ABACIDE 2Hp compatibility with the injector and its liquid contact components before regular use. Clean the interior of the injector with a solvent cleaner to remove any residual liquid prior to use. Disinfect tree injector tips between each tree injection. Applicators should use liquid loadable injector equipment/devices with care and in a safe manner in addition to following each manufacturer's directions and precautions.

DIRECTIONS

ABACIDE 2Hp insecticide is intended for use by commercial Arborists (applicators) on forest, woodlands, Christmas and ornamental trees for control of SPIDER MITES, LEAF MINERS, ELM LEAF BEETLE, SYCAMORE LACE BUG, AND LEPIDOPTERA INSECTS such as FALL WEB WORM, EASTERN TENT CATERPILLAR, and GYPSY MOTH and suppression of APHIDS, THRIPS, AND WHITEFLIES. For control of PINE NEMATODE (Pine Wilt), use 4 - 6 ml every 4" of trunk circumference measured within 12" of the ground. ABACIDE 2Hp can also be applied in commercial or residential landscapes, interior and exterior plantscapes, and other areas where ornamental trees and woody shrubs are grown. Make applications prior to pest appearance or after they are observed. A single application is anticipated to last one growing season, but it may be necessary to make applications two times per year under severe pest pressure. Make the second treatment, if necessary, when insect pressure reappears.

Number of Micro-Injection Sites:

Measure the tree at chest height in inches at a level of 4.5 feet from the soil-line. If measuring the circumference, divide this number by six (6) to determine the number of injection sites needed. If measuring the diameter at breast height (DBH), divide this number by 2 (two) to determine the number of injection sites needed. If the number of injection sites results in a fraction, round down to the lower whole number. Place injection sites no closer than every 6 inches within the root flair/buttrass area, 6-8 inches above ground level.

Dosage:

The following dosage per injection site depends on tree diameter.

- 1.0 mL per inch DBH for trees 2 to 10 inches DBH or every 3 inches for trees 6 to 30 inches of circumference
- 1.5 mL per inch DBH for trees 10 to 36 inches DBH or every 3 inches for trees 30 to 113 inches of circumference
- 2.0 mL per inch DBH for trees 36 inches DBH and above or every 3 inches for trees 113+ inches in circumference

For heavier infestation and/or more persistent insects, use the higher rate of 2.0 ml per inch DBH. Trees in advanced stages of insect infestation may not respond to treatment. The health, species of tree and environmental conditions will determine the rate of uptake.

Drilling the hole:

Depending on the specific type of applicator, it may be necessary to predrill holes prior to insertion of the applicator tip into the tree. Drill holes deep enough to allow the tree's vascular system to transport ABACIDE 2Hp throughout the tree. Make injection holes at least 1/4 to 3/4 inch into healthy xylem (white wood) with actual depth up to 2 inches or more from the outer trunk surface depending upon the tree species and outer bark thickness.

Application and use:

Set the injector for the appropriate amount of ABACIDE 2Hp per site and pressurize the injector. To account for trunk flare, place injection sites evenly spaced around the root buttress region avoiding root valleys. Follow good injection practices. Disinfect drill bit prior to use on each tree.

Uptake Time:

Uptake time in the tree usually occurs within several minutes to an hour dependant upon species of tree, soil moisture availability, and the type of tree injector.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal of containers. Do not re-use containers.

PESTICIDE STORAGE: Store in a cool dry place out of the reach of children. Store containers in an upright position. Keep out of direct sunlight when possible.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facilities.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose in a sanitary landfill, or by incineration. Do not burn unless allowed by state and local ordinances. Dispose of empty bottles in a sanitary landfill or by incineration if approved by state and local authorities. If burned, stay out of smoke.

NOTICE OF WARRANTY

To the extent consistent with applicable law, J.J. Mauget Co. makes no warranty of merchantability, fitness for any purpose or otherwise expressed or implied concerning this product or its uses which extends beyond the use of the product under normal conditions in accord with the statements made on this label.