

7969-38

ACCEPTED  
MAY 15 1972  
FEDERAL BUREAU OF INVESTIGATION  
U.S. DEPARTMENT OF JUSTICE

**WARNING:**  
**HARMFUL OR FATAL IF SWALLOWED. VAPORS HARMFUL, CAUSES EYE IRRITATION**

Avoid breathing vapor or spray mist. Use only with adequate ventilation. Avoid contact with skin and eyes. Wash thoroughly after handling. In case of contact with eyes, flush eyes with plenty of water for at least 15 minutes; get medical attention.

**NOTE TO PHYSICIANS:** This product may cause cholinesterase inhibition. Atropine is antidotal.

**CAUTION: Combustible**

Keep away from heat and open flame. Keep container closed. Use with adequate ventilation. Do not contaminate food or feed products. For Other Use Precautions see side panel.

**BASF**



# Rebelate<sup>TM</sup> 2E

## Dimethoate Systemic Insecticide

a broad spectrum contact, systemic and residual insecticide for control of houseflies, and insects and mites on ornamental plants.

**Active Ingredients:**

Dimethoate (0,0-Dimethyl S-(N-methylcarbamoylmethyl) phosphorodithioate) ..... 22.7%

Inert Ingredients ..... 77.3%

(1 gallon contains 2.0 pounds of Dimethoate)

**WARNING: KEEP OUT OF REACH OF CHILDREN**

See side panel for additional warnings.

Net Contents: One Gallon

BASF Wyandotte Corporation  
Agricultural Chemicals, Parsippany, New Jersey



**TYPE SPRAY**  
**Rate**  
 1/2 pint per 12 gal. of water

**REMARKS**  
 Apply as a coarse spray with sprinkling can to fly breeding areas such as poultry barns, pig pens, aged layer houses, garbage dumps and manure piles.

Repeat applications should be made when necessary. Do not contaminate feed and foodstuffs, drinking fountains, water and feed troughs. Do not use in milk processing rooms, including milk houses and milk storage rooms. Do not use in homes.

**ORNAMENTALS**

ORNAMENTAL PLANTS	PEST CONTROLLED	AMOUNT PER 12 GAL. WATER
<b>Azaleas</b> (Outdoor Plants)	Leaf Hoppers Leaf Miners Mites Thrips White Flies	1 teaspoonful
<b>Camellias</b>	Aphids Scale Mites Thrips	1 teaspoonful For leaf miners apply coarse spray 2 weeks apart the first year. For whiteflies and aphids apply coarse spray after first growth of plants in the spring.
<b>Carnations</b>	Aphids Thrips Mites	1 teaspoonful For leaf miners apply coarse spray 2 weeks apart the first year. For whiteflies and aphids apply coarse spray after first growth of plants in the spring.
<b>Cedar</b>	Mites	1 teaspoonful
<b>Eucalyptus</b>	Aphids Thrips	1 teaspoonful
<b>Gardenias</b>	Thrips White Flies	1 teaspoonful
<b>Geraniums</b>	Thrips	1 teaspoonful
<b>Glaucous</b>	Aphids Thrips	1 teaspoonful

ORNAMENTAL PLANTS	PEST CONTROLLED	AMOUNT PER 12 GAL. WATER
<b>Impatiens</b>	Aphids White Flies Thrips	2 teaspoonfuls For thrips coarse spray when new leaves are 2-3 inches tall.
<b>Bougainvillea</b> (Outdoor Plants)	Mites White Flies Mealy Bug Aphids	1 teaspoonful
<b>Ficus</b> (Indoor Plants)	Thrips	1 teaspoonful NOTE: Do not use on potted plants.
<b>Cyperus</b>	Bacterial Disease	1 teaspoonful Apply as a drenching spray.
<b>Daylilies</b>	Aphids Thrips	2 teaspoonfuls
<b>Roses</b> (Indoor Plants)	Aphids Leafhoppers Mites Thrips	1 teaspoonful
<b>Artichokes</b>	Aphids Bagworms Mites	2 teaspoonfuls
<b>Birch</b>	Aphids Leaf Miners	1/2 teaspoonful For leaf miners apply when leaves are expanded about 1/2 inch and repeat weekly.
<b>Burdock</b>	Leaf Miners Mealy Bugs Mites	1 teaspoonful For leaf miners apply coarse spray when leaves are 2-3 inches tall. For mealy bugs coarse spray when first growth of leaves is 2-3 inches tall.
<b>Malva</b> (Indoor Plants)	Leaf Miners Mites Scale Thrips	1 teaspoonful For leaf miners apply coarse spray when leaves are 2-3 inches tall. For scale coarse spray when first growth of leaves is 2-3 inches tall.
<b>Holly</b>	Mites Scale	1 teaspoonful
<b>Juniper</b>	Aphids Bagworms Mites Mealy Bug	1 teaspoonful
<b>Yucca</b>	Leaf Miners Mites	1 teaspoonful

ORNAMENTAL PLANTS	PEST CONTROLLED	AMOUNT PER 12 GAL. WATER
<b>Pine</b>	Aphids Bagworms European Pine Shot Moth Nantucket Pine Tip Moth Zimmerman Pine Moth	2 teaspoonfuls
<b>Taxus</b>	Elephant Scale Mealy Bug Mites	2 teaspoonfuls

**USE PRECAUTIONS**

This product is toxic to fish, wildlife and birds. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees. Do not use for direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT STORE BELOW FREEZING TEMPERATURES.  
 REBELATE 2-E (typical of all organic phosphate insecticides) is a true nesterash inhibitor. At 100°F is antitoxic to bees. At 100°F is antitoxic to bees. At 100°F is antitoxic to bees.

**Container Disposal** After draining completely, add 1/2 gallon of water, 1/4 cup household detergent and 1/4 cup of white vinegar. Cap and rotate container to wet all internal surfaces thoroughly. Let stand for at least 15 minutes, then drain completely and rinse several times with water. Rinse and wash glass or break glass to prevent reuse of container. Dispose of container and wastes by burying in a safe place from domestic water supplies.

**WARRANTY AND DISCLAIMER**

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use. The seller is not liable for any injury or damage to property or persons caused by the use of this product in violation of the directions on the label.

Rebelate 2-E is a trademark of BASF. Ward and the Corporation, Philadelphia, Pennsylvania.

BASF Logo

**ACCEPTED**  
 Oct 11 - 1973

7969-38

1 (of 2)

7969-38

ACCEPTED  
OCT 18 1972  
FEDERAL BUREAU OF INVESTIGATION  
U.S. DEPARTMENT OF JUSTICE  
FOIA CASE NO. 79-69-38

**WARNING:**  
**HARMFUL OR FATAL IF SWALLOWED. VAPORS HARMFUL, CAUSES EYE IRRITATION**

Avoid breathing vapor or spray mist. Use only with adequate ventilation. Avoid contact with skin and eyes. Wash thoroughly after handling. In case of contact with eyes, flush eyes with plenty of water for at least 15 minutes; get medical attention.

**NOTE TO PHYSICIANS:** This product may cause cholinesterase inhibition. Atropine is antidotal.

**CAUTION: Combustible**

Keep away from heat and open flame. Keep container closed. Use with adequate ventilation. Do not contaminate food or feed products. For Other Use Precautions see side panel.



# Rebelate 2E<sup>TM</sup>

## Dimethoate Systemic Insecticide

a broad spectrum contact, systemic and residual insecticide for control of houseflies, and insects and mites on ornamental plants.

Active Ingredients:

Dimethoate (0,0-Dimethyl S-(N-methylcarbamoylmethyl) phosphorodithioate	22.7%
Inert Ingredients	77.3%

(1 gallon contains 2.0 pounds of Dimethoate)

**WARNING: KEEP OUT OF REACH OF CHILDREN**

See side panel for additional warnings.

Net Contents: One Gallon

BASF Wyandotte Corporation  
Agricultural Chemicals, Parsippany, New Jersey

