

smartweed (lanweed), in non crop areas such as fencerows, drainage ditchbanks, industrial areas, rights of way and similar areas, use 2 to 4 gallons of U-46 D4 per acre. Apply in late fall as recommended by local agricultural experiment stations or extension service weed specialists. Where annual rainfall is less than 6 inches, irrigation after spraying may give better results.

#### USE PRECAUTIONS

Do not apply U-46 D4 directly to, or otherwise permit it to come into contact with vegetables, flowers, grapes, fruit trees, ornamentals, cotton, or other desirable plants which are sensitive to U-46 D4 and similar materials, and do not permit spray mist containing it to drift onto them, since even minute quantities of the spray may cause severe injury during both growing and dormant periods. (Cloud sprays are less likely to drift.) Accordingly applications by airplane, ground rigs and hand dispensers should be carried out only when there is no hazard from drift. Do not apply by airplane in the vicinity of cotton, grapes or other desirable susceptible vegetation. Do not contaminate irrigation ditches or water used for domestic purposes. Do not store near fertilizers, seeds, insecticides or fungicides. Excessive amounts of 2,4-Dichlorophenoxyacetic acid in the soil may temporarily inhibit seed germination or plant growth.

To avoid injury to desirable plants, do not store, handle or apply other agricultural chemicals with the same containers or equipment used for U-46 D4.

LOCAL CONDITIONS MAY AFFECT THE USE OF HERBICIDES. STATE AGRICULTURAL EXPERIMENT STATIONS OR EXTENSION SERVICE WEED SPECIALISTS IN MANY STATES ISSUE RECOMMENDATIONS TO FIT LOCAL CONDITIONS.

Be sure that use of this product conforms to all applicable regulations.

Apply only as specified on the label.

Rinse equipment and containers and dispose of wastes by burying in non crop areas away from water supplies. Do not reuse empty containers; dispose of by perforating or crushing and burying with wastes.

#### WEED LIST

##### U-46 D4 IS RECOMMENDED FOR CONTROLLING:


alligatorweed	mustards	thistles
dandelion	peppergrass	vetch
docks	pigweed	whiteweed
fanweed	plantains	wild carrot
goldenrod	ragweed	wild morning glory
lambquarters	shepherdspurse	wild radish
muskmustard	tarweed	

and many other broadleaved weeds without injury to most grasses. Use on lawns, golf courses, parks, playgrounds and other recreational areas, along highways and railroad right of ways, on airfields, drainage ditch banks, pasture lands, around farm buildings, and in field crops such as listed on this label.

#### WARRANTY AND DISCLAIMER

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. The exclusive remedy of user or buyer and the limit of liability of BASF Wyndotte Corporation is the purchase price paid for the quantity of product involved.

EPA Reg No. 7969-40



U-46 D4 and BASF are registered trademarks of BASF Akt. Gesellschaft, Ludwigshafen am Rhein, West Germany.