

ACCEPTED

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 7749-45

Supplemental Labeling

Basagran® herbicide

Tank mix with Arrosolo® 3-3E herbicide for postemergence use in rice.

Basagran (EPA Registration No. 7969-45)

Arrosolo 3-3E (EPA Registration No. 10182-260)

All applicable directions, restrictions, precautions and Conditions of Sale and Warranty on both EPA-registered labels are to be followed. This labeling must be in the possession of the user at the time of herbicide application.

Directions for use

It is a violation of Federal law to use these products in a manner inconsistent with approved labeling.

General information

The tank mix of Basagran® herbicide plus Arrosolo® 3-3E herbicide may be applied for postemergence control of broadleaf weeds, sedges and annual grasses at the proper growth stages for treatment as specified on the respective labels.

The tank mix is effective through contact action. Therefore, weeds must be thoroughly covered with spray. Large crop and weed leaf canopies shelter smaller weeds and prevent adequate spray coverage.

Time and rate of application

Apply the tank mix of Basagran and Arrosolo 3-3E early postemergence when weeds are small and actively growing and before weeds reach the maximum size listed on the respective labels. This tank mix should be applied only to drained fields.

Basagran® herbicide should be used in the tank mix at 1-1/2 to 2 pints/A depending on weed species and size to be controlled. Refer to the Basagran label for specific rates, timings and weed sizes for optimum broadleaf weed control.

Arrosolo 3-3E should be added to the tank mix at rates recommended for weed control as specified on the respective label.

Water volume and spray pressure

Refer to the respective labels for specific water volume and spray pressure recommendations.

Restrictions and limitations
(partial list)

Always read and follow all label directions when using any pesticide alone or in tank mix combinations. The most restrictive labeling applies when using a tank mix.

Due to the potential for crop injury, do not apply oils, surfactants or liquid fertilizers with this tank mix except as specified on the Arrosolo 3-3E label.

Conditions of sale and warranty

The Directions for use of this product reflect the opinion of experts based on field use and tests. These directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of these products. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of these products in a manner inconsistent with labeling, all of which are beyond the control of BASF Corporation (BASF) or the Seller. All such risks shall be assumed by the Buyer.

BASF warrants that this product (Basagran) conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks referred to above. BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL BASF OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Basagran is a registered trademark of BASF AG.
Arrosolo is a registered trademark of ICI Group Companies.


Supplemental Labeling

Basagran® herbicide

Tank mix with Select® herbicide for postemergence use in soybeans.

Basagran (EPA Registration No. 7969-45)

Select (EPA Registration No. 59639-3)



All applicable directions, restrictions, precautions and Conditions of Sale and Warranty on both EPA-registered labels are to be followed. This labeling must be in the possession of the user at the time of herbicide application.

Directions for Use

It is a violation of Federal law to use these products in a manner inconsistent with approved labeling.

General Information

The tank mix of Basagran® herbicide plus Select® herbicide may be applied for postemergence control of broadleaf weeds and grasses at the proper growth stages for treatment as specified on the respective labels.

The tank mix is effective through contact action. Therefore, weeds must be thoroughly covered with spray. Large crop and weed leaf canopies shelter smaller weeds and prevent adequate spray coverage.

Time and Rate of Application

Apply the tank mix of Basagran and Select early postemergence when weeds are small and actively growing and before weeds reach the maximum size listed on the respective labels.

Basagran should be used in the tank mix at 1-2 pints/A depending on broadleaf weed species and size to be controlled. Refer to the Basagran label for specific rates, timings and weed sizes for optimum broadleaf weed control. Select should be added to the tank mix at rates recommended for grass control as specified on the respective label.

Information on Antagonism

Tank mixes of Basagran and Select have exhibited a reduction in control of some grass species and failure to control other grass species. Broadleaf weed control is not affected by the tank mix.

Refer to the Select label for specific grasses controlled and rate recommendations for use in the tank mix.

Spray Additives

An approved nonphytotoxic crop oil concentrate (commonly referred to as crop oil concentrate) must be added to the tank mix of Basagran and Select at the rate of 1-2 pints/A.

Urea Ammonium Nitrate (UAN) or Ammonium Sulfate (AMS) should also be added to the tank mix if velvetleaf is one of the major broadleaf weed species to be controlled. Refer to the Basagran label for specific use directions for UAN or AMS.

Water volume and spray pressure

Refer to the respective labels for specific water volume and spray pressure recommendations.

Restrictions and Limitations (partial list)

Always read and follow all label directions when using any pesticide alone or in tank mix combinations. The most restrictive labeling applies when using a tank mix.

Conditions of sale and warranty

The Directions for use of this product reflect the opinion of experts based on field use and tests. These directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of these products. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of these products in a manner inconsistent with labeling, all of which are beyond the control of BASF Corporation (BASF) or the Seller. All such risks shall be assumed by the Buyer.

BASF warrants that this product (Basagran) conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for use, subject to the inherent risks referred to above. BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL BASF OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.


Basagran is a registered trademark of BASF AG.
Select is a registered trademark of Valent U.S.A. Corporation.

BG-SE

June 1, 1992

Supplemental Labeling

Basagran® herbicide



Tank mix with Assure® II herbicide for postemergence use in soybeans.

Basagran (EPA Registration No. 7969-45)

Assure II (EPA Registration No. 352-541)

All applicable directions, restrictions, precautions and Conditions of Sale and Warranty on both EPA-registered labels are to be followed. This labeling must be in the possession of the user at the time of herbicide application.

Directions for Use

It is a violation of Federal law to use these products in a manner inconsistent with approved labeling.

General Information

The tank mix of Basagran® herbicide plus Assure® II herbicide may be applied for postemergence control of broadleaf weeds and grasses at the proper growth stages for treatment as specified on the respective labels.

The tank mix is effective through contact action. Therefore, weeds must be thoroughly covered with spray. Large crop and weed leaf canopies shelter smaller weeds and prevent adequate spray coverage.

Time and Rate of Application

Apply the tank mix of Basagran and Assure II early postemergence when weeds are small and actively growing and before weeds reach the maximum size listed on the respective labels.

Basagran should be used in the tank mix at 1-2 pints/A depending on broadleaf weed species and size to be controlled. Refer to the Basagran label for specific rates, timings and weed sizes for optimum broadleaf weed control. Assure II should be added to the tank mix at rates recommended for grass control as specified on the respective label.

Information on Antagonism

Tank mixes of **Basagran** and **Assure II** have exhibited a reduction in control of some grass species and failure to control other grass species. Broadleaf weed control is not affected by the tank mix.

Refer to the **Assure II** label for specific grasses controlled and rate recommendations for use in the tank mix.

Spray Additives

An approved nonphytotoxic crop oil concentrate (commonly referred to as crop oil concentrate) must be added to the tank mix of **Basagran** and **Assure II** at the rate of 1-2 pints/A.

Urea Ammonium Nitrate (UAN) or Ammonium Sulfate (AMS) should also be added to the tank mix if velvetleaf is one of the major broadleaf weed species to be controlled. Refer to the **Basagran** label for specific use directions for UAN or AMS.

Water volume and spray pressure

Refer to the respective labels for specific water volume and spray pressure recommendations.

Restrictions and Limitations (partial list)

Always read and follow all label directions when using any pesticide alone or in tank mix combinations. The most restrictive labeling applies when using a tank mix.

Conditions of sale and warranty

The Directions for use of this product reflect the opinion of experts based on field use and tests. These directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of these products. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of these products in a manner inconsistent with labeling, all of which are beyond the control of BASF Corporation (BASF) or the Seller. All such risks shall be assumed by the Buyer.


BASF warrants that this product (Basagran) conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for use, subject to the inherent risks referred to above. BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL BASF OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Basagran is a registered trademark of BASF AG.

Assure is a registered trademark of El duPont de Nemours & Co. (Inc.).

Supplemental Labeling

Basagran® herbicide



Tank mix with Fusion™ herbicide for postemergence use in soybeans.

Basagran (EPA Registration No. 7969-45)

Fusion (EPA Registration No. 10182-343)

All applicable directions, restrictions, precautions and Conditions of Sale and Warranty on both EPA-registered labels are to be followed. This labeling must be in the possession of the user at the time of herbicide application.

Directions for Use

It is a violation of Federal law to use these products in a manner inconsistent with approved labeling.

General Information

The tank mix of **Basagran® herbicide** plus **Fusion™ herbicide** may be applied for postemergence control of broadleaf weeds and grasses at the proper growth stages for treatment as specified on the respective labels.

The tank mix is effective through contact action. Therefore, weeds must be thoroughly covered with spray. Large crop and weed leaf canopies shelter smaller weeds and prevent adequate spray coverage.

Time and Rate of Application

Apply the tank mix of **Basagran** and **Fusion** early postemergence when weeds are small and actively growing and before weeds reach the maximum size listed on the respective labels.

Basagran should be used in the tank mix at 1-2 pints/A depending on broadleaf weed species and size to be controlled. Refer to the **Basagran** label for specific rates, timings and weed sizes for optimum broadleaf weed control. **Fusion** should be added to the tank mix at rates recommended for grass control as specified on the respective label.

Information on Antagonism

Tank mixes of **Basagran** and **Fusion** have exhibited a reduction in control of some grass species and failure to control other grass species. Broadleaf weed control is not affected by the tank mix.

Refer to the **Fusion** label for specific grasses controlled and rate recommendations for use in the tank mix.

Spray Additives

An approved nonphytotoxic crop oil concentrate (commonly referred to as crop oil concentrate) must be added to the tank mix of **Basagran** and **Fusion** at the rate of 1-2 pints/A.

Urea Ammonium Nitrate (UAN) or Ammonium Sulfate (AMS) should also be added to the tank mix if velvetleaf is one of the major broadleaf weed species to be controlled. Refer to the **Basagran** label for specific use directions for UAN or AMS.

Water volume and spray pressure

Refer to the respective labels for specific water volume and spray pressure recommendations.

Restrictions and Limitations (partial list)

Always read and follow all label directions when using any pesticide alone or in tank mix combinations. The most restrictive labeling applies when using a tank mix.

Conditions of sale and warranty

The Directions for use of this product reflect the opinion of experts based on field use and tests. These directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of these products. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of these products in a manner inconsistent with labeling, all of which are beyond the control of BASF Corporation (BASF) or the Seller. All such risks shall be assumed by the Buyer.

BASF warrants that this product (Basagran) conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for use, subject to the inherent risks referred to above. BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL BASF OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Basagran is a registered trademark of BASF AG.
Fusion is a trademark of ICI Group Companies.