



007969-00058-061799

Printed: 10:00:22 Wednesday, 21 Jul, 1999 # 27 / 3655


Systems Integration Group, Inc.

Poast[®]

herbicide

For Use in Horseradish

EPA Reg. No 7969-58



All applicable directions, restrictions, precautions and **Conditions of Sale and Warranty** on the EPA-registered label are to be followed. This labeling must be in the possession of the user at the time of application.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Application Instructions

Follow the application rates and timings for weed sizes as specified on the **Poast[®] herbicide** label. Follow the spray volume and pressure recommendations as described on the **Poast** label. For crop-specific restrictions and limitations, consult **Table 1** below. **Poast** does not control sedges or broadleaf weeds. Apply **Poast** at 0.5-1.5 pints per acre to actively grow-

ing annual and perennial grasses. For perennial grass control, make a subsequent application of **Poast** or cultivate 7-14 days after an initial or any subsequent application to improve control. Use additives according to the **Spray Additives** section of this label.

Apply **Poast** to the foliage of grasses on a spray-to-wet basis uniformly and completely because large leaf canopies shelter smaller grass weeds and can prevent adequate spray coverage. Adjust the boom height or use drop nozzles to ensure thorough coverage of the grass weeds. Do not spray to the point of runoff.

Do not apply to drought-stressed grass or grass which has gone through an extended dry period. In irrigated areas, irrigate prior to applications of **Poast** to ensure weeds are actively growing.

Spray Additives

Always use use crop oil concentrate or methylated seed oil at 1.0 - 2.0 pints per acre. Also refer to the respective additive labels for specific recommendations.

Table 1. Crop-Specific Restrictions and Limitations for Poast[®] Herbicide

Crop	Minimum Time From Application To Harvest (PHI)	Maximum Rate Per Acre Per Application	Maximum Rate Per Acre Per Season	Livestock Grazing or Feeding	Aircraft Application
Horseradish	60 days	2.5 pints	5.0 pints	No	No

Poast is a registered trademark of BASF AG.

© 1999 BASF Corporation
All rights reserved.
NVA 99-4-25-0049

BASF Corporation
P.O. Box 13528
Research Triangle Park, NC 27709

BASF