



7969-58

11-25-2003

1/14

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☒ Amendment
☐ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number File Symbol 7969-58	2. EPA Product Manager Jim Thompkins	3. Proposed Classification ☒ None ☐ Restricted
4. Company/Product (Name) Poast Herbicide	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) BASF Corporation, Agricultural Products P.O. Box 13528 Research Triangle Park, NC 27709 ☐ Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

☐ Amendment - Explain below.	☐ Final printed labels in response to Agency letter dated _____	NOTIFICATION NOV 25 2003
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application.	
☒ Notification - Explain below.	☐ Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging ☐ Yes ☒ No	Unit Packaging ☐ Yes ☒ No	Water Soluble Packaging ☐ Yes ☒ No	2. Type of Container ☒ Metal ☒ Plastic ☐ Glass ☐ Paper ☐ Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information ☒ Label ☐ Container	4. Size(s) Retail Container 1 pt, 2 1/2 pt	5. Location of Label Directions ☒ on labeling accompanying product
---	---	---

6. Manner in Which Label is Affixed to Product ☐ Lithograph ☐ Paper glued ☐ Stenciled	☒ Other sleeve
---	--

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Charlotte A. Sanson	Title Product Registration Manager	Telephone No. (Include Area Code) (919) 547-2583
-----------------------------	---------------------------------------	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received
(Stamped)

2. Signature Charlotte A. Sanson	3. Title Product Registration Manager
4. Typed Name Charlotte A. Sanson	5. Date November 11, 2003

2/14

Poast[®]

herbicide

NOTIFICATION

NOV 25 2003

Postemergence Grass Herbicide

For homeowner use on and around:

Flowers

Fruits*

Evergreens

Vegetables*

Shrubs

Ornamental Groundcovers

Trees

Bedding Plants

See Crop Table for specific crops.

- Systematic selective herbicide kills weedy grasses without harming desirable plants.
- Controls: Bermudagrass, crabgrass, foxtails, quackgrass, annual and perennial grasses.
- Concentrate makes 8 gallons of spray solution.

Active Ingredient:

Sethoxydim, 2-[1-(ethoxyimino)butyl]-5-[2-(ethoxyimino)ethyl]-3-methyl-2-cyclohexen-1-one

18%

Other Ingredients:

82%

Total:

100%

Equivalent to 1.5 pounds per gallon

EPA Reg. No. 7969-58

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

See inside booklet for complete First Aid, Precautionary Statements, Directions for Use and Conditions of Sale and Warranty.

For more information about our products, please visit our website at:
www.vmanswers.com

Net contents:



BASF Corporation
26 Davis Drive
Research Triangle Park, NC, 27709

BASF

FIRST AID	
If swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center. • Do not give anything by mouth to an unconscious person.
If on skin or clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison center or doctor for treatment advice.
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357)	

Precautionary Statements Hazards to Humans (and Domestic Animals)

Causes substantial but temporary eye injury. Do not get into eyes or on clothing. Harmful if swallowed.

Re-entry statement

Do not allow people or pets to come into contact with treated areas until spray has dried.

Personal Protective Equipment:
Some materials that are chemically resistant to this product are listed below. If you want more options, follow the instructions for category **G** on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Chemical-resistant footwear plus socks
- Protective eyewear
- Shoes and socks

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not re-use them. Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is toxic to aquatic organisms. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Endangered Species Concerns

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal law.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with this labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.

Poast* herbicide is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees. (See appendix for listing.) It can be used through a hose-end sprayer according to the directions of the sprayers being used or through a tank-type sprayer.

Poast can also be used around listed fruit and vegetable areas (see **Table 2**) wherever listed weedy grasses occur. Use only tank type sprayers.

Weedy Grasses Controlled:

Poast kills most annual and hard to-kill perennial grasses up to 1 foot high including the examples listed below in one (or two) application(s). Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds which may require a repeat application for control. Adding oil concentrate may help control of grassy weeds*.

Barnyardgrass	Junglerice
Bermudagrass	Lovegrass
Broadleaf	Orchardgrass,
Signalgrass	Seedling
Crabgrass	Quackgrass
Large	Tall Fescue
Smooth	Seedling
Fall Panicum	Texas Panicum
Foxtails, Giant	Shattercane/
Green	Wildcane
Yellow	Wild Proso Millet
Goosegrass	Wirestem Muhly
Johnsongrass	Witchgrass
Seedling	Woolly cupgrass
Rhizome	

Note: This product does not control sedges (including nutsedge or nut-grass) annual bluegrass, or broadleaf weeds. Red fescue, chewings fescue, hard fescue, and dichondra turfs are also tolerant of **Poast**.

When to apply

Apply any time grassy weeds are actively growing not exceeding the

minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. Do not mow or cut off tops of weeds before spraying. Do not apply if rainfall is expected within one hour following application. Growth of treated grasses stops soon after appli-

cation. They turn yellow and die within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slows activity.

Table 1. Dilution Table
Amount of Poast (concentrate) and Oil Concentrate to Use

Amount of Water to be Used	Amount of Poast		Amount of Oil Concentrate*		Coverage in Square Feet
	Fluid Ounces	Tablespoons	Fluid Ounces	Tablespoons	
1 gallons	1	2	1	2	1,800
3 gallons	3	6	3	6	5,500
5 gallons	5	10	5	10	9,100
8 gallons	8	16	8	16	14,600

One gallon of spray will treat 1,800 square feet of area.

* To prevent leaf burn of desirable plants, do not use oil concentrate when comfort index (temperature ° F + humidity) exceeds 150.

How to apply

With hose-end sprayers:

A. No water dilution/premixing needed. Determine how much area is to be treated in square feet. Pour 1 fluid ounce of **Poast*** herbicide and 1 fluid ounce of oil concentrate in the hose-end sprayer bottle for each 1,800 square feet to be treated. Set the sprayer dial to apply as close to 1 fluid ounce per gallon as possible. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

B. Water dilution/premixing needed. Some hose-end applicators recommend that liquid products be premixed with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for making treatments at 1 fluid ounce per 1,800 square feet. Clean the sprayer after use according to the sprayer instructions.

With tank sprayers:

Mix 1 fluid ounce of **Poast** plus 1 fluid ounce of oil concentrate per 1 gallon of water and spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1800 square feet of area. Wash sprayer by flushing soapy water and then clean water through the sprayer.

Important: For spot treating grassy weeds near lawns and around any sensitive plants, a tank type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash off foliage immediately with water.

For use on flowers, bedding plants, evergreens, shrubs, trees and ornamental groundcovers

Poast may be applied "over-the-top" of desirable plants infested by weedy grasses or as a directed spray to weedy grasses when label directions are followed. Do not exceed dosage rate per gallon of spray. See **Appendix** for tolerant plant listing. Most ornamental species tested have been found tolerant of **Poast**; however, use with caution around the following plants as they may be damaged if foliage is contacted by the spray: Azaleas (var. snow), Japanese Privet, Potentilla, Snow-in Summer, Red Oak and White Oak and ornamental grasses.

Poast may also be used on the following nonbearing food plants. Do not apply within 1 year of harvest.

Avocados
Dates
Figs
Olives

Plums
Pomegranates
Prunes

For use on fruit and vegetables areas (use only with tank type sprayers).

Poast may be used on the fruits and vegetables listed in the **Fruit and Vegetable Table**. Do not apply on or around any fruit and vegetable not listed on this label, especially sweet corn. Applications on and around tolerant vegetables and fruit should be applied with only a tank-type sprayer. A second application may be made to all listed vegetables and fruits except peanut and strawberry.

The quantities presented in the **Dilution Table** do not exceed the registered rates for the fruits and vegetables listed. Do not exceed the quantities presented.

Storage and Disposal

Storage: Keep pesticide in original container. Do not put concentrate or dilute spray into food, feed or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

Disposal:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available

If partly filled: Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Notice: Buyer assumes all liability, including personal injury and property damage, which may result from the use of this product in a manner inconsistent with labeling directions. If these terms are not acceptable, return at once unopened.

5/14

Table 2. Fruit and Vegetable Varieties	
Crop	Minimum time from last application to harvest
Apple	14 days
Apricot	25 days
Artichoke (California only)	7 days
Asparagus	1 day
Beans, green	15 days
dry	30 days
Beet (garden)	60 days
Blackberry	45 days
Blueberry*	30 days
Broccoli	30 days
Cabbage	30 days
Cantaloupe	14 days
Carrots	30 days
Cauliflower	30 days
Celery	30 days
Cherries	
(sweet and sour)	25 days
Citrus	15 days
Crabapple	14 days
Cranberries*	60 days
Cucumber	14 days
Eggplant	20 days
Endive (Florida only)	15 days
Grape	50 days
Horseradish	60 days
Lentils*	50 days
Lettuce, head	30 days
leaf	15 days
Loganberry	45 days
Mint	20 days
Muskmelon	14 days
Nectarine	25 days
Onion, garlic	30 days
Peach	25 days
Peanut*	40 days
Pear	14 days
Peas, green	15 days
dry	30 days
Pepper	20 days
Potato	30 days
Pumpkin	14 days
Quince	14 days
Raspberry	45 days
Spinach	15 days
Squash (all)	14 days
Strawberry*	7 days
Tomato	20 days
Tree nuts	15 days
Watermelon	14 days

* Not for use in California.

* Use no more than one application per season. Up to two applications per season may be made on all other plants.

Appendix

Trees

Listed by common name

- Acacia, Knife Leaf
(*Acacia cultriformis*)
- Arborvitae, Eastern (var: Teehny)
(*Thuja occidentalis*)
, Berkman's, Oriental
(*Thuja Orientalis*)
- Ash, Green
(*Fraxinus pennsylvanicum*)
, Mountain
(*Sorbus aucuparia*)
, Mountain
(*Sorbus americana decora*)
, White
(*Fraxinus americana*)
- Basswood, American
(*Tilia americana*)
- Berkman's, Oriental
(*Thuja orientalis*)
- Birch
(*Betula* sp.)
, Asian White (var. Japonica)
(*Betula platyphylla*)
, European White
(*Betula pendula*)
, paper
(*Betula papyrifolia*)
, River, Black or Red
(*Betula nigra*)
- Black Locust
(*Robinia pseudoacacia*)
- Bottle-brush
(*Callistemon lanceolatus*)
- Bottle Tree
(*Brachychiton populneus*)
- Brisbane Box Tree
(*Tristania conferta*)
- Cajeput Tree
(*Melaleuca quinquenervia*)
- Carob Tree
(*Ceratonia siliqua*)
- Carrot Wood
(*Cupaniopsis anacardioides*)
- Catalpa, Southern
(*Catalpa bignonioides*)
- Cherry, Black
(*Prunus serotina*)
, Carolina
(*Prunus caroliniana "compacta"*)
- Crabapple, Flowering
(var Dalgo, Radiant, Red Splendor, Royalty,
Vanguard, Sylvestris, Domestic)
(*Malus* sp.)
- Cypress, False
(*Chamaecyparis pisifera*)
, Leyland
(*Cupressocyparis leylandii*)
, Italian
(*Cupressus sempervirens*)
- Dogwood, Flowering
(*Cornus florida*)
, Silky
(*Cornus amomum*)
, Pagoda
(*Cornus alternifolia*)
- Elm, Chinese Evergreen
(*Ulmus parvifolia*)
- Eucalyptus
(*Eucalyptus robusta*)
(*Eucalyptus lehmannii*)
(*Eucalyptus nicholi*)
(*Eucalyptus granis*)
- Fir
(*Abies* sp.)
, Douglas
(*Pseudotsuga menziesii*)
, Frasier
(*Abies fraseri*)
, White
(*Abies concolor*)
- Goldenrain Tree
(*Koelreuteria paniculata*)
- Guava
(*Psidium littorale*)
, Pineapple
(*Feijoa sellowiana*)
- Gum, Blue
(*Eucalyptus globulus*)
, Lemon-scented
(*Eucalyptus citriodora*)
, Red Box
(*Eucalyptus polyanthemos*)
- Hackberry, Common
(*Celtis occidentalis*)
- Hemlock, Canadian
(*Tsuga canadensis*)
- Holly, Chinese
(var: Bufordii, Rotunda)
(*Ilex cornuta*)
, Hybrid (var Nellie Stevens)
(*Ilex sparsa*)
, Japanese
(var: Convexa, Compacta, Helleri, Hoogendorn)
(*Ilex crenata*)
, Yaupon
(*Ilex vomitoria*)
- Ironbark, Red
(*Eucalyptus sideroxylon*)
- Jacaranda
(*Jacaranda mimosifolia*)
- Kentucky Coffee Tree
(*Gymnocladus dioica*)
- Larch, European
(*Larix europaea*)
- Laurel, Indian
(*Ficus microcarpa nitida*)
- Linden
(*Tilia americana*)
- Linden, Littleleaf
(*Tilia cordata*)
- Locust, Honey
(*Gleditsia triacanthos inermis*)
- Loquat
(*Eriobotrya japonica*)
- Magnolia Southern
(*Magnolia grandiflora*)
- Maple, Red
(*Acer rubrum*)
, Japanese
(*Acer palmatum*)
, Silver
(*Acer saccharinum*)
- Mimosa Tree (silk tree)
(*Albizia julibrissin*)
- Myoporum
(*Myoporum laetum*)
- New Zealand Christmas Tree
(*Metrosideros excelsus*)

Oak
 (Quercus)
 , Water
 (Quercus nigra)
 , Willow
 (Quercus phellos)
 Olive Tree
 (Olea europaea)
 Olive, Russian
 (Elaeagnus angustifolia)
 Orchid Tree, Purple
 (Bauhinia variegata)
 Osage Orange
 (Maclura pomifera)
 Palm, Mediterranean fan
 (Chamaerops humilis)
 , Pygmy Date
 (Phoenix roebelenii)
 , Queen
 (Arecastrum romanzoffianum)
 , Sago
 (Cycas revoluta)
 , Windmill
 (Tracheocarpus fortunei)
 Palo Verde, Green
 (Parkinsonia aculeata)
 Paulownia Royal
 (Paulownia tomentosa)
 Pear, Common
 (Pyrus communis)
 , Evergreen
 (Pyrus kawakamii)
 , Ussurian
 (Pyrus ussuriensis)
 Pepper, Brazilian
 (Schinus terebinthifolius)
 Pine, Aleppo
 (Pinus halepensis)
 , Austrian
 (Pinus nigra)
 , Canary Island
 (Pinus canariensis)
 , Caribbean Slash
 (Pinus caribaea)
 , Italian Stone
 (Pinus pinea)
 , Jack
 (Pinus banksiana)
 , Japanese Black
 (Pinus thunbergii)
 , Loblolly
 (Pinus taeda)
 , Mugho
 (Pinus mugho)
 , Ponderosa, Western yellow
 (Pinus ponderosa)
 , Red
 (Pinus resinosa)
 , Scotch
 (Pinus sylvestris)
 , Shore
 (Pinus contra)
 , Slash
 (Pinus ellottii)
 , Southern
 (Pinus palustris)
 , Virginia
 (Pinus virginiana)
 , White
 (Pinus strobus)
 , White, Japanese
 (Pinus parviflora)
 , Yew
 (Podocarpus macrophyllus)

Plum, Wild
 (Prunus americana)
 Poplar, Hybrid
 (Populus alba)
 Poplar, Yellow, Tulip Tree
 (Liriodendron tulipifera)
 Purpleleaf, Bailey Acacia
 (Acacia baileyana)
 Redwood, Coast
 (Sequoia sempervirens)
 Sandcherry, Western
 (Prunus besseyi)
 Sensitive Plant
 (Mimosa pudica)
 Silk Tree
 (Albizia julibrissin)
 Spruce, Black Hills (var. Densata)
 (Picea glauca)
 , Colorado Blue
 (Picea pungens)
 , Norway
 (Picea abies)
 , White
 (Picea glauca)
 Strawberry Tree
 (Arbutus unedo)
 Sumac, Standard, African
 (Rhus lancea)
 Sweet Gum
 (Liquidambar styraciflua)
 Sycamore
 (Platanus occidentalis)
 Tea Tree, Australian
 (Leptospermum laevigatum)
 Tipu Tree
 (Tipuana tipu)
 Walnut, Black
 (Juglans nigra)
 Weeping Fig, Exotica
 (Ficus benjamina)
 Willow
 (Salix matsudana tortuosa)
 , Australian
 (Geijera parviflora)
 , Desert
 (Pittosporum phillyraeoides)
 , Peppermint
 (Agonis flexuosa)
 Yate, Bushy
 (Eucalyptus lehmannii)
 Yew, English
 (Taxus baccata)

Shrubs

Listed by common name

Abelia, Glossy
 (Abelia grandiflora)
 Acacia, Bailey
 (Acacia baileyana)
 , Knife Leaf
 (Acacia cultriformis)
 , Prostrate
 (Acacia redolens)
 , Sydney Golden Wattle
 (Acacia longifolia)
 Andromeda
 (Pieris japonica)
 Arborvitae, Oriental
 (Platycladus orientalis)
 Arrowwood, Southern
 (Viburnum dentatum)

8/14

Azalea, Mollis hybrid
(*R x kosterianum*)
Northern Lights Hybrid
(*R x kosterianum x R prinophyllum*)
Bamboo, Heavenly
(*Nandina domestica*)
Barberry, Japanese
(*Berberis thunbergii*)
Korean
(*Berberis koreana*)
Redleaf
(*Berberis virginian*)
Bird of Paradise Bush
(*Caesalpinia gillesii*)
Bluebeard
(*Caryopteris clandonensis*)
Boxwood, Common
(*Buxus sempervirens*)
African
(*Myrsine africana*)
Japanese
(var: *Japonica*)
(*Buxus microphylla*)
Buckthorn, Glossy, Alder
(*Rhamnus frangula*)
Camellia
(*Camellia japonica*)
(*Camellia sasanqua*)
Cedar, Eastern Red
(var: *Pyramidiformis, canearl*)
(*Juniperus virginiana*)
Cherry, Brush
(*Eugenia myrtifolia*)
Manchu, Nanking
(*Prunus tomentosa*)
Chokecherry sp.
(*Aronia meloelata*)
Copper Plant, Caribbean
(*Euphoria cotinifolia*)
Cotoneaster, Bearberry
(*Cotoneaster dammerii*)
Cranberry
(*Cotoneaster apiculata*)
'lowfast'
Peking
(*Cotoneaster acutifolia*)
Coyote Bush
(*Baccharis pilularis*)
Cranberry Bush, American
(*Viburnum trilobum*)
Golden
(*Viburnum opulus aureum*)
Crape Myrtle
(*Lagerstromia indica*)
Currant, Alpine
(*Ribes alpinum*)
Dogwood, Red Osier
(*Cornus stolonifera*)
Elaeagnus
(*Elaeagnus umbellata*)
Escallonia
(*Escallonia fradesii*)
(*Escallonia rubia*)
Euonymus, Evergreen
(var: *Golden, Silver King*)
(*Euonymus japonica*)
Winged
(*Euonymus alata*)
Fig, Creeping
(*Ficus repens*)
Firethorn
(*Pyracantha graberi*)

Forsythia, Greenstem
(*Forsythia viridissima bronxeniss*)
Flax, New Zealand
(*Phormium tenax*)
Fuchsia, Australian
(*Correa pulchella*)
Gardenia (var: *Mystery, Radicans*)
(*Gardenia augusta*)
(*Gardenia jasminoides*)
Dwarf (var: *Veitchii*)
(*Gardenia jasminoides*)
Gold Vine, Guinea
(*Hibbertia scandens*)
Hakea
(*Hakea proteacea*)
Hawthorn, Indian
(*Phaphiolepis indica*)
Hibiscus, Blue
(*Alyogyne huegelli*)
Hibiscus, Chinese
(*Hibiscus rosa-sinensis*)
Holly, Dwarf Burford
(var: *Burfordii Nana*)
(*Ilex cornuta*)
Honeysuckle, Bush
(*Diervilla lonicera*)
Cape
(*Tecomaria capensis*)
Hydrangea
(*Hydrangea macrophylla*)
Jasmine Asiatic
(*Trachelospermum asiaticum*)
Orange
(*Murraya paniculata*)
Star
(*Trachelospermum jasminoides*)
Winter
(*Jasmine nudiflorum*)
Jessamine, Carolina
(*Gelsemium sempervirens*)
Jojoba
(*Simmondsia chinensis*)
Juniper, Chinese (var: *Maneyi, Old Gold, Phtzerana, Sea Green, Hekii, Nana, Torulosa, Phtzerana Aurea, Pfitzer, Golden Pfitzer*)
(*Juniperus chinensis*)
Creeping (var: *Bluechip, Hughes, Plumosa, Prince of Wales, Webberi, Wiltonii, Bar Harbor, Andorra, Variegata, Youngstown Blue Rug*)
(*Juniperus horizontalis*)
Ozark
(*Juniperus sp.*)
Rocky Mountain (var: *Blue Heaven, Welchii, Wichita Blue, Medova, Moffet, Pyramidal Green, Springtime, Admiral*)
(*Juniperus scopulorum*)
Savin
(var: *Skandia, Arcadia, Broadmoor, Buffalo, Pepin*)
(*Juniperus sabina*)
Shore (var: *Compacta*)
(*Juniperus conferta*)
Tam (var: *Tamariscifolia*)
(*Juniperus sabina*)
Lantana, Purple Trailing
(*Lantana montevidensis*)
Laurustinus
(*Viburnum tinus*)
Lemonade Berry
(*Rhus integrifolia*)
Lilac, Common Purple
(*Syringa vulgaris purpura*)

Liriope, Green
 (*Liriope muscari*)
 , Variegated
 (*Liriope muscari*)
 Mickey Mouse Bush
 (*Ochna serrulata*)
 Mirror Plant
 (*Coprosma repens*)
 Mock Orange
 (*Pittosporum tobira*)
 Mountain Lilac, Carmel Creeper
 (*Ceanothus griseus*)
 Myrtle, Dwarf
 (*Myrtus communis compacta*)
 Nandina, Heavenly Bamboo
 (*Nandina domestica*)
 Nannyberry
 (*Viburnum lantago*)
 Ninebark
 (*Physocarpus opulifolius*)
 Ninebark (var. Aureus)
 (*Physocarpus opulifolius nanus*)
 Oleander
 (*Nerium oleander*)
 Orchid, rockrose
 (*Cistus purpureus*)
 Oregon Grape
 (*Mahonia aquifolium*)
 Osmanthus, Holly-leaf
 (*Osmanthus heterophyllum*)
 , Sweet Olive
 (*Osmanthus fragrans*)
 Palm, Natal
 (var. Green Carpet Tuttle)
 (*Carissa grandiflora*)
 Pampas Grass
 (*Cortaderia selloana*)
 Photinia
 (*Photinia* sp.)
 Photinia, Fraser
 (*Photinia fraser*)
 Pink Lady
 (*Rahioleis indica*)
 Pink Powder Puff
 (*Calliandra haematocephala*)
 Pittosporum, Variegated Japanese
 (*Pittosporum tobira variegata*)
 Plumbago, Cape
 (*Plumbago capensis*)
 Podocarpus, Yew
 (*Podocarpus macrophyllum*)
 Princess Flower
 (*Tibouchina urvilleana*)
 Privet
 (*Ligustrum indica*)
 , Glossy (var. Lake Tresca)
 (*Ligustrum lucidum*)
 , Japanese, Waxleaf
 (*Ligustrum japonicum*)
 , Texas
 (*Ligustrum texanum*)
 Purple Hop Bush
 (*Dodonaea viscosa*)
 Pyracantha
 (*Pyracantha gruberi*)
 Rhododendron - Azalea (var. Hinocrimson,
 Hershey Red, Coral Blue, Hinodigiri,
 Christmas Cheer, Pink Ruffle, Formosa Flame,
 Delaware Valley White, New White)
 (*Rhododendron* sp.)
 Sandcherry, Purpleleaf
 (*Prunus cistena*)

Serviceberry, Allegheny
 (*Amelanchier laevis*)
 , Saskatoon (var. Regent)
 (*Amelanchier alnifolia*)
 Silver King
 (*Euonymus japonica*)
 Sky Flower, Brazilian
 (*Duranta stenostachya*)
 Snowball Bush
 (*Viburnum opulus sterilis*)
 Spindle Tree
 (*Euonymus kiautschovica*)
 Spiraea
 (*Spiraea vanhouttei*)
 , (var. Anthony Waterer, Froebellii, Goldflame)
 (*Spiraea bumalda*)
 , (var. Fairy Queen)
 (*Spiraea trilobataiovia*)
 , (var. Snowbound)
 (*Spiraea nipponicaiovia*)
 Star Plant, Lavender
 (*Grewia occidentalis*)
 Tea Tree, Australian
 (*Leptospermum laevigatum*)
 , New Zealand
 (var. Red Glow)
 (*Leptospermum scoparium*)
 Texas Ranger
 (*Leucophyllum frutescens*)
 Toyon, California Holly
 (*Heteromeles arbutifolia*)
 Trumpet Vine, Pink
 (*Pandorea rosea*)
 Veronica
 (*Hebe 'Coed'*)
 Viburnum, Japanese
 (*Viburnum japonicum*)
 , Sandankwa
 (*Viburnum suspensum*)
 Wayfaring Tree
 (*Viburnum lantanoides*)
 Weeping Fig, Exotica
 (*Ficus benjamina*)
 Wheelers Dwarf, Variegated
 (var. Wheller)
 (*Pittosporum tobira*)
 Yellow Bells
 (*Tecoma stans*)
 Yesterday-Today-and-Tomorrow
 (*Brunfelsia calycina*)
 Yew
 (*Taxus cuspidata vigatum*)

Ornamentals, Bedding plants Listed by common name

Alyssum
 (*Alyssum* sp.)
 Asparagus, Myers (var. Meyer)
 (*Asparagus densiflorus*)
 , Sprenger (var. Sprenger)
 (*Asparagus densiflorus*)
 Aster, New York
 (*Aster novi-belgii*)
 , Stokes (var. Blue, White)
 (*Stokesia cyanae*)
 Baby's Breath (var. Bristo Fairy)
 (*Gypsophila paniculata*)
 Begonia
 (*Begonia semperflorens*)
 Bellflower, Tussock (var. Canterbury Bells)
 (*Campanula carpatica*)

10/14

Bittersweet, American
(*Calystegia scandens*)
Black-eyed Susan (var: Goldilocks)
(*Rudbeckia hirta*)
Bleeding Heart
(*Dicentra spectabilis*)
Butterfly Weed
(*Asclepias tuberosa*)
Bower Vine
(*Pandorea jasminoides*)
Cactus, Barrel
(*Echinocactus* sp.)
Candytuft
(*Iberis sempervirens*)
(*Iberis amara*)
Canna
(*Canna* sp.)
Cassia, Feathered
(*Cassia artemisioides*)
Chrysanthemum, Marguerite
(*Chrysanthemum frutescens*)
(*Chrysanthemum indicum*)
Cockscomb
(*Celosia argentea*)
(*Canna*)
Coleus
(*Coleus blumei*)
Coneflower, Purple (var: Gloriosa Daisy)
(*Echinacea purpurea*)
Coralbells
(*Heuchera sanguinea*)
Coreopsis (var: Sunray)
(*Coreopsis lanceolata*)
Cup of Gold Vine
(*Solandra maxima*)
Daffodil
(*Narcissus* spp.)
Dahlia
(*Dahlia pinnata*)
Daisy Bush
(*Euryops pectinatus*)
Daisy, Blue
(*Felicia amellioides*)
, Shasta (var: Alaska)
(*Chrysanthemum maximum*)
Daylily
(*Hemerocallis hybrids*)
Dianthus
(*Dianthus deltoides*)
Dragonhead, False
(*Physostegia virginiana*)
Dusty Miller
(*Centaurea cineraria*)
Fern, Sprenger Asparagus
(*Asparagus densiflorus Sprengeri*)
Fescue, Blue
(*Festuca ovina*)
Flowering tobacco
(*Nicotiana* sp.)
Fountain Grass, Red
(*Pennisetum setaceum*)
Gazania
(*Gazania ringens leucolaena*)
(*Gazania* sp.)
Geranium
(*Geranium* sp.)
, Martha Washington
(*Pelargonium domesticum*)
Gerbera Daisy
(*Gerbera jamesonii*)
Geum (var: Lady Strathedon, Mrs. Bradshaw,
Mrs. Bradshaw Improved)
(*Geum quellyon*)

Gladiolus
(*Gladiolus* sp.)
Heather, False
(*Cuphea hyssopifolia*)
Honeysuckle, Amar
(*Lonicera maackii*)
Honeysuckle, Fly
(var: Emerald Mound, Clavey's Dwarf)
(*Lonicera xylosteum*)
, Japanese
(*Lonicera japonica*)
, Morrow
(*Lonicera morrowii*)
, Tatarian (var: Zabeli)
(*Lonicera tatarica*)
Hopseed Bush, Purple
(var: Purpurea)
(*Dodonaea viscosa*)
Impatiens
(*Impatiens* sp.)
Iris
(*Iris* sp.)
, African
(*Iris bicolor*)
Ivy, Grape
(var: Ellen Danica)
(*Cissus rhombifolia*)
Jack-in-the-Pulpit
(*Arisaema pusillum*)
(Mrs. Bradshaw Improved)
Jade Plant
(*Crassula argentea*)
Jasmine, Madagascar
(*Stephanotis floribunda*)
Lamb's Ear
(*Stachys lanata*)
Lavender, English
(*Lavandula vera*)
, French
(*Lavandula dentata*)
, Cotton
(*Santolina chamaecyparissus*)
Lilac, Chinese
(*Syringa chinensis*)
, Common Purple
(var: Charles Joly, Ludwig Spaeth, Jay Tree)
(*Syringa vulgaris purpurpa*)
, Meyer (var: Palibin)
(*Syringa* sp.)
, Korean
(var: Miss Kim)
(*Syringa patula*)
, Mountain
(*Ceanothus griseus*)
Lily-of-the-Nile, Peter Pan
(*Agapanthus africanus*)
Lily-of-the-Valley
(*Convallaria majalis*)
Lobelia
(*Lobelia erinus*)
Marigold
(*Tagetes* sp.)
Mirror Plant
(*Coprosma baueri*)
, Variegated
(*Coprosma repens*)
Moneywort, Creeping Jenny
(*Lysimachia nummularia*)
Moss, Rose
(*Portulaca grandiflora*)
, Sandwort
(*Arenaria verna*)

Pansy, Johnny-Jump-Up
(*Viola tricolor*)
Pepper, Ornamental
(*Capsicum* sp.)
Periwinkle, Madagascar
(*Catharanthus roseus*)
Periwinkle
(*Vinca minor*)
Petunia
(*Petunia* sp.)
Phlox, Perennial
(*Phlox paniculata*)
Plantain Lily
(*Hosta* sp.)
Purple Loosestrife
(var: *Morden's Gleam*)
(*Lythrum virgatum*)
Raspberry Ice
(*Bougainvillea* sp.)
Sage
(*Salvia greggii*)
Sea Pinks, Thrift
(*Armeria maritima*)
Sedum, Stonecrop
(*Sedum x rubrotinctum*)
(Lavender cotton)
Shrimp Plant
(*Justicia brandegeana*)
Sky Flower, Brazilian
(*Duranta stenostachya*)
Snail Vine
(*Vigna caracalla*)
Snapdragon
(*Antirrhinum majus*)
Speedwell, Spike
(*Veronica spicata*)
Statice, Perennial
(*Limonium perezii*)
Stock
(*Mattiola incana*)
Sweet Grass
(*Acorus gramineus*)
Sweet William
(*Dianthus barbatus*)
Transvaal Daisy
(*Gerbera jamesonii*)
Trumpet Vine, Blood red
(*Distictis buccinatoria*)
Lavender
(*Clytostoma callistegioides*)
Pink
(*Pandorea rosea*)
Tulip
(*Tulipa* spp.)
Verbena
(*Verbena* sp.)
Wandering Jew
(*Tradescantia* sp.)
Wisteria
(*Wisteria sinensis*)
Yarrow (var: *Cerise Queen*)
(*Achillea Millefolium*)
Debutante
(*Achillea taygetea* v.)
Yellow Trumpet
(*Macfadyena unguis-cati*)
Zinnia
(*Zinnia elegans*)

Ground covers

Listed by common name

Aaron's Beard
(*Hypericum calycinum*)
Aptenia (var: *Red Apple*)
(*Aptenia cordifolia*)
Bergenia, Winter-blooming
(*Bergenia crassifolia*)
Bugleweed
(*Ajuga reptans*)
Capeweed
(*Arctotheca calendula*)
Carpathian, Harebell
(*Campanula carpatica*)
Cinquefoil, Spring
(*Potentilla tabernaemontani*)
Coyote brush (var: *Twin Peaks*)
(*Baccharis pilularis*)
Crownvetch
(*Coronilla varia*)
Cushion Bush
(*Calocephalus brownii*)
Daisy, Trailing African, Freeway
(*Osteospermum*)
White African
(*Osteospermum fruticosum alba*)
Gazania, Trailing
(*Gazania regens leucolaena*)
Green Carpet
(*Herniaria glabra*)
Ivy, Algerian
(*Hedera canariensis*)
Boston
(*Parthenocissus tricuspidata*)
English
(*Hedera helix*) (var: *California*)
Grape
(var: *Ellen Danica*)
(*Cissus rhombifolia*)
Hahn's (var: *Hahnii*)
(*Hedera helix*)
Lantana, Lavender
(*Lantana montevidensis*)
Lily-turf, Big Blue
(*Liriope muscari*)
Lippla
(*Phyla nodiflora*)
Mondo Grass
(*Ophiopogon japonicus*)
Myoporum (var: *Prostratum*)
(*Myoporum parvifolium*)
Pachysandra
(*Pachysandra terminalis*)
Periwinkle
(*Vinca major*)
Plumbago, Dwarf
(*Ceratostigma plumbaginoides*)
Pork and Beans
(*Sedum rubrotinctum*)
Rosea Ice Plant
(*Drosanthemum floribundum*)
Rosemary, Dwarf (var: *Prostratus*)
(*Rosmarinus officinalis*)
Rupture Wort
(*Herniaria glabra*)
St. Johnswort, Creeping
(*Hypericum calycinum*)
Stonecrop, Sedum
(*Sedum rubrotinctum*)
Verbena
(*Verbena officinalis*)
Blue
(*Verbena peruviana*)

12/14

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. All such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL BASF OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Poast is a registered trademark of BASF AG.

The Specialty Products Logo is a registered trademark of BASF Corporation.

© 2003 BASF Corporation

007969-58-00132 20031021.pdf

NVA 2003-04-025-0132

Supersedes: NVA 96-4-25-0201

BASF Corporation
26 Davis Drive
Research Triangle Park, NC, 27709

Specialty Products

BASF

BASF Corporation

13/14
BASF

November 11, 2003

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
US Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Subject: Poast® Herbicide, Homeowner Use
EPA Reg. No. 7969-58
Notification of Labeling Changes per PR Notice 2001-6

Dear Sir/Madam:

Under cover of this letter, BASF is submitting a notification of change in labeling as prescribed in PR Notice 2001-6, pertaining to the pesticide disposal instructions on the Poast Herbicide homeowner use label. Accordingly, the following statements have been incorporated into the label (page 3): "If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain."


Enclosed are one copy of amended labeling, with marked revisions, and a completed EPA 8570-1 Registration Application form.

This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

14/14

Thank you for your attention to this matter. If you have any questions or need further information, please contact me directly at (919) 547-2983, or by e-mail at sansonc@basf.com.

Best regards,
BASF Corporation
Agricultural Products



Charlotte A. Sanson
Product Registration Manager

enc:

cc: Ms. Vickie Walters – EPA (PM Team 25)