BASF

BEST DOCUMENT AVAILABLE

Fungicide

Micronized wettable sulfur **Active ingredient:** Inert ingredients:

Sulfur 80% 20% 100%

Keep out of reach of children CAUTION

If Swallowel: Call a physician or Poison Control Center. Frink 1 or 2 glasses of water And induce veriting by touching back of thirat with finger. Do not influe vomiting or give anything by mouth to an unconsciour person.


If splashel in eyem: Get retiral attention if irritation develope.

If spilled on skin: Immediately remove contaminates of thing including shoes, and wash skin with scapanily lenty of water. If irritation develops, send for a physician.

See side panel for additional Premautionary Statement:

BASF Wyandotte Corporation 100 Cherry Hill Road Parsippany, N. J. 07054 USA

EPA Est. No. 7969-WO -01 EPA Reg. No. 7169-61



[Left Side Panel]

Precautionary Statements
Hazards to humans and domestic animals
Caution: Harmful if swallowed, avoid breathing
spray mist. May cause irritation of nose, throat
and skin. Avoid contact with eyes, skin and
clothing. Causes moderate eye injury. Do not
contaminate feed and food stuff. Wash thoroughly
with soap and water after handling.

Environmental Hazards
Do not apply directly to water. Do not contaminate water by disposal of waste.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Completely emity bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

[Left Side Panel (cont.)

CH is aviolation of Federal law to use this Direction for use I product in a manner inconsistent with its late

Do not use on sulfur-sensitive plants. Sulfur may burn foliage when temperature is excessively high. Do not apply if temperatures during or within three days after application are expected to exceed 90°F. in the area to be treated. Do not apply with or following an oil application for 14 days. Do not apply oil

for 14 days following treatment.

DILUTE GROUND APPLICATION:

Apply specified rate in 20 to 60 gallons of water per acre. Orchard Application: Apply specified rate in 100 to 800 gallons of water per acre.

CONCENTRATE GROUND APPLICATION:

Apply specified rate in not less than 5 gallons of water per acre. Orchard Application: Apply specified rate in 20 to 100 gallons of water per acre. Special concentrate equipment is necessary for these uses.

AERIAL APPLICATION:

Apply specified rate in 5 to 20 gallons of water per acre. Orchard rates should not be applied in less than 10 gallons of water per acre.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. The manufacturer makes no other warranties of any kind, express or implied. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

RECOMMENDATIONS. Pour needed amount of Kumulus S into spray tank under agitation, if necessary, add a few drops of oil to avoid foaming.

Crop

Disease

Lbs. per Acre

Almonds, cherries, plums,

prunes

Brown rot, Powdery mildew, leaf spots. Silver mite, Flat mite, red

10-30

Apply at bloom or early petal fall. Repeat as necessary, usually 10-14 days or after a period of wet weather.

Apples, pears

Powdery mildew, Scab, Blister mite,

spider mite.

10-30 Red Spider mite

Do not apply to D'anjou pears. Apply pre-bloom and petal fall. Apply with cover sprays throughout the season at 10-14 day intervals.

Beans, Peas Broccoll, Brussels Sprouts, Cabbage,

Cauliflower, Collards, Kale,

Powdery mildew, Septoria leaf spot,

Peppers, Potatoes

Red spider mite 3-5

Start at early leaf stage Repeat application every 10-14 days with or without pesticide immediately after a rain

Blackberries (Rubus spp.)

Powdery mildew

Begin when new shoots are 6 inches long and before blossoms open Repeat at 10 day intervals or as necessary.

Citrus

Flat mite, Silver mite,

8-20 Red spider mite

Apply in any spray NOI. by 14 days.

Reentry Stakement Conot reenter treated fields within 24 hours of application.

BEST DOCUMENT AVAILABLE

[Right Side Panel]

Listase	LDE.
Red spider mite	per Acr 3-5
Powdery mildew, Bud mite, Blister mi Red spider mite	te, 2-5
rith cut worm spray, (n on 14 day schedu	early shoo ule or wit
Brown rot, Powdery mildew,	
Silver mite,	10-30
fall. Repeat as necess of wet weather.	
Powdery mildew, Red spider mite,	2_6
peat applications as	necessar
Powdery mildew (Sphaerotheca	8-15
rst bloom color. Conti ather requires.	6-15 inue until a
Powdery mildew, Red spider mite,	5 - 10
eat applications with ew, begin at first signs	of withous of diseas
Red spider mite	3-5
out pesticides.	
Russet mite ed.	3–5
European red mite, Pacific mite, Almond mite, Twospotted mite.	
Red spider mite	10-20
f wal <mark>nuts are se</mark> nsitiv ons.	re to sulfu
	Powdery mildew, Bud mite, Blister mit Red spider mite ith cut worm spray, on 14 day schedu Brown rot, Powdery mildew, Silver mite, Red spider mite fall Repeat as necess of wet weather. Powdery mildew, Red spider mite, Leaf spots peat applications as Powdery mildew (Sphaerotheca humuli) rst bloom color. Contiather requires. Powdery mildew, Red spider mite ather requires. Powdery mildew, Red spider mite eat applications, with ew, begin at first signs Red spider mite out pesticides. Russet mite ed. European red mite, Almond mite, Twospotted mite, Red spider mite ag season to increase walnuts are sensitive

BEST DOCUMENT AVAILABLE

	•	4.7
-:		A. S.

U.S. ENVIRONMENTAL PROTECTION AGENCY OF FICE OF PESTIC OF FROMEN'S REGISTRATION DIVISION BUT 48" WASHINGTON COLOR 41	THE OF ISSUANCE
NOTICE OF PESTICIDE: AND	NAME OF PESTICIPE PRODUCT
AME AND ADDRESS OF REGISTRANT Include ZIP codes	
r	۳.
	, ,
L	٦
NOTE Changes in late ling formula differing in substance f submitted to and accepted by the Registration Division pro- product always refer to the above U.S. EPA registration num	from that accepted in connection with this registration must be it to use of the label in commerce. In any correspondence on thinber.
On the basis of information furnished by the registrant, the the Federal fascitic die, Fungicule, and Rodenticule Act.	above named pesticide is hereby Registered/Retegistered und
A copy of the labeling accepted in connection with this Re	vistration/Reregistration is returned herewith.
health and the environment, the Administrator, on his motion tedde in general new with the Act. The acceptance of any na	it or approval of this product by this Agency, In order to protect in, may at any time suspend or cancel the registration of a peak ame in connection with the registration of a product under this a exclusive use of the name or to its use if it has been covered
B_i	EST DOCUMENT AVAILABLE
ATTATHMENT IS APPLICABLE	,
SIGNATURE OF APPROVING OFFICIAL	DAYE