

487 P. S. G. G. L.

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Festicide Programs Registration Division (H78080) 401 "N" St., S.W. Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

7969-98

JAN 13 20700

NOTICE OF PESTICIDE:

<u>x</u> Registration
Reregistration

Term of Issuance:
Conditional

Name of Pesticide Product:

Ponnax Plant Growth Regulator

(under FIFRA, as amended)

Name and Address of Registrant (include ZIF Code):

BASF Corporation Agricultural Chemicals P.O. Box 13528

Research Triangle Park, NC 27709-3528

Note: Changes in lareling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EFA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Addenticide Act.

Registration is in all way to be construed as an endorsement or returned solution of this product by the Agency. In order to protect health and the environment, the Administrator, on all totion, may at any time suspend or cancel the registration of a posticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to explusive use of the name or to its use if it has been divered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 7969-98".
 - 3. Submit acute, subchronic and developmental neurotoxicity studies in the rat due 12/33/02.

Signature of Approving Official:

/5/

0000 E 1 NAL

EPA Form 8570-6

page 2 EPA Reg. No. 7969~98

Submit one copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

vers. 1.5

ACCEPTED with COMMENTS In EPA Letter Dated:

JAN 13 2000

Under the Vederal Insecticide, Fungicide, and Rodenticide Act, as amended, for the posticide registered under EPA Reg. No.

7969-98

Ponnax Replant regulator

Active Ingredient*:

EPA Reg. No. 7969-

KEEP OUT OF REACH OF CHILDREN. CAUTION

See inside booklet for complete Precautionary Statements, Statement of Practical Treatment, Directions For Use, and Conditions of Sale and Warranty.

Net contents: 2 quarts (1.89 liters)

Precautionary Statements

Hazards to Humans and Domestic Animals Caution. Avoid contact with eyes, skin, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Statement of Practical Treatment

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

Personal Protective Equipment (PPE) Applicators and other handlers must wear:

Long-sleeved shirt and long pants

Waterproof gloves

Shoes plus socks

Follow the manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls Statement

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

· Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

 Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean

 Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

Do not apply directly to water, areas where surface water is present, or intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

All applicable directions, restrictions, precautions, and Conditions of Sale and Warranty are to be followed. This labeling must be in the user's possession during application.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms. forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralis
- Waterproof gloves
- Shoes plus socks

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

Storage: Do not store below 32° F or above 100° F. Store in a dry place away from heat or open flame.

Pesticide Disposal: Pesticide wastes are toxic. Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide, spray mix, or rinsate is a violation of federal law. If these wastes cannot be disposed of according to label instructions, contact the state agency responsible for pesticide regulation or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

 Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

In Case of Emergency

In case of large-scale spillage regarding this product, call:

CHEMTREC

800-424-9300

BASF Corporation

800-832-HFLP

In case of medical emergency regarding this product,

- Your local doctor for immediate treatment.
- Your local poison control center (hospital).
- BASF Corporation (800-832-HELP)

Steps to be taken in case material is released or

Wear the personal protective equipment specified on the label or the Material Safety Data Sheet. Recoverthe material for re-use according to label whenever possible. Cover the liquid with an absorbent material (such as pet litter). Sweep up and place in an appropriate container for disposal. Remove and wash clothing and personal protective equipment prior to re-use. Keep the spill out of all sewers and open bodies of water.

I. General Information

Ponnax® plant regulator is a foliar-applied plant regulator for use on Concord and Niagara grapes only.

Ponnax can modify the grape plant by regulating its growth and development. **Ponnax** may cause one or more of the following effects: reduction of internodal length, reduction of cane length, darker green leaf color, and increased berry set (more berries/cluster). Some of these effects can translate to improved yield potential.

Cleaning Spray Equipment

Clean application equipment thoroughly by using a strong detergent or commercial sprayer cleaner according to the manufacturer's directions and then triple rinsing the equipment before and after applying this product.

II. Application Instructions

Application Timing

Ponnax should be applied between the beginning of flowering and initial fruit set, but optimum results are achieved at mid-bloom (50% bloom).

Application Rate

Apply **Ponnax** at a rate of 10-16 fluid ounces (0.67-1 pint) per acre. A nonionic surfactant at a rate of 0.1% v/v should be included.

Method of Application

Although **Ponnax® plant regulator** is systemic, good coverage and contact with blooms is required for optimal performance. Spray volumes of 30-150 gallons per acre may be used.

III. General Mixing Information

Additives and/or other pesticides may be mixed in the spray tank with **Ponnax** using the information in this section.

Tank Mix Partners/Components

Other products registered for use in grapes may be tank mixed with **Ponnax** according to the specific tank mixing instructions in this label and respective product labels.

Read and follow the applicable **Restrictions and Limitations** and **Directions For Use** on all products involved in tank mixing. The most restrictive labeling applies to tank mixes.

Separate applications should be made if all target pests are not at the labeled growth stage for treatment at the same time.

Physical incompatibility, reduced pest control, or crop injury may result from mixing **Ponnax** with other pesticides (fungicides, insecticides, or miticides), additives, or fertilizers. BASF does not recommend using tank mixes other than those listed on BASF labeling. Local agricultural authorities may be a source of information when using other than BASF recommended tank mixes.

Compatibility Test for Mix Components

Before mixing additives and/or other pesticides, always perform a compatibility jar test. For 20 gallons per acre spray volume, use 3.3 cups (800 ml) of water. For other spray volumes, adjust rates accordingly. Only use water from the intended

source at the source temperature.

Add components in the sequence indicated in the **Mixing Order** using 2 teaspoons for each pound or 1 teaspoon for each pint of recommended label rate per acre.

Always cap the jar and invert 10 cycles between component additions.

When the components have all been added to the jar, let the solution stand for 15 minutes. Evaluate the solution for uniformity and stability. The spray solution should not have free oil on the surface, nor fine particles that precipitate to the bottom, nor thick (clabbered) texture. If the spray solution is not compatible, repeat the compatibility test with the addition of a suitable compatibility agent. If the solution is then compatible, use the compatibility agent as directed on its label. If the solution is still incompatible, do not mix the ingredients in the same tank.

Mixing Order

When mixing additives and/or other pesticides in a spray tank, add the products to be used in the following sequence.

- Water. Begin by agitating a thoroughly clean sprayer tank three-quarters full of clean water.
- Agitation. Maintain constant agitation throughout mixing and application.
- 3) Products in PVA bags. Place any product contained in water-soluble PVA bags into the mixing tank. Wait until all water-soluble PVA bags have fully dissolved and the product is evenly mixed in the spray tank before continuing.
- 4) Water-dispersible products (such as dry flowables, wettable powders, suspension concentrates, or suspo-emulsions). If an inductor is used, rinse it thoroughly after the component has been added.
- 5) Water-soluble products (such as Ponnax and nonionic surfactants). If an inductor is used, rinse it thoroughly after the component has been added.
- 6) **Emulsifiable concentrates.** If an inductor is used, rinse it thoroughly after the component has been added.
- Water-soluble additives. If an inductor is used, rinse it thoroughly after the component has been added.

3

IV. Restrictions and Limitations

- Do not apply Ponnax® plant regulator on species other than Concord or Niagara grapes.
- Maximum seasonal use rate: Do not apply more than a total of 1 pint of Ponnax (0.25 pounds a.i.) per acre, per season.
- Restricted Entry Interval (REI): 12 hours
- Do not apply Ponnax to vines under stress conditions; e.g., drought stressed, temperature stressed, disease or insect stressed, nutrient stressed, winter injury, etc., since such treatment may further reduce vegetative growth.
- Do not apply **Ponnax** after the end of the flowering or bloom period.
- •Rainfast period: Ponnax is rainfast 6 hours after application.
- Do not graze animals on cover crops grown among sprayed vines.
- Do not apply this product by aerial application nor through any kind of irrigation system.

Table 1. Crop-Specific Restrictions and Limitations'

Crop	Maximum Rate Per Acre Per Application	Maximum Rate Per Acre Per Season	Livestock Grazing or Feeding	Aircraft Application
Grape	1 pint	1 pint	No	No

Crops

This product can be used on the following crops:

Grape

Look inside for complete Restrictions and Limitations and Application Instructions.

Conditions of Sale and Warranty

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller, All such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For **Use**, subject to the inherent risks, referred to above. BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY, IN NO CASE SHALL BASE OR THE SELLER BE LIABLE FOR CONSEQUENTIAL SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Ponnax is a registered trademark of BASF AG

© 1999 BASF Corporation All rights reserved NVA 99-4-28-0055





BASE Corporation P.O. Box 13528 Research Triangle Park, NC 27709

