AW 03	1769-	-	101519			pose	178
Please read instructions on re	verse before completi	ng forr.	For		OMB No. 2070		proval expires 2-28-95
		ited States		ιι	Registratio	' ""	Identifier Number
Environmental Protection Washington, DC 204			• •	<u> </u>	Amendme Other	nt	266512
		Application	for Pesticide -	Section I			
1. Company/Product Number			2. EPA Produc	t Manager		3. Proposed	l Classification
7969-106			MARION	I JOHNS	ON	None	Restricted
4. Company/Product (Name) NEXTER MITICIDE/INSECTICIDE			PM# 10				
5. Name and Address of Applicant (Include ZIP Code)			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3)				
BASE CORPORATION			(b)(i), my product is similar or identical in composition and labeling				
AGRICUltural Pr PO. Box 13528 Research Triangl			to: EPA Reg. No				
• • • • • • • • • • • • • • • • • • •		109					
Check if this	is a new address		Product Na	me			
			Section - II				
Amendment - Explain	below.		1 1		in repsonse to	NOTIF	CATION
Resubmission in respo	onse to Agency letter (dated		cy letter date Too" Applicat		OCT	5 1998
Notification - Explain t	below.		Other	r - Explain bel	low.	•••	0 1770
Explanation: Use additional page(s) if necessary. (For section 1 and Section 11.) ADDITION OF PEST SPECIES TO LABEL; NO RATE CHANGES TEXT MUDIFICATIONS; CHANGE IN Units From pounds to ownces.							
			Section - III		·········		
1. Material This Product Will	Be Packaged In:						
Child-Resistant Packaging	Unit Packaging		Water Soluble Packaging		2. Type of Container		
Yes	Yes		Yes		l ——	letal lastic	
No	No No	·	No		l	lass	
* Certification must	If "Yes" Unit Packaging wgt.	No. per container		o, per ntainer	 	aper ther (Specify	ul
be submitted	omer boxuging wgc.	CONTONIO	6.6021	5	<u> </u>	thor topoch	<i>''</i>
3. Location of Net Contents I	nformation	4. Size(s) Retai		5. Loc	ation of Label D		
Label C	ontainer				LABEL	ACCOMPT.	wyngpdt.
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled							
Section - IV							
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)							
Name Darry Geiger- Jackson Registration Special:st 919-547-2840							
Certification Certification							
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment by \$\frac{1}{2}\$, (Stamped) both under applicable law.							
2 Signature 3 Title				, · · · · ·			
Darcy Oxiver Jackson		-	Registration Specialist				
4. Typed Name		5	. Date				
Darcy Geiger	- Jackson		Apr 13, 19	98			

BASF

NOTIFICATION
OCT 5 1998

Nexter® miticide/insecticide

Active Ingredient:	
Active Ingredient: 2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one]	75.0%
nert Ingrédients: otal	25.0%
fotal	00.0%
Plus water-soluble packaging	

EPA Registration Number 7969-106 U.S. Patent Number: 4,877,787

EPA Est. No. 67545-AZ-01

KEEP OUT OF REACH OF CHILDREN. DANGER/PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See inside booklet for complete **Precautionary Statements**, **Directions For Use**, and **Conditions of Sale and Warranty**.

Net contents: 2.06 pounds

(five 6.6-ounce water-soluble bags)

BASF Corporation P.O. Box 13528, Research Triangle Park, NC 27709

I. Precautionary Statements

Hazards to Humans and Domestic Animals DANGER: Corrosive, causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles, face shield, or safety glasses. May be fatal if inhaled. Do not breathe dust or spray mist. Wear a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and the National Institute for Occupational Safety and Health. Remove contaminated clothing and wash before re-use. Harmful if swallowed or absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling.

Statement of Practical Treatment

If in eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If swallowed: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Personal Protective Equipment (PPE) Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- Shoes plus socks
- Waterproof gloves
- Protective eyewear
- Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not re-use them. Follow the manufacturer's instructions for cleaning and maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls Statement

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply when weather conditions favor drift from target area. Drift or runoff from treated areas may be hazardous to fish in adjacent sites. This product is highly toxic to bees. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Application early in the morning or at dusk is suggested.

II. Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

All applicable directions, restrictions, precautions and Conditions of Sale and Warranty are to be followed. This labeling must be in the user's possession during application.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of **12 hours**. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks
- Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-2 iC)

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide, spray mix, or rinsate is a violation of federal law. If these wastes cannot be disposed of according to label instructions, contact the state agency responsible for pesticide regulation or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Water-soluble packaging:

This package contains water-soluble bags inside a foil liner (overwrap). The water-soluble bags dissolve in water and the contents will disperse. If all the water-soluble bags are not used, carefully reseal the overwrap. Each overwrap contains five water-soluble bags. Do not remove the water-soluble bags from the overwrap except for immediate use. If exposed to moisture, the water-soluble bags may break. The outer case and inner overwrap packaging of the water-soluble bag should be incinerated or disposed of in a sanitary landfill, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not re-use the empty packaging.

In Case of Emergency

In case of large-scale spillage regarding this product, call:

CHEMTREC 800-424-9300
BASF Corporation 800-832-HELP
In case of medical emergency regarding this product, call:

Your local doctor for immediate treatment.

Your local poison control center (hospital).

BASF Corporation (800-832-HELP)

Steps to be taken in case material is released or spilled:

Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal. Remove contaminated clothing, and wash affected skin areas with water. Wash clothing before re-use. Keep the spill out of all sewers and open bodies of water.

III. General Information

This package contains Nexter* miticide/insecticide, a 75% wettable powder, in water-soluble bags. Nexter is a selective contact miticide/insecticide that controls pests in citrus groves when used at recommended rates. (Refer to Table 1. Nexter Application Rate Table.) Nexter provides knockdown and residual control. A good performance evaluation can be made 4-7 days after treatment. For optimum results, Nexter should be applied as pest populations build and prior to reaching economic thresholds.

Mite Resistance Management

Nexter use should be alternated with other miticides as part of a mite management program to minimize resistance. Repeated use of the same miticide has been documented to result in the buildup of resistant strains of mites. To reduce the potential of obtaining a population of acaricide-resistant mites, the grower should alternate products of differing modes of action. Consult with your local or state extension personnel for advice on miticide use and selection.

Cleaning Spray Equipment

Spray equipment must be cleaned thoroughly before and after applying this product, particularly if a product with the potential to injure crops was used.

IV. Application Instructions

Nexter may be applied by ground equipment using either diluted or concentrated sprays. Apply recommended rates of Nexter as instructed by section IX. Crop-Specific Information. Spray the last 3 rows windward of surface water using nozzles on only one side with the spray directed away from surface water. Avoid spraying over the tops of trees by adjusting or turning off the top nozzles. Shut the nozzles on the side away from the grove off when spraying the outside row. Shut the nozzles off when turning at the ends of the rows and when passing tree gaps in rows.

Coverage

Apply **Nexter** in sufficient water to ensure thorough coverage of foliage and fruit. Thorough coverage is required for optimum control. To achieve adequate coverage, use proper spray pressure, nozzles, nozzle spacing, volume per acre, and tractor speed. Consult spray nozzle and accessory guide for information pertaining to proper equipment calibration.

Ground Application (Broadcast)
Water Volume: Use 100-400 gallons of spray solution per broadcast acre for optimal performance.

V. Additives

In general, no additives or adjuvants are recommended for effective use of **Nexter**. However, certain conditions may justify the use of additives. Consult a BASF representative or local agricultural authorities for more information concerning additives.

* * * * * *

VI. Mixing Order

Begin by agitating a thoroughly clean sprayer tank half full of clean water and add the recommended product amounts in the following order:

1) Nexter* miticide/insecticide

Tank mix partner (if applicable)

3) Remaining quantity water

Carefully remove the recommended number of watersoluble bags from the inner overwrap packaging and carefully place them into the spray water in the mixing tank. Reseal the outer package making sure that no moisture contacts the water-soluble bags. Do not open the water-soluble bags. Allow the bags to completely dissolve. Use the maximum agitation while mixing **Nexter** in the spray tank.

Add other products only after the **Nexter** bags have completely dissolved, then add the remaining water. A defoaming agent may also be necessary. Do not attempt to dissolve the water-soluble bags directly in diesel oils or summer spray-type oils. The bags are water-soluble, not oil soluble.

Boron will prevent the water-soluble bags from dissolving. If boron-containing products are to be used, the water-soluble bags containing **Nexter** must be dissolved completely before the boron-containing product can be added to the spray tank. If boron-containing products have been used in previous applications, thoroughly wash the spray tank before using **Nexter**. Always reseal the overwrap package to protect the remaining unused bags.

VII. General Tank Mixing Information

Notice to user: The phytotoxic potential of Nexter has been assessed on a wide variety of trees with no phytotoxicity observed. However, all varieties and cultivars have not been tested with possible tank mix combinations. Local conditions can also influence crop tolerance and may not match those under which BASF has conducted testing. Therefore, before using Nexter, test the product on a sample of the crop to be treated to ensure that a phytotoxic response will not occur as a result of applications.

Table 1. Nexter Application Rate Table

Pests Controlled	Rate per Acre	Water-soluble Bags per Acre¹
Broad mite Citrus red mite Citrus rust mite Citrus rust mite False spider mite (Citrus flat mite) Pink citrus rust mite Sixspotted mite Texas citrus mite Twospotted spider mite	5.2-10.67 ounces	0.8-1.6
Pests Suppressed Blue-green weevil Brown citrus aphid Citrus mealy bug Citrus root weevil	{0.33-0.66 pounds} ²	0.5-1.0
Silverleaf whitefly Sweet potato whitefly		1111

Do not break the water-soluble bags. Fractions are used for the purpose of conversion and accurate rate; calculation, Use 5.2 ounces per acre, per application at intervals of 30 days or more. Use 5.2-10.67 ounces per acre; per application at intervals of 90 days.

VII. General Restrictions and Limitations - All Crops

- Maximum seasonal use rate: Do not apply more than a total of 21.3 ounces of Nexter® miticide/insecticide (1.0 pound a.i.) per acre, per season.
- Do not make more than 2 applications of Nexter per year.
- Allow a minimum of 30 or 90 days between sequential applications of Nexter, as specified in section VIII. Crop Specific Information.
- Preharvest Interval (PHI): Do not apply within 7 days of harvest.
- · Restricted Entry Interval (REI): 12 hours.
- Do not apply Nexter by air.
- Do not apply through any type of irrigation equipment.
- · Do not apply Nexter with a handgun sprayer.
- Do not use less than 100 gallons of water per acre.
- Drift: Do not apply Nexter when weather conditions favor drift to surface water. Do not apply within 110 feet upwind of surface water or when windspeed is above 8 mph. Do not apply during a temperature inversion.

Water-soluble bags:

- Do not remove the water-soluble bags from the overwrap package except to add them directly to the spray tank.
- Do not allow the water-soluble bags to become wet before adding them to the spray tank. Do not handle the water-soluble bags with wet hands or wet gloves.
- Do not break the water-soluble bags.

Table 2. Crop-Specific Restrictions and Limitations

Crop	Minimum Time from Application to Harvest (PHI)	Maximum Rate Per Acre Per Application	Maximum Rate Per Acre Per Season	Aircraft Application
Citrus	7 days	10.67 ounces	21.3 ounces	No

IX. Crop-Specific Information

Citrus

Apply 5.2-10.67 ounces of Nexter in sufficient water to achieve thorough coverage. Use the higher rate of Nexter to ensure adequate concentration in full size

- trees with dense foliage.

 Nexter may be used in the following use patterns:

 Use 5.2 to 10.67 ounces per acre, per application at intervals of 90 days or more, not to exceed

 - 10.67 ounces per acre, per application.
 Use 5.2 ounces per acre, per application at intervals of 30 days or more.
 When combining Nexter with summer oils, use a minimum of 5 gallons of oil and 6.6 ounces of Nexter per acre.

Crops:

This product can be used on the following crops:

Citrus

Look inside for complete Restrictions and Limitations and Application Instructions.

Pests listed in this label:

Common Name	Scientific Name
	Family: Curculiondae
Blue-green weevil	Pachaenus oplus
Citrus root weevil	_ Pachaenus litus
<u> </u>	<u>Family:</u> Tarsonemidae
Broad mite	_ Polyphagotarsonemus latus
} <u> </u>	Family: Aphididae
Brown citrus aphid	Toxoptera citricida
	<u>Family:</u> Pseudococcidae
Citrus mealybug	_ Planococcus citri
i <u>.</u>	<u>Family:</u> Tenuipalpidae
False spider mite	Brevipalpus phoenicis
(Citrus flat mite)	B. lewisi
	<u>Family:</u> Eriophyidae
Pink citrus rust mite	Aculops pelekassi
Citrus rust mite	Phyllocoptruta oleivora
	<u>Family:</u> Tetranychidae
Sixspotted mite	Eotetranychus sexmaculatus
Texas citrus mite	Eutetranychus banksi
Citrus red mite	Panonychus citri
Twospotted spider mite	Tetranychus urticae
l	Family: Aleyrodidae
Sweet potato whitefly	Bemisia tabaci
Silverleaf whitefly	Bemisia argentifolii

Additional Information

For additional information, call BASF's COMMSERV" at 1-800-874-0081.

Conditions of Sale and Warranty

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. All such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks, referred to above. BASE MÁKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL BASE OR THE SELLER BE LIABLE FOR CONSEQUENTIAL SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

U.S. Patent Number: 4.877,787

Nexter is a registered trademark of Nissan Chemical

Industries, Ltd.

CommServ is a registered trademark of BASF Corporation.

© 1998 BASF Corporation All rights reserved. NVA 98-4-55-0069

BASE Corporation P.O. Box 13528 Research Triangle Park, NC 27709

