PM 23

#i

Ľ

2

Page 1 9 3

.....

¹ هر.

199 1997 1997

Dr. Jonathan E. Manager, Product Agricultural Pro BASF Corporation 26 Davis Drive Research Triangl	Registration	MAY S) 199 7
Dear Dr. Bryant:		· · · · · · · ·	 · · · · · · ·
EPA Re Applic for S	ASTER Herbicide egistration No. 7969 cation and Letter Da Supplemental Labeline ctions for Use	-133 ted April 17, 1997, 1 g To Extend Spot Trea	Request
subject applicat under the Federa	ion has been review	ling submitted with ed and found accepta icide and Rodenticide	ble
o Submit one before you lapel.	(1) copy of the fir release the produc	nal printed supplement t for shipment under	ntal label
will be subject section $6(e)$.	to cancellation in a our release for ship	ed with, the registra accordance with FIFR prent of the product ance of this condition	
A stamped co	py of the label is	enclosed for your re	cords.
		Sincerely yours,	
			<u>.</u>
		Joanne I. Miller Product Manager (23 Herbicide Branch Registration Divísi	
Enclosure		•	

				CONCURRENC	E2	 <u> </u>		· . merne
SYMBOL	E.Wilso	n/Disket	ce ABC31:	05-09-97				
DATE				******************		 	**************************************	

ACCEPTED with COMMENTS In EPA Letter Dated

MAY 9 597 Under the Federal Insecticide, Fundicide, and Rodenticide Act as amenided, for the pesticide registered under EPA Reg. No. 7949-135

WEEMASTER[®] HERBICIDE

SUPPLEMENTAL LABELING For WEEDMASTER® Herbicide

Spot Application in Pastures (Including pasture for hay), Fencerows, and General Farmstead (Non-cropland only)

EPA Reg. No. 7969-133

All label restrictions and Directions for Use of WEEDMASTER HERBICIDE apply.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Important

Before using this product, read and carefully observe all applicable directions, restrictions, and precautionary statements on the EPA-registered container label and the WEEDMASTER® HERBICIDE Directions for Use booklet attached to the container.

Spot Application in Pastures (Including pasture for hay), Fencerows, and General Farmstead (Non-cropland only)

WEEDMASTER may be applied using water or oil and water emulsions in spot application to control undesirable vegetation using handgun or similar types of application equipment. Before using, read and follow grazing and feeding restrictions in the WEEDMASTER directions for use booklet that accompanies this product.

To prepare oil and water emulsions, mix in the following order: water, emulsifier, chemical and oil. Mix in the following recommended proportions (also see Dormant Basal Treatment below):

Total mix (gal)	Water (gal)	Emulsifier* (oz)	Weedmaster (pt)	Diesel (gal)
10	8.75	1.5	2.0	1.0
50	43.75	7.5	10.0	5.0
100	87.5	15.0	20.0	10.0

3 q 3

* Some emulsifiers are more effective than others. Mixture should remain milky colored without oily layer on top when under agitation. If oily layer forms, increase the amount of emulsifier or change to a more effective emulsifier.

Do not exceed 40 gallons of spray solution per treated acre per application. Forty gallons of spray solution contains 1.0 lb ae dicamba and 2.87 lb ae 2,4-D. Spray individual plants to wet. Do not allow this spray mixture to come in contact with desirable vegetation.

For Spraying Foliar Applications

- 1. Spray when leaves have reached full size but have not hardened due to drought or maturity.
- 2. Spray individual plants to wet with handgun.
- 3. For larger stems (up to 3" in diameter) and hard to control species, direct spray stream to base of stems to wet the stem at soil surface in addition to wetting the foliage.
- 4. Do not apply under drip line of desirable trees or adjacent to desirable vegetation.

For Dormant Basal Applications

- 1. Increase diesel content to 15% or 15 gallons/100 gallons of total mixture.
- 2. Spray in late winter and early spring before plants break dormancy.
- 3. Spray the bottom 24" of stem to wet on all sides.
- 4. For larger stems (up to 3" in diameter) and hard to kill species, direct spray solution to base of stems to wet the soil at the stem/soil junction in addition to wetting the stem.
- 5. Do not apply under drip line of desirable trees or adjacent to desirable vegetation.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION.

WEEDMASTER® Herbicide is a registered trademark of BASF AG.

Registrant: BASF Corp. 26 Davis Drive Research Triangle Park NC 27709

April 1997