

7969-156

10/31/2006

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OCT 31 2006

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mr. Craig Kleppe
BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709-3528

Subject: Outlook Herbicide
EPA Registration No. 7969-156
Supplemental labeling to add use on green onions
submitted August 28, 2006

Dear Mr. Kleppe:


The amended supplemental labeling referred to above is acceptable provided that you adhere to the following conditions:

- Make all of the changes specified on in the document "Summary of Comments on Outlook 2004-04-086-0055.qxd"
- Submit two copies of final printed labeling within 30 days of receipt of this letter.

This supplemental labeling expires on November 1, 2007. A stamped copy of the label is enclosed for your records.

If you have any questions about this letter, you may call Tobi Colvin-Snyder at 703-305-7801.

Sincerely,

A handwritten signature in black ink, appearing to read "J. Tompkins", written over the printed name.

Jim Tompkins
Product Manager (25)
Herbicide Branch
Registration Division (7505C)

Summary of Comments on Outlook

2004-04-086-0055.qxd

Page: 1

Sequence number: 1
Author: tsnyder
Subject: Inserted Text
Date: 10/27/2006 10:48:19 AM -04'00'
T_A and the main label for Outlook herbicide

Sequence number: 2
Author: tsnyder
Subject: Note
Date: 10/31/2006 11:49:33 AM
T_A Change the first sentence to:
Outlook may be applied in a single application of 0.98 lb ai dimethenamid (21 fluid ounces Outlook) per acre or used in a split application of 0.49 lb ai (10.5 fl. oz Outlook) to 0.65 lb ai (14 fl. oz) per acre initially, and the remaining 0.33-0.49 lb ai (7-10.5 fl. oz) per acre in sequential application.

Sequence number: 3
Author: tsnyder
Subject: Inserted Text
Date: 10/27/2006 10:49:12 AM -04'00'
T_A 0.98 lbs ai/A of dimethenamid (

Sequence number: 4
Author: tsnyder
Subject: Inserted Text
Date: 10/27/2006 10:49:24 AM -04'00'
T_A)

Sequence number: 5
Author: tsnyder
Subject: Note
Date: 10/31/2006 11:50:11 AM
T_A Do not apply after 30 days prior to harvest.

Page: 2

Sequence number: 1
Author: tsnyder
Subject: Inserted Text
Date: 10/27/2006 10:51:44 AM -04'00'
T 120 days [delete 4 months]

Sequence number: 2
Author: tsnyder
Subject: Note
Date: 10/31/2006 11:50:46 AM
Delete "Refer to main label for Outlook for further information." I didn't see anything on the main label concerning rotational crops
that you haven't covered on this supplemental.

Outlook® herbicide

Supplemental Label

For use in green onions
**(includes leeks, spring onions or scallions, Japanese bunching onions,
green shallots or green eschalots)**

EPA Reg. No 7969-156

Active Ingredient:*

Dimethenamid-P: (S)-2-chloro-N-[(1-methyl-2-methoxy)ethyl]-N-(2,4-dimethyl-thien-3-yl)-acetamide 63.9%

Inert Ingredients:** 36.1%

Total: 100.0%

* contains 6.0 pounds of active ingredient per gallon

** contains petroleum distillate's, xylene or xylene range aromatic solvent

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

All applicable directions, restrictions, precautions and **Conditions of Sale and Warranty** on the EPA-approved main label for **Outlook® herbicide** (EPA Reg. No. 7969-156) must be followed. This supplemental label must be in the possession of the user at the time of application.

General Information

Outlook may be used as part of a weed management program in green onions grown in muck soils, high organic soils, and in mineral soils. When applied as directed, **Outlook** will provide soil residual control of annual grasses, annual broadleaf weeds, and sedges. See **Table 1** of EPA-approved main label for **Outlook** for a complete list of weeds controlled. For effective control, rainfall or sprinkler irrigation or shallow mechanical incorporation after application is required to move this product into the upper soil surface where weed seeds germinate.

Outlook will not control weeds that have emerged from soil. Application must be made to clean-tilled soil before weeds emerge from soil or in a program with other herbicides that control emerged weeds.

Application Information

Method:

Outlook may only be applied by ground (broadcast) applications. Refer to EPA-approved main label for **Outlook** for specific instructions for application methods.

Timing:

Apply **Outlook** after green onions have reached the 2 true leaf stage until a minimum of 30 days before harvest. Application made prior to 2 true leaf stage may result in significant crop injury including possible stand reduction. If applications are made to transplanted green onions, do not apply until transplants are in the ground and soil has settled around transplants with several days to recover.

Outlook may be applied in a single application or used in a split application using 1/2 to 2/3 the maximum rate initially, and the remaining 1/2 to 1/3 in sequential application. Do not apply more than a total of 1 fluid ounces of **Outlook** per acre in a single growing season.

ACCEPTED
with COMMENTS
in EPA Letter Dated

OCT 31 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
7969-156

66

Bulb Vegetable Tank Mixes:

Applications of **Outlook**® herbicide may be made prior to, in tank mixture, or after use of one or more of the following registered herbicides for postemergence use in green onions:

- **Fusilade**
- **Goal**
- **Poast**
- **Prowl**
- **Select**

Crop injury is possible when tank mixing these herbicides, as well as any adjuvants such as methylated seed oils, with **Outlook**. Read and follow the applicable **Restrictions and Limitations** and **Directions for Use** on all products involved in tank mixing. The most restrictive labeling applies to tank mixes.

Re-Cropping and Rotational Cropping:

In situations where **Outlook** has been applied to green onions and crop failure occurs due to adverse weather or other reasons, the re-planting (re-cropping) of green onions is **not recommended**. If re-planting of a crop is necessary, plant any crop (e.g. corn, dry bean, grain sorghum, soybean) where a soil application of **Outlook** is registered. Do not make a second application of **Outlook** in re-cropping situations if the original application was broadcast. If the original application was banded and the second crop (re-cropping) is planted in the row middles, a second band application may be applied. Fall-seeded cereal crops may be planted 1 months or more following an **Outlook** application. There are no further rotational crop restrictions the spring following the previous year's application of **Outlook**. Refer to main label for **Outlook** for further information.

**Precautions and Limitations:**

Do not apply **Outlook** within 30 days of harvest.

Refer to EPA approved main label for **Outlook** for all other **Restrictions and Limitations**.

Outlook, **Poast** and **Prowl** are registered trademarks of BASF.

Fusilade is a registered trademark of Syngenta Crop Protection.

Goal is a registered trademark of Dow AgroSciences LLC.

Select is a registered trademark of Valent USA Corporation.

© 2004 BASF Corporation

All rights reserved.

007969-00167.20040316.NVA 2004-04-086-0055

BASF Corporation

26 Davis Drive

Research Triangle Park, NC 27709

Agricultural Products

BASF