

PM-34

7969-162

12/2/97

4/5



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Antimicrobials Division (7510W)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:

7969-162

Date of Issuance:

DEC - 2 1997

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

DAZOMET PELLETS

Name and Address of Registrant (include ZIP Code):

Dr. Thomas Nelson  
Manager, Regulatory Affairs  
BASF Corporation, Agricultural Products  
P.O. Box 13528, Research Triangle Park, NC 27709-3528

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right of exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 7969-162".
- b. Submit five copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Portia M. Jenkins, Acting PM-34  
Regulatory Management Branch II  
Antimicrobials Division (7510W)

Date:

2/5

BEGIN FRONT PANEL

**BASAMID PELLETS**

**PROTECTION OF WOOD AGAINST FUNGAL DECAY**

**FOR COMMERCIAL USE ONLY**

**ACTIVE INGREDIENT:**

Tetrahydro-3,5,-dimethyl-2H-1,3,5-thiadiazine-2-thione .....	99%
INERT INGREDIENTS .....	1%
TOTAL .....	100%

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:  
**DEC -2 1991**

EPA Reg. No. 7969-  
EPA Est. No. 7969-WG-01

BASAMID is a registered trademark of BASF Corporation.

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. *7969-162*

Net Contents:

**KEEP OUT OF THE REACH OF CHILDREN**

**WARNING**

**Statement of Practical Treatment**

**If In Eyes:** Immediately flush with large amounts of water and get immediate medical attention.

**If On Skin:** Immediately flush affected areas with large amounts of soap and water. Obtain medical attention for irritation. Remove contaminated clothing and launder before re-use.

**If Swallowed:** Call a physician or poison control center. Induce vomiting by giving two glasses of warm water and touching the back of throat. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

## Precautionary Statements

### Hazards to Humans and Domestic Animals

#### WARNING

May be fatal if swallowed. Prolonged exposure may cause irritation of skin, eyes, and mucous membranes. Do not breath dust. Avoid contact with skin or eyes and clothing. Wear rubber gloves when handling. Wash thoroughly after handling or contact and before eating, drinking, or smoking. The gases released during the degradation of the product in wood or after application of accelerants are irritating to the eyes, skin and mucous membranes. Avoid inhaling vapors.

#### Environmental Hazards

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutants Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on this label.

#### Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store this product in a dry, cool place below 95°F; it will decompose at higher temperatures. Material reacts nonviolently with moisture or accelerants, releasing fumigant vapors. Keep container tightly sealed when not in use.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Triple-rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by incineration, or if allowed by state authorities, by burning. If burned, stay out of smoke. Do not re-use empty container.

## Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### Wood and Wood Products

BASAMID Pellets is recommended for the internal remedial treatment and protection of wood products such as utility poles, pilings, timbers, and other large solid or laminated wood products against fungal decay.

BASAMID Pellets is designed to be placed inside the wood product to be treated. The total amount applied will be dependent of the size of the wood unit and the zone to be protected. BASAMID Pellets is applied in treatment holes drilled into the wood at a 45° angle downward or greater, which are then plugged. For wood in ground contact, the first hole should start at or slightly below ground-line and should be arranged in a spiral pattern covering the treatment zone with about 6" to 12" vertically between holes. Do not overfill the treatment holes, to allow room for a plug.

The following example can be used as a guide for the application of this product to treat the grounding zone of a 40" circumference standing utility pole.

1. Drill three 7/8 inch diameter by 14 inch long holes at a steep downward angle in a spiral pattern starting at groundline as described above.
2. Apply 70 grams of BASAMID Pellets into each hole, using a calibrated applicator.
3. Add liquid accelerant if desired to treatment hole.
4. Plug the treatment hole with a tight-fitting treated wooden dowel, removable plastic plug, or other suitable cap.

An accelerant of a 1% solution of Copper Naphthenate in Mineral Spirits may be added to treatment holes after the BASAMID Pellets, and is designed to speed the decomposition and release of active fumigant inside the wood product.

Accelerating the release of fumigant is especially desirable when active decay is present. Keep accelerants away from BASAMID Pellets except in treatment holes, which should be plugged immediately after they combine.

5/5

## CONDITIONS OF SALE AND WARRANTY

BASF warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. BASF MAKES NO OTHER EXPRESSED OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of BASF. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL BASF BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

END FRONT PANEL