

7969-197

7-20-2007

4/16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

NOTIFICATION

JUL 20 2007

JUL 20

Khalid H. Akkari, Ph.D.
NAFTA Registration Manager
BASF Corporation
Agricultural Products
P.O. Box 13528
26 Davis Drive
Research Triangle Park, NC 27709

SUBJECT: Application for Pesticide Notification – Update Logo and Warranty
Endura® fungicide (BAS 510 02/04/F)
EPA Reg. No. 7969-197
Application Dated June 21, 2007

Dear Dr. Akkari:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0080, Approval expires 7-28-95

2/16



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number EPA Reg. No. 7969-197	2. EPA Product Manager Tony Kish	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Endura® fungicide (BAS 510 02/04F)	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) BASF Corporation, Agricultural Products P.O. Box 13528, 26 Davis Drive Research Triangle Park, NC 27709 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION

JUL 20 2007

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification of Endura® Fungicide (EPA Reg. No. 7969-197) per PR Notice 98-10. This is a notification to the EPA to update Company Logo and add the "Conditions of Sale and Warranty" statements, etc. to the Endura Fungicide Supplemental Labeling for multiple crops in accordance with PR Notice 98-10. The details of the changes are listed in the enclosed cover letter attached.

This is not a PRIA action, therefore no PRIA code or fee are proposed.
 E-Mail: khalid.akkari@basf.com

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 6.5 Pounds		5. Location of Label Directions <input checked="" type="checkbox"/> on labeling adhered to jug	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Khalid H. Akkari	Title NAFTA Registration Manager	Telephone No. (Include Area Code) (919) 547-2976
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>K.H. Akkari</i>	3. Title NAFTA Registration Manager	
4. Typed Name Khalid H. Akkari	5. Date June 21, 2007	



The Chemical Company

3/16
Helping Make
Products Better™

June 21, 2007

Document Processing Deck (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
One Potomac Yard (South Building)
2777 South Crystal Drive
Document Processing Desk, Room S-4900
Arlington, VA 22202

NOTIFICATION

JUL 20 2007

Dear Sir / Madam:

**SUBJECT: Boscalid (BAS 510F): Endura™ fungicide (7969-197)
Notification of Endura® Fungicide Supplemental Labeling per PR Notice 98-10**

**Reference: Revise the Endura Fungicide Supplemental Labeling to add the new BASF Logo,
Conditions of Sale and Warranty, , etc.**

This is a notification to the EPA Revise the Endura Fungicide Supplemental Labeling to add the new BASF Logo, Conditions of Sale and Warranty, etc. in accordance with PR Notice 98-10.

The details of the changes are as follows:

1. Page 1. Changed the BASF Logo to the new format
2. Page 1. Changed "Inert" to "Other"
3. Page 2. Deleted the second "Directions" from the Table
4. Page 11. Add "Conditions of Sale and Warranty" box.
Deleted "Agricultural Products"
Changed the BASF Logo to the new format
Updated the label NVA number

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and may be subject to enforcement action and penalties under section 12 and 14 of FIFRA."



The Chemical Company

The following documents are enclosed in support of the notification as per PR Notice 98-10.

- (1) EPA Form 8570-1 "Application for Pesticide Notification"
- (2) 5 Copies of the Approved Endura® Fungicide Supplemental Labeling
- (3) EPA stamped/approved Endura™ fungicide Supplemental Labeling
- (4) Copy of marked-up EPA stamped/approved Endura™ fungicide Supplemental Labeling
- (5) Certification with Respect to Citation of Data
- (6) A stamped, self-addressed postcard for response that the notification is acceptable.

If you have any questions or need clarification or further information, I can be reached directly at (919)-547-2976, or via e-mail at khalid.akkari@basf.com.

Sincerely,
BASF Corporation

K. H. Akkari

Khalid H. Akkari, Ph.D.
NAFTA Registration Manager
Regulatory Affairs

enclosures



NOTIFICATION

Form Approved OMB No. 2070-0060

5/16



JUL 20 2007

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
401 M Street, S.W.
WASHINGTON, D.C. 20460

Paperwork Reduction Act Notice: The public reporting burden for this collection of information is estimated to average 1.25 hours per response for registration and 0.25 hours per response for reregistration and special review activities, including time for reading the instructions and completing the necessary forms. Send comments regarding burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to: Director, OPPE Information Management Division (2137), U.S. Environmental Protection Agency, 401 M Street, S.W., Washington, DC 20460. Do not send the completed form to this address.

Certification with Respect to Citation of Data

Applicant's/Registrant's Name, Address, and Telephone Number BASF Corporation, 26 Davis Drive, Research Triangle Park, NC 27709. (919)-547-2000	EPA Registration Number/File Symbol 7969-197
Active Ingredient(s) and/or representative test compound(s) Boscalid (BAS 510F)	Date June 21, 2007
General Use Pattern(s) (list all those claimed for this product using 40 CFR Part 158) Terrestrial Food Use	Product Name ENDURA Fungicide

NOTE: If your product is a 100% repackaging of another purchased EPA-registered product labeled for all the same uses on your label, you do not need to submit this form. You must submit the Formulator's Exemption Statement (EPA Form 8570-27).

I am responding to a Data-Call-In Notice, and have included with this form a list of companies sent offers of compensation (the Data Matrix form should be used for this purpose).

SECTION I: METHOD OF DATA SUPPORT (Check one method only)

I am using the cite-all method of support, and have included with this form a list of companies sent offers of compensation (the Data Matrix form should be used for this purpose).

I am using the selective method of support (or cite-all option under the selective method), and have included with this form a completed list of data requirements (the Data Matrix form must be used).

SECTION II: GENERAL OFFER TO PAY

[Required if using the cite-all method or when using the cite-all option under the selective method to satisfy one or more data requirements]

I hereby offer and agree to pay compensation, to other persons, with regard to the approval of this application, to the extent required by FIFRA.

SECTION III: CERTIFICATION

I certify that this application for registration, this form for reregistration, or this Data-Call-In response is supported by all data submitted or cited in the application for registration, the form for reregistration, or the Data-Call-In response. In addition, if the cite-all option or cite-all option under the selective method is indicated in Section I, this application is supported by all data in the Agency's files that (1) concern the properties or effects of this product or an identical or substantially similar product, or one or more of the ingredients in this product; and (2) is a type of data that would be required to be submitted under the data requirements in effect on the date of approval of this application if the application sought the initial registration of a product of identical or similar composition and uses.

I certify that for each exclusive use study cited in support of this registration or reregistration, that I am the original data submitter or that I have obtained the written permission of the original data submitter to cite that study.

I certify that for each study cited in support of this registration or reregistration that is not an exclusive use study, either: (a) I am the original data submitter; (b) I have obtained the permission of the original data submitter to use the study in support of this application; (c) all periods of eligibility for compensation have expired for the study; (d) the study is in the public literature; or (e) I have notified in writing the company that submitted the study and have offered (i) to pay compensation to the extent required by sections 3(c)(1)(F) and/or 3(c)(2)(B) of FIFRA; and (ii) to commence negotiations to determine the amount and terms of compensation, if any, to be paid for the use of the study.

I certify that in all instances where an offer of compensation is required, copies of all offers to pay compensation and evidence of their delivery in accordance with sections 3(c)(1)(F) and/or 3(c)(2)(B) of FIFRA are available and will be submitted to the Agency upon request. Should I fail to produce such evidence to the Agency upon request, I understand that the Agency may initiate action to deny, cancel or suspend the registration of my product in conformity with FIFRA.

I certify that the statements I have made on this form and all attachments to it are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

Signature <i>K. H. Akkari</i>	Date June 21, 2007	Typed or Printed Name and Title KHALID H. AKKARI, Regulatory Manager
----------------------------------	-----------------------	---

6/16

NOTIFICATION

JUL 20 2007

BASF

The Chemical Company

Endura
fungicide

Supplemental Labeling

For use in cucurbit vegetables, head and stem brassicas, leafy brassica greens, root and tuber vegetables, succulent and dried shelled peas, and sunflower.

EPA Reg. No. 7969-197

Active Ingredients:

Boscalid - (3-pyridinecarboxamide, 2-chloro-N-(4'-chloro(1,1'-biphenyl)-2-yl))	70.0%
Other Ingredients	30.0%
Total	100.0%

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Refer to the **Endura**® fungicide main label for precautionary statements, first aid and personal protective equipment requirements. This supplemental label must be in the user's possession during application.

additional general recommendations on application instructions, additive use and mixing order on the **Endura** main label.

Endura may be applied by ground sprayer, aerial equipment or through sprinkler irrigation systems. Refer to the **Endura** main label for specific instructions on these methods.

General Information

Endura provides optimum disease control when applied in a regularly scheduled protective fungicide program and is used in a spray program that rotates fungicides with different modes of action. Refer to the **Endura** main label for general resistance management information and to the crop specific use recommendations and restrictions found in this label.

Restrictions and Limitations

Endura is not for use in greenhouse or transplant production systems.

Follow the restrictions and limitations outlined in the **Crop Specific Restrictions and Limitations** table (Table B) in this label for:

- Minimum pre-harvest interval (PHI)
- Maximum rate per acre
- Maximum number of applications
- Maximum rate per season
- Livestock grazing or feeding restrictions
- Aerial application restrictions

Application Information

Apply **Endura** according to the rate, timing, resistance management and adjuvant use recommendations in the **Crop Specific Use Directions** (Table A) in this label. Observe the

7/16

Table A – Endura® fungicide Crop-Specific Use

Crop	Target Diseases	Use Rate per Application	Maximum Number of Applications per Season	Maximum Rate per Season	Minimum Time from Application to Harvest (PHI)
<p>Cucurbit Vegetables Chayote Chinese waxgourd Citron melon Cucumber Gherkin Pumpkin Watermelon</p> <p>Edible gourd Hyotan Cucuzza Chinese okra</p> <p>Momordica spp. Balsam apple Balsam pear Bitter melon Chinese cucumber</p> <p>Muskmelon Cantaloupe Casaba Crenshaw melon Golden pershaw melon Honeydew melon Honey balls Mango melon Persian melon Pineapple melon Santa Claus melon Snake melon</p> <p>Summer squash Crookneck squash Scallop squash Straightneck squash Vegetable marrow Zucchini</p> <p>Winter squash Butternut squash Calabaza Hubbard squash Acorn squash Spaghetti squash</p>	<p>Alternaria blight (<i>Alternaria cucumerina</i>)</p> <p>Gummy stem blight (<i>Didymella bryoniae</i>)</p> <p>Suppression only:</p> <p>Powdery mildew (<i>Sphaerotheca fuliginea</i>, <i>Erysiphecichoracearum</i>)</p>	<p>6.5 oz. per acre</p>	<p>4</p>	<p>26 oz. per acre</p>	<p>0 days</p>
<p>Application Directions: Begin applications of Endura prior to disease development and continue on a 7 to 14 day interval. Use the shorter interval when disease pressure is high.</p> <p>Resistance Management: To limit the potential for development of resistance, do not make more than four (4) applications of Endura per season.</p> <p>Do not make more than one (1) application of Endura before alternating to a labeled fungicide with a different mode of action for at least one (1) application.</p>					

8/16

Table A – Endura® fungicide Crop-Specific Use (CONT):

Crop	Target Diseases	Use Rate per Application	Maximum Number of Applications per Season	Maximum Rate per Season	Minimum Time from Application to Harvest (PHI)
Brassica Leafy Vegetables: Head and Stem Brassicas Broccoli Chinese broccoli (gai lon) Brussels sprouts Cabbage Chinese cabbage (napa) Chinese mustard (gai choy) Cauliflower Cavalo broccolo Kohlrabi	Alternaria blight (Black spot) (<i>Alternaria</i> spp.) Grey mold (<i>Botrytis cinerea</i>) Sclerotinia stem rot (<i>Sclerotinia sclerotiorum</i> , <i>S. minor</i>) Suppression only: Powdery mildew (<i>Erysiphe polygoni</i>) Rhizoctonia bottom rot (<i>Rhizoctonia solani</i>)	6 to 9 oz. per acre	2	18 oz. per acre	0 days
<p>Application Directions: Begin applications of Endura prior to disease development and continue on a 7 to 14 day interval. Use the higher rate and the shorter interval when disease pressure is high.</p> <p>Resistance Management: To limit the potential for development of resistance, do not make more than two (2) applications of Endura per season.</p>					

9/16

Table A – Endura® fungicide Crop-Specific Use (CONT):

Crop	Target Diseases	Use Rate per Application	Maximum Number of Applications per Season	Maximum Rate per Season	Minimum Time from Application to Harvest (PHI)
Brassica Leafy Vegetables: Leafy Brassica Greens Broccoli raab (rapini) Chinese cabbage (bok choy) Collards Kale Mizuna Mustard greens Mustard spinach Rape greens	Alternaria blight (Black spot) (<i>Alternaria</i> spp.) Gray mold (<i>Botrytis cinerea</i>) Sclerotinia stem rot (<i>Sclerotinia sclerotiorum</i> , <i>S. minor</i>) Suppression only: Powdery mildew (<i>Erysiphe polygoni</i>) Rhizoctonia bottom rot (<i>Rhizoctonia solani</i>)	6 to 9 oz. per acre	2	18 oz. per acre	14 days
<p>Application Directions: Begin applications of Endura prior to disease development and continue on a 7 to 14 day interval. Use the higher rate and the shorter interval when disease pressure is high.</p> <p>Resistance Management: To limit the potential for development of resistance, do not make more than two (2) applications of Endura per season.</p>					

10/16

Table A – Endura® fungicide Crop-Specific Use (CONT):

Crop	Target Diseases	Use Rate per Application	Maximum Number of Applications per Season	Maximum Rate per Season	Minimum Time from Application to Harvest (PHI)
<p>Succulent Peas:</p> <p>Edible podded peas</p> <p>Pea (<i>Pisum</i>) Dwarf pea Edible-podded pea Snow pea Sugar snap pea Pigeon pea Soybean (immature seed) Sword bean</p> <p>Succulent Shelled Peas</p> <p>Pea (<i>Pisum</i>) English pea Garden pea Green pea Pigeon pea</p>	<p>Alternaria leaf and pod spot (<i>Alternaria</i> spp.)</p> <p>Ascochyta blight (<i>Phoma exigua</i>, <i>Ascochyta</i> spp.)</p> <p>Botrytis grey mold (<i>Botrytis cinerea</i>)</p> <p>Cercospora leaf spot (<i>Cercospora</i> spp.)</p> <p>Mycosphaerella blight (<i>Mycosphaerella</i> spp.)</p> <p>Powdery mildew (<i>Erysiphe polygoni</i>)</p> <p>Rust (<i>Uromyces appendiculatus</i>)</p> <p>White mold (<i>Sclerotinia sclerotiorum</i>)</p>	<p>8 to 11 oz. per acre</p>	<p>2</p>	<p>22 oz. per acre</p>	<p>7 days</p>
<p>Application Directions: For optimal disease control, begin applications of Endura prior to disease development or at the beginning of flowering and repeat on a 5 to 14 day interval if conditions are conducive for disease development. Use the higher rate and shorter interval when disease pressure is high.</p> <p>Resistance Management: To limit the potential for development of resistance, do not make more than two (2) applications of Endura per season.</p> <p>Restrictions: Do not use on cowpeas. Do not feed treated pea commodities to livestock.</p>					

11/16

Table A— Endura® fungicide Crop-Specific Use (CONT):

Crop	Target Diseases	Use Rate per Application	Maximum Number of Applications per Season	Maximum Rate per Season	Minimum Time from Application to Harvest (PHI)
<p>Dried Peas</p> <p><u>Lentil (<i>Lens</i>)</u></p> <p><u>Pea (<i>Pisum</i>)</u> Garden pea Green pea Pigeon pea</p>	<p>Alternaria leaf and pod spot (<i>Alternaria</i> spp.)</p> <p>Botrytis grey mold (<i>Botrytis cinerea</i>)</p> <p>Cercospora leaf spot (<i>Cercospora</i> spp.)</p> <p>Mycosphaerella blight (<i>Mycosphaerella</i> spp.)</p> <p>Powdery mildew (<i>Erysiphe polygoni</i>)</p> <p>Rust (<i>Uromyces appen diculatus</i>)</p> <p>White mold (<i>Sclerotinia sclerotiorum</i>)</p>	<p>8 to 11 oz. per acre</p>	<p>2</p>	<p>22 oz. per acre</p>	<p>21 days</p>
	<p>Ascochyta blight (<i>Phoma exigua</i>, <i>Ascochyta</i> spp.)</p>	<p>6 oz. per acre</p>			
<p>Application Directions: For optimal disease control, begin applications of Endura prior to disease development or at the beginning of flowering and repeat on a 5 to 14 day interval if conditions are conducive for disease development. Use the higher rate and shorter interval when disease pressure is high.</p> <p>Resistance Management: To limit the potential for development of resistance, do not make more than two (2) applications of Endura per season.</p> <p>Restrictions: Do not use on cowpeas. Do not feed treated pea commodities to livestock.</p>					

12/16

Table A – Endura® fungicide Crop-Specific Use (CONT):

Crop	Target Diseases	Use Rate per Application	Maximum Number of Applications per Season	Maximum Rate per Season	Minimum Time from Application to Harvest (PHI)
Root and Tuber Vegetables (Cont.) Arrowroot Chinese artichoke Jerusalem artichoke Edible canna Chayote (root) Ginger Leren Potato Sweet potato Turmeric	Early blight (<i>Alternaria solani</i>) Cercospora leaf spot (<i>Cercospora</i> spp.) Rust (<i>Coleosporium ipomoeae</i>) Septoria leaf spot (<i>Septoria</i> spp.)	2.5 to 4.5 oz. per acre	4	20 oz. per acre	30 days
Yam bean True yam	Sclerotinia white mold (<i>Sclerotinia sclerotiorum</i>)	5.5 to 10 oz. per acre	2		
<p>Application Directions: For optimal disease control, begin applications of Endura prior to disease development and repeat on a 7 to 14 day interval if conditions are conducive for disease development. Use the higher rate and shorter interval when disease pressure is high. For Sclerotinia white mold on potato, begin applications just prior to row closure or at the first sign of disease. A second application may be made 14 to 21 days later if conditions continue to be favorable for disease development.</p> <p>Resistance Management: To limit the potential for development of resistance, do not make more than four (4) applications of Endura per season. Do not make more than two (2) applications of Endura before alternating to a labeled fungicide with a different mode of action for at least one application.</p> <p>Restrictions: Do not use on sugar beets, garden beets, turnips or radishes.</p>					

13/116

Table A – Endura® fungicide Crop-Specific Use (CONT):

Crop	Target Diseases	Use Rate per Application	Maximum Number of Applications per Season	Maximum Rate per Season	Minimum Time from Application to Harvest (PHI)
Root and Tuber Vegetables Carrot Ginseng Horseradish Skirret	Alternaria leaf spot <i>(Alternaria dauci, Alternaria spp.)</i> Cercospora leaf spot <i>(Cercospora spp.)</i> Grey mold rot <i>(Botrytis cinerea)</i> Powdery mildew <i>(Erysiphe spp.)</i> Septoria leaf spot <i>(Septoria spp.)</i> Watery soft rot <i>(Sclerotinia sclerotiorum)</i>	4.5 oz. per acre	5	22.5 oz. per acre	0 days
<p>Application Directions: : For optimal disease control, begin applications of Endura prior to disease development and repeat on a 7 to 14 day interval if conditions are conducive for disease development. Use the shorter interval when disease pressure is high.</p> <p>Resistance Management: To limit the potential for development of resistance, do not make more than five (5) applications of Endura per season. Do not make more than two (2) applications of Endura before alternating to a labeled fungicide with a different mode of action for at least one application.</p> <p>Restrictions: Do not use on sugar beets, garden beets, turnips or radishes.</p>					

14/16

Table A – Endura® fungicide Crop-Specific Use (CONT):

Crop	Target Diseases	Use Rate per Application	Maximum Number of Applications per Season	Maximum Rate per Season	Minimum Time from Application to Harvest (PHI)
Sunflower	Alternaria leaf spot <i>(Alternaria spp.)</i> Botrytis grey mold <i>(Botrytis cinerea)</i> Cercospora leaf spot <i>(Cercospora spp.)</i> Powdery mildew <i>(Erysiphe cichoracearum)</i> Rust <i>(Puccinia helianthi)</i> Septoria leafspot <i>(Septoria helianthi)</i> Sclerotinia head rot <i>(Sclerotinia sclerotiorum)</i>	4.5 to 9 oz. per acre	2	18 oz. per acre	21 days
<p>Application Directions: For optimal disease control, begin applications of Endura prior to disease development and continue on a 7 to 14 day interval if conditions are conducive for disease development. Use the higher rate and shorter interval when disease pressure is high.</p> <p>Resistance Management: To limit the potential for development of resistance, do not make more than two (2) applications of Endura per season. Do not make more than two (2) applications of Endura before alternating to a labeled fungicide with a different mode of action for at least one application.</p>					

15/16

Table B – Endura® Fungicide Restrictions and Limitations

Crop	Minimum Time from Application to Harvest (PHI) (days)	Maximum Rate per Acre per Application (oz.)	Maximum Number of Applications per Season	Maximum Rate per Acre per Season (oz.)	Livestock Grazing or Feeding	Aircraft Application
Cucurbit¹ Vegetables Group: Cantaloupe, Cucumber, Melon, Squash, Pumpkin, Watermelon	0	6.5	4	26	NA ²	Yes
Head and Stem Brassicas¹: Cabbage, Broccoli, Cauliflower	0	9	2	18	NA	Yes
Leafy Brassica Greens¹	14	9	2	18	NA	Yes
Succulent Peas (edible-podded and shelled)	7	11	2	22	No	Yes
Dried Shelled Peas	21	11	2	22	No	Yes
Root and Tuber Vegetables: Arrowroot, chinese artichoke, Jerusalem artichoke, Edible canna, Chayote (root), Ginger, Leren, Potato, Sweet potato, Turmeric, Yam bean, True yam	30	4.5 10	4 (at 4.5 oz./acre rate) 2 (at 10 oz./acre rate)	20	No	Yes
Root and Tuber Vegetables: Carrot, Ginseng, Horseradish, Skirret	0	4.5	5	22.5	No	Yes
Sunflower	21	9	2	18	Yes	Yes
¹ For a complete list of crops within a crop group, see Table A. Endura Crop-Specific Use. ² NA = Not applicable						

16/16

CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Endura is a trademark of BASF.

©2007 BASF Corporation
All rights reserved.

00769-00197.20070619.NVA 2007-04-201-0114
Supersedes: NVA 2007-04-201-0067

BASF Corporation
Agricultural Products
26 Davis Drive
Research Triangle Park, NC 27709



The Chemical Company