

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Dave G. Bolin, Ph.D. Product Registration Manager BASF Corporation, Agricultural Products P.O. Box 13528, 26 Davis Drive Research Triangle Park, NC 27709

AUG 2 6 2009

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4 and 98-10

- 1. Updated use requirements for New York state on potato
- 2. Other minor label changes

Dear Dr. Bolin:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 98-10 dated June 30, 2009 for:

EPA Registration 7969-207

REGENT 4SC

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4 and 98-10 and finds that the label changes requested falls within the scope of PR Notices 2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

20911

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060 Approval exp **OPP Identifier Number** Registration **United States Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 7969-207 Richard Gebken Restricted None 4. Company/Product (Name) PM# REGENT 4SC Insecticide 10 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling BASF Corp. Agricultural Products PO Box 13528 Research Triangle Park, NC 27709-3528 EPA Reg. No. __ Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated __ "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of additional text, Container Disposal Language, and grammatical corrections. Changes are made in accordance with PR Notice 98-10 and PR Notice 2007-4. No PRIA fee is associated with this action. Section - III 1. Material This Product Will Be Packaged In: Unit Packaging Water Soluble Packaging 2. Type of Container Child-Resistant Packaging Metal Yes Yes Yes Plastic No No Glass Paper if "Yes" No. per * Certification must Unit Packaging wgt. Package wgt Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions on label less than 5 gallons in size Lebel Container Lithograph Paper glued Stenciled 6. Manner in Which Label is Affixed to Product Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Title Name Telephone No. (Include Area Code) Dave G. Bolin 919-547-2108 **Product Registration Manager** 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 3. Title 2. Signature **Product Registration Manager** 5. Date 4. Typed Name Dave G. Bolin August 4, 2009

30f11

"Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."



The Chemical Company

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, Virginia 22202

June 30, 2009

Re: Label Notification for REGENT® 4SC (EPA Reg. No. 7969-207)

Dear Notification Team,

BASF is hereby submitting an updated Label for Regent 4SC Insecticide. BASF believes that these changes are consistent with the Notification criteria as described under PR Notice 98-10 and PR Notice 2007-4. The text below was added to the label.

- 1) Page 3: Added: "Regent 4SC Insecticide cannot be used to formulate, reformulate or repackage into any other pesticide product without the written permission of BASF Corporation."
- 2) Page 3: Updated Container Disposal Language per PR Notice 2007-4
- 3) **Page 5:** Grammatical change for clarity purposes "the final volume delivered to the furrow should have a minimum volume of 1.0 gallon of water, liquid fertilizer, or combination of the two per crop acre.
- 4) **Page 6:** Grammatical change for clarity purposes "the final volume delivered to the furrow should have a minimum volume of 5.0 gallons of water, liquid fertilizer, or combination of the two per crop acre."
- 5) Page 6: Added "Use in potato not permitted in New York State unless otherwise directed by supplemental labeling."

Attached to support this submission are two copies of the Label and completed EPA Form 8570-1.

Please feel free to contact me (919-547-2108 / david.bolin@basf.com) if you have any questions

This notification is consistent with the provisions of PR Notice 98-10, PR Notice 2007-4, and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10, PR Notice 2007-4 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Respectfully Submitted,

Dave G. Bolin, Ph.D.

Product Registration Manager -

U.S. Regulatory Affairs

® Registered Trademark of BASF

BASF Corporation Agricultural Products 26 Davis Drive Research Triangle Park, NC 27709 Tel: (800) 669-1770 www.agproducts.basf.com

50fl

RESTRICTED USE PESTICIDE

DUE TO TOXICITY TO AQUATIC INVERTEBRATES

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.



The Chemical Company



For In-Furrow Use on Corn and Potatoes

Shake Well Before Use

Active Ingredient:

Fipronil: 5-amino-1-(2,6-dichloro-4-(trifluoromethyl) phenyl)-4-	
((1,R,S)-(trifluoromethyl)sulfinyl)-1-H-pyrazole-3-carbonitrile	39.4%
Other Ingredients:	60.6%
Total:	100.0%
One gallon Regent 4 SC insecticide contains 4 lbs fipronil.	

EPA Reg No. 7969-207

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See inside for complete First Aid, Precautionary Statements, Directions For Use, Conditions of Sale and Warranty, and state specific use sites and/or restrictions.

In case of an emergency endangering life or property involving this product, call day or night, 1-800-832-HELP (4357).

Net Contents:

BASF Corporation 26 Davis Drive, Research Triangle Park, NC 27709

	FIRST AID		
If swallowed	 Immediately call a poison control center or doctor for treatment advice. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. DO NOT give anything by mouth to an unconscious person. 		
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 		

For MEDICAL Emergencies Call 24 hours a day 1-800-832-HELP (4357). Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: There is no specific antidote. All treatment should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

GENERAL: Contact a physician immediately in all cases of suspected poisoning. Transport patient to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN. If poisoning is suspected in animals, contact a veterinarian. **SYMPTOMS OF POISONING:** In severe cases of overexposure by oral ingestion, lethargy, muscle tremors, and in extreme cases, possibly convulsions, may occur.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

MAY BE FATAL IF SWALLOWED, ABSORBED THROUGH SKIN, OR INHALED. CAUSES EYE IRRITATION. DO NOT get on skin or breathe spray mist. DO NOT get in eyes or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, and using tobacco. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE) Applicators, mixer/loaders and other handlers must wear:

- Coveralls over short-sleeved shirts and short pants
- · Chemical-resistant (such as nitrile or butyl) gloves
- Chemical-resistant footwear plus socks
- Chemical-resistant headgear for overhead exposure
- · Protective eyewear
- Respirator with an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N,R,P or HE prefilter
- Chemical-resistant apron when cleaning equipment or mixing and loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. **DO NOT** reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.


USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside.
 Then wash thoroughly and put on clean clothing.

Environmental Hazards

This pesticide is toxic to birds, fish, and aquatic invertebrates. **DO NOT** apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. **DO NOT** contaminate water when disposing of equipment washwaters or rinsate.



DIRECTIONS FOR USE

RESTRICTED USE PESTICIDE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

Regent® 4 SC insecticide cannot be used to formulate. reformulate or repackage into any other pesticide product without the written permission of BASF Corporation.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 0 hours.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE STORAGE

DO NOT store in or around the home. Store unused product in original container only, in a cool, dry area out of reach of children and animals. Store at temperatures above 32° F. If exposed to freezing temperatures, store at temperatures above freezing for 24 hours or until completely thawed. Shake well before using.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

(Continued)

STORAGE AND DISPOSAL (Continued)

CONTAINER DISPOSAL

Nonrefillable Container, DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

IN CASE OF SPILL

If container is damaged, before cleaning up, put on personal protective equipment.

In case of large-scale spillage regarding this product, call:

CHEMTREC

1-800-424-9300

BASF Corporation

1-800-832-HELP (4357)

GENERAL PRECAUTIONS AND INSTRUCTIONS

SPRAY PREPARATION

Remove oil, rust, scale, pesticide residues and foreign matter from sprayer and strainer. Flush with clean water. Use 50 mesh screens or equivalent in spray system. Applicator tanks must be equipped with a sparge tube agitator, unless the alternative agitator designs can adequately cleanse the bottom of the tank and provide sufficient agitation required for product mixing. Pump approximately 10% of the tank capacity per minute back into the tank through the agitator.

To prepare for spraying, fill tank to approximately 1/2 the needed volume of water or liquid fertilizer and start agitation. Open product container(s) and pour contents into tank. Agitate to ensure thorough mixing for a minimum of 2 minutes or until product is thoroughly dispersed. Agitate product mixtures continuously during use. Avoid allowing tank contents to remain without agitation for periods greater than 1 hour. When tank contents have remained without agitation for 1 hour or longer, agitate contents for at least 10 minutes before starting application. Avoid allowing large quantities of product mixtures (greater than 5 gallons) to be stored in a non-agitated tank for extended periods of time, such as 12 hours or greater.

Regent 4 SC can be tank mixed in accordance with the most restrictive of label limitations and precautions. DO NOT exceed any label dosage rates. This product cannot be mixed with any product whose label contains a prohibition against such mixing. ...

80411


If tank mixes with other products are to be used, evaluate tank mix compatibility with **Regent® 4 SC insecticide** in a small container before mixing larger quantities in the application tank.

COMPATIBILITY

The full range of compatibilities with **Regent 4 SC** under local conditions is not known. Therefore, it is essential that before using **Regent 4 SC**, the compatibility of the mixture be established. For example: Fill a quart jar 1/2 full of water or liquid fertilizer, then add 2 teaspoons of **Regent 4 SC** and disperse. Add any other pesticides, fertilizers, or tank mixtures and shake thoroughly. **DO NOT** USE MIXTURES THAT CURDLE, PRECIPITATE, OR GREASE. FOR BEST RESULTS, SPRAY MIXTURES SHOULD BE USED IMMEDIATELY AFTER MIXING. USE ADEQUATE AGITATION.

USE RESTRICTIONS

- DO NOT apply this product through any kind of irrigation system.
- DO NOT harvest within 90 days of application.
- **DO NOT** plant root, leafy or legume vegetables within four months following application.
- **DO NOT** plant wheat or triticale within two months following application.
- DO NOT plant any other rotational crops (except field corn, potato, leafy vegetables, root vegetables, legume vegetables, wheat, or triticale) within 12 months following application.
- Observe the following precautions when applying in the vicinity of aquatic areas: **DO NOT** apply within 20 yards (in New York State, **DO NOT** apply within 100 feet or 33 yards) of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries, commercial aquaculture facilities or other bodies of water that convey water to these areas. Protection of aquatic areas may be enhanced by maintaining all or a portion of this buffer in vegetative cover.
- DO NOT use this product if the corn or potato is planted by hand.



USE DIRECTIONS FOR CORN

For use on conventional and conservation tillage field corn.

PESTS CONTROLLED AND APPLICATION REQUIREMENTS

Crop	Pests Controlled	Pests Suppressed	
Field Corn (30" row spacing or higher)	Northern, Western, Mexican, and Southern Corn Rootworm larvae	Grasshoppers	
	European Corn Borer (First Brood)		
	Wireworms		
	Common Stalk Borer		
	Seedcorn Maggots		
	Seedcorn Beetles		
	Billbugs		
	Chinch Bugs		
	Grubs		
	Grape Colaspis		
	Thrips		
Field Corn	Wireworms :	Grubs	
(15" to less than 30" row spacing)	Seedcorn Maggots	Seedcorn Beetles	

- **DO NOT** apply to sweet corn or popcorn.
- DO NOT use this product with corn seeds that have been treated with a product containing fipronil, such as Regent[®] TS insecticide.

APPLICATION REQUIRMENTS

Make one in-furrow application at planting time only.

DO NOT apply this product through any kind of irrigation system.

Apply at planting time as a solid stream using a microtube or other suitable metering orifice that is directed into the open seed furrow. Dilute **Regent® 4 SC insecticide** in a minimum of 1.0 gallon of water or liquid fertilizer per acre. If flat-fan nozzles are used for in-furrow application, the nozzles should be aligned with the row to direct the spray into the open furrow.

Regent 4 SC can be directly injected into the suction or pressure line(s) of a liquid spray system provided that the product is uniformly dispersed into the water or liquid fertilizer. Predilution of **Regent 4 SC** in a minimum of 0.5 gallons of water or liquid fertilizer per acre, prior to injection, is necessary to improve metering accuracy. The mix tank of **Regent 4 SC** plus water or liquid fertilizer must be agitated continuously. After completion of the direct injection in the mixing process, the final volume delivered to the furrow should have a minimum volume of 1.0 gallon of water, liquid fertilizer, or combination of the two per crop acre.

Use the following chart to select the correct rate of **Regent 4 SC** per 1,000 row feet and rate of product per acre for corn.

*Row Spacing (inches)	**Rate/Acre (fluid ounces/acre)	Row Feet/Acre (feet)	Rate/1,000 row feet (fluid ounces/1,000 row feet)
40	3.12	13,068	0.24
38	3.29	13,756	0.24
36	3.47	14,520	0.24
30	4.16	17,424	0.24
22	4.16	23,760	0.18
20	4.16	26,133	0.16
15	4.16	34,848	Q12

^{*} DO NOT apply 0.24 fluid ounces/1,000 row feet on row spacing less than 30 inches.

^{*} Adjust rate per 1,000 row feet so that you DO NOT apply more than 0.13 lb. ai/acre or 4.16 fluid ounces of Regent 4 SC per acre.





USE DIRECTIONS FOR POTATO

Use in potato not permitted in New York State unless otherwise directed by supplemental labeling.

PESTS CONTROLLED AND APPLICATION METHOD

Crop	Pests Controlled	Application Method
Potato	Wireworms	Make one in-furrow application at time of planting only. Banding must be done in-furrow as a 5- to 7-inch wide band. Regent® 4 SC insecticide must be thoroughly incorporated and covered with soil immediately after application. DO NOT use T-banding over the top of a closed furrow.

APPLICATION REQUIRMENTS

Make one in-furrow application at planting time only. DO NOT apply this product through any kind of irrigation system.

Dilute **Regent 4 SC** in a minimum of 5.0 gallons of water or liquid fertilizer per acre. If flat-fan nozzles are used for infurrow application, the nozzles should be aligned with the row to direct the spray into the open furrow.

Regent 4 SC can be directly injected into the suction or pressure line(s) of a liquid spray system provided that the product is uniformly dispersed into the water or liquid fertilizer. Predilution of **Regent 4 SC** in a minimum of 0.5 gallons of water or liquid fertilizer per acre, prior to injection, is necessary to improve metering accuracy. The mix tank of **Regent 4 SC** plus water or liquid fertilizer must be agitated continuously. After completion of the direct injection in the mixing process, the final volume delivered to the furrow should have a minimum volume of 5.0 gallons of water, liquid fertilizer, or combination of the two per crop acre.


RATE: Regent 4 SC Maximum Allowable Rate = 3.2 fl oz of Regent 4 SC per acre

Use the following chart to select the correct rate of **Regent-4 SC** per 1,000 row feet and rate of product per acre for potato.

*Row Spacing (inches)	**Rate/Acre (fluid ounces/acre)	Row Feet/Acre (feet)	Rate/1,000 row feet (fluid ounces/1,000 row feet)
30	3.2	17,424	0.184
34	3.2	15,374	0.208
36	3.2	14,520	0.220
38	3.0	13,756	0.220
40	2.9	13,068	0.220

^{*} DO NOT apply in row spacing less than 30 inches. On any row spacing greater than 36 inches, apply no more than 0.220 fl oz Regent 4 SC per 1,000 row feet.

- DO NOT apply to sweet potatoes.
- Use in potato not permitted in New York State unless otherwise directed by supplemental labeling.



^{**} Adjust rate per 1,000 row feet so that you DO NOT apply more than 3.2 fluid ounces of Regent 4 SC per acre (equal to 0.10 lb ai/A).

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Regent is a registered trademark of BASF.

© 2009 BASF Corporation All rights reserved.

007969-00207.20090625.**NVA 2009-04-218-0102**

Based on: NVA 2007-04-218-0105 Supersedes: NVA 2006-04-218-0022

BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709

