7969-223

 $\overline{)}$

.

11/15/2009

16

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	EPA Registration No. 7969-223	Date of Issuance: Nov. 15, 2009
NOTICE OF PESTICIDE: Registration Reregistration (under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Term of Issuance: Unconditional	
	Name of Pesticide Product: Regent TS Insecticide	
Name and Address of Registrant (include ZIP Code): Mr. Dave G. Bolin, Product Registration Manager BASF Corp, Agricultural Products PO Box 13528 Research Triangle Park, NC 27709-3528		
Note: Changes in labeling differing insubstance from that accepted in comercand; accepted by the Registration Division prior to use of the label in commercarefer to the labove EPA registration number.	ction-with this registration e: "In any correspondence:	nust be submitted to on this product always
On the basis of information furnished by the registrant, the above name Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recomm order to protect health and the environment, the Administrator, on his is the registration of a pesticide in accordance with the Act. The accepta registration of a product under this Act is not to be construed as giving name or to its use if it has been covered by others.	nendation of this product motion, may at any time nce of any name in conn	by the Agency. In suspend or cancel ection with the
This product is unconditionally registered in accordance w A stamped "Accepted with comments" copy of the label is enclo questions, you may contact Clayton Myers at (703) 347-8874, o	osed for your records.	If you have any
Enclosure		
Signature of Approving Official: Richard J. Gebken, Product Manager (10) Registration Division, Insecticide Branch	Date: November 15, 200	9



ССЕРТ NOV 15 200 Under the Federal Insecticide. Fungicide, and Rodenticide Act ended, for the pesticide ered unde Reg. No.



DO NOT use for any other use than to treat field corn seed at commercial seed treatment facilities

Fipronil treated seed is for Export only

Not for use in the U.S. and territories

ACTIVE INGREDIENT:

Fipronil: 5-amino-1-(2,6-dichloro-4-(trifluoromethyl) phenyl)-4-((1,R,S)-	
(trifluoromethyl)sulfinyl) -1-H-pyrazole-carbonitrile	56%
INERT INGREDIENTS:	
TOTAL:	
One gallon of Regent* TS insecticide contains 6.2 pounds of the active ingredient fipronil.	

EPA Reg. No. 7969-223

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FOR MEDICAL AND TRANSPORTATION EMERGENCIES ONLY CALL 24 HOURS A DAY 1-800-832-HELP (4357)

See inside for First Aid, Precautionary Statements and Directions for Use.

Net Contents: ____

BASF Corporation 26 Davis Drive, Research Triangle Park, NC 27709

FIRST AID immediately call a poison control center or doctor for treatment advice. DO NOT induce vomiting unless told to do so by a poison control center or doctor. **IF SWALLOWED** Have person sip a glass of water if able to swallow. DO NOT give anything by mouth to an unconscious person. Take off contaminated clothing. IF ON SKIN OR Rinse skin Immediately with plenty of water for 15-20 minutes. CLOTHING Call a poison control center or doctor for treatment advice. Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably IF INHALED mouth-to mouth if possible. Call a poison control center or doctor for further treatment advice. Hold eye open and rinse slowly and gently with water for 15-20 minutes. IF IN EYES Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

For MEDICAL Emergencies: Call 24 Hours A Day 1-800-832-HELP (1-800-832-4357).

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

GENERAL

Contact a physician immediately in all cases of suspected poisoning. Transport patient to a physician or hospital immediately and **SHOW A COPY OF THIS LABEL TO THE PHYSICIAN**. If poisoning is suspected in animals, contact a veterinarian.

NOTE TO PHYSICIAN

There is no specific antidote. All treatment should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

MAY BE FATAL IF SWALLOWED, ABSORBED THROUGH SKIN, OR INHALED. CAUSES MODERATE EYE IRRITATION. DO NOT get in eyes, on skin or on clothing. DO NOT breathe spray mist or vapor. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers: For handling activities, use a non-powered air-purifying respirator equipped with an N-, R- or P-series filter. Follow manufacturer's instructions for cleaning/maintaining PPE. Wear coveralls over short-sleeved shirt and short pants, socks, chemical-resistant footwear and chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrite rubber, neoprene rubber, polyvinyl chloride (PVC), viton, natural rubber or selection **Category C**).

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.
- Remove and wash contaminated clothing before reuse. Keep and wash PPE separately from other laundry. Follow manufacturer's instructions for washables. If no such instructions, use detergent and hot water.
- When mixing and loading, wear a chemical resistant apron. For overhead exposure, wear chemical-resistant headgear. When cleaning equipment, wear a chemical-resistant apron.

ENGINEERING CONTROL STATEMENT

Field Corn Seed Treatment

Facilities and/or machinery treating field corn seed must be adequately ventilated in a manner that moves dusts and vapors away from applicators and handlers such as the following:

Adequate ventilation could be maintained by dilution ventilation systems, which provide for a bulk flow of air away from the workers breathing zone and replaces contaminated air with clean air. Dilution ventilation could be provided by exhaust fans on the wall or ceiling and having open windows or doors opposite the exhaust fans. Adequate ventilation could also be provided by installing local exhaust ventilation at the point of dust contamination via hoods or ducts that remove contaminated air before it reaches the breathing zone and exhausts it directly to the outdoors, exhaust stacks or filtration systems.

Supplemental ventilation is not required in areas where seed is treated in enclosed equipment and dust contamination does not occur, like Gustafson S Series seed treaters.

Regardless of the requirement for supplemental ventilation, all workers handling treated seed must wear the required PPE.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

SYMPTOMS OF POISONING: In severe cases of overexposure by oral ingestion, lethargy, muscle tremors, and, in extreme cases, possibly convulsions may occur.

ENVIRONMENTAL HAZARDS

This product is toxic to birds, fish, and aquatic and estuarine invertebrates. **DO NOT** discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with **Regent[®] TS insecticide** must be labeled in accordance with all applicable requirements of the Federal Seed Act.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.

Regent TS cannot be used to formulate, reformulate or repackage into any other pesticide product without the written permission of BASF Corporation.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store unused product in original container only, in cool, dry area, out of reach of children and animals.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

In case of spill, clean up immediately. Put on Personal Protective Equipment (PPE) before cleaning up spill. Soak up with sand, earth or other suitable material and dispose of wastes in a landfill approved for pesticide disposal. Ensure adequate decontamination of tools and equipment following cleanup.

CONTAINER DISPOSAL

Nonrefillable Container. DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Triple rinse containers small enough to shake (capacity \leq 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Triple rinse containers too large to shake (capacity > 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.

(continued)

STORAGE AND DISPOSAL (continued)

Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

In Case of Spill

In case of large scale spillage regarding this product call:

CHEMTREC 1-800-424-9300 BASF 1-800-832-HELP (4357)

Read the entire label before using this product.

Regent^e TS insecticide FOR COMMERCIAL TREATMENT OF FIELD CORN SEED.

Regent TS is an aqueous flowable formulation for use as a seed treatment on field corn. **Regent TS** provides control or suppression of the following pests:

Pest	1 fluid oz rate	2 fluid oz rate
Wireworm	Control	Control*
Seed corn maggot		Control
Grape Colaspis		Control
White Grubs		Suppression
Flea Beetle		Suppression**
Thrips		Suppression**

* In areas with a history of high inherent populations, the 2 fluid oz rate must be utilized.

**Economic protection under light to moderate infestations for 14 - 21 . days after planting.

Regent TS may be applied as a water-based slurry with other registered corn seed treatment materials. Potential tank mix partners should be tested for physical compatibility with **Regent TS** and added dyes or polymers before mixing in a large tank for seed treatment.

Regent TS should be applied at the rate of 1 to 2 fl oz per 100 lb seed (0.05 to 0.10 lb ai per 100 lb seed). **Regent TS** should be applied with a seed treatment machine which can provide an accurate application of chemicals to seeds. **Regent TS** can be applied with a polymer to improve evenness and adherence and reduce dust. Follow manufacturer's directions for quantity of polymer to be used. Use 10 - 24 fl oz of slurry per 100 lb seed or follow machine and polymer manufacturer's recommendations for slurry volumes for corn. Use sufficient EPA approved seed dye or colored polymer to achieve a distinctive unnatural color on the seed.

To apply **Regent TS** using a mixing tank, place 3/4 of the water and all of the polymer or dye needed into the mixing tank and begin agitation. Measure the amount of **Regent TS** needed and add to the tank. Use the remaining water

to thoroughly rinse the measuring container. Add rinsates to the tank. Maintain agitation during application.

SEED LABELING

Treated seed must be labeled in accordance with the requirements of the Federal Seed Act. Bags containing treated seeds must be labeled with the following information "This seed has been treated with Regent TS. DO NOT use for food, feed, or oil purposes. Store away from foods and feeds."

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buver.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR **MERCHANTABILITY OR ANY OTHER EXPRESS OR** IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF. 1108

Regent is a registered trademark of BASF.

© 2009 BASF Corporation All Rights Reserved.

007969.00223.20091015.NVA 2009-04-218-0215 Supersedes: NVA 2009-04-218-0103

> **BASF** Corporation 26 Davis Drive Research Triangle Park, NC 27709

