

 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 M. St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE Registration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: 7969-230	Date of Issuance: MAY 27 2005
	Term of Issuance: Conditional Registration	
	Name of Pesticide Product: AMDRO® Interceptor Termite Baiting System	
Name and Address of Registrant (include ZIP Code): BASF Corporation Agricultural Products 26 Davis Drive P.O. Box 13528 Research Triangle Park, NC 27709-3528 ATTN: Craig D. Klepe		
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby registered/re-registered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, EPA Reg. No.7969-230.

Retain the First Aid Statement associated with an acute Oral toxicity category of III.

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
- Do not give anything to an unconscious person.

- b. Move the instruction "Install AMDRO Interceptor only into areas clear of soil-buried gas, electric, cable, telephone, water or other utility service lines." from page 9 of the draft master label and label addendum to immediately after "Step 2: Installing the bait stations..." on page 6 of the draft master label and label addendum.
3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Richard Gebken
Acting Product Manager 10
Insecticide Branch
Registration Division (7505C)

Enclosures

ORE Assessment
7969-230 Label

MASTER LABEL

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
MAY 27 2005**

AMDRO[®] Interceptor Termite Baiting System

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
7969-230**

- Detects and Kills Subterranean Termites
- Kills Termites
- Helps prevent termites from damaging your home
- Helps intercept termite invasions and alerts you to take action to keep termites from attacking your home
- Do-it-yourself termite detecting and killing system
- Easy-to-install termite baiting system with auger included
- For outdoor use around the home and other wood structures in the yard
- For active termite infestations, contact a professional pest control operator
- AMDRO Interceptor** termite baiting system consists of both bait stations and bait tubes which contain the termite bait
- Bait tubes must be used in conjunction with bait stations.
- Do not apply bait tubes separately or directly into soil.
- Do not use bait tubes with any other bait station system

Active Ingredient:

Hydramethylnon (CAS No. 67485-29-4).....0.3%

Other Ingredients.....99.7%

Total100.0%

**KEEP OUT OF REACH OF CHILDREN
DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH BAIT TUBES**

CAUTION / PRECAUCION!

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See back/side/other panel(s) for additional Precautionary Statements, First Aid, and Directions for Use

Net Weight / Contents:

24 package kit contains both **AMDRO Interceptor** bait stations and **AMDRO Interceptor** bait tubes (18 g or 0.63 oz of termite bait per tube) plus auger.
TOTAL NET WEIGHT OF PRODUCT – 432 g or 15.22 oz

EPA Reg. No. 7969-XXX

EPA Est. No. _____

® Trademark of Central Garden and Pet Company

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED (not required for Category IV s)	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Have person sip glass of water if able to swallow. • Do not induce vomiting unless told to do so by poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOTLINE NUMBER	
<p>Have product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact X-XXX-XXX-XXXX (in case of emergency endangering life or property involving this product or) for medical treatment information.</p>	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION!

May be harmful if swallowed (not required for Category IV s). Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not use this product in locations where the bait or its hydramethylnon contents may be washed out of the bait station into ponds, streams, springs, or other natural water sources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product by any method not specified on this label. For outdoor use around the home, yard and private property.

STORAGE AND DISPOSAL

<u>Storage:</u>	Store in original container in a cool, dry storage area. Keep the new or any unused bait cartridges wrapped until ready to be used.
<u>Disposal:</u>	<i>If tubes empty:</i> Do not reuse this container. Place in trash or offer for recycling if available. <i>If tubes partly filled:</i> Wrap used bait tube containing any unused bait with paper and place in trash can. Never place unused product down any indoor or outdoor drain.

WHAT IT IS

AMDRO Interceptor termite baiting system contains a **termite bait** that is a highly attractive food source to foraging termites. The bait contains a slow acting insecticide that kills termites and helps reduce termite populations and the risk of infestation.

AMDRO Interceptor is intended for use as a detection and killing system against subterranean termites. By killing termites, it helps prevent termites from damaging your home. It helps you intercept a termite invasion so you can take action to keep termites from attacking your home or other wood structures.

AMDRO Interceptor is not recommended as the sole protection of your home or property against termites. To control active termite infestations, contact a professional pest control operator for an inspection and treatment.

WHAT IT DOES

The active ingredient in **AMDRO Interceptor**, hydramethylnon, kills communal or social insects. Foraging workers from subterranean termite colonies (e.g., *Reticulitermes* spp., *Coptotermes* spp., or *Heterotermes* spp.) that discover and feed on **AMDRO**

Interceptor will recruit other foragers to the bait. Continued feeding will result in the death of termites. **AMDRO Interceptor** is specially formulated to kill termites slowly. Slow activity is necessary to further encourage the termites to continue feeding on the bait and to encourage more termites within the colony to eat the bait. Death of the termite colony depends on how quickly the termites feed and the amount of bait eaten.

WHERE TO USE IT

Termites are attracted to areas that have a constant source of water and have favorable food sources made of wood directly in contact with soil. Use **AMDRO Interceptor** around or near any structures or sites made of wood that are susceptible to damage or attack from foraging termites such as, but not limited to:

- Homes, houses or other residential structures
- Garages
- Barns
- Sheds
- Other residential properties or buildings
- Car ports
- Decks
- Benches
- Wells
- Fences
- Trellises, Arbors
- Utility poles
- Stairs
- Retaining walls
- Trees or tree stumps
- Buried wood
- Landscaping timbers
- Landscape plantings
- Wood piles
- Mulch beds
- Firewood
- Recreational equipment (swings sets, etc.)
- Or any other wooden structures in direct contact with soil.

WHY USE IT

Use **AMDRO Interceptor** to detect and kill subterranean termites and to help intercept a termite invasion so you can take action to keep termites from attacking your home or other wood structures. By killing termites, it helps prevent termites from damaging your home.

STOP. Read Entire Label Before Use.

HOW TO USE IT

Step 1: Inspection and Mapping:

Before using **AMDRO Interceptor**, inspect the structure(s) to be treated. Make a map or drawing of the structure to identify and record reference points (cornerstones, bushes, trees, heating/cooling units, marks on home foundation, gas/water meters, etc.) and dimensions that will help you re-locate the bait stations during future inspections and monitoring visits.

The inspection will serve **to identify areas around or near the structure** that

A) have ***direct evidence**** of termite activity, such as

- presence of mud tubes extending from the soil to the structure (i.e. on the foundation),
- live termites found under mulch, or in construction scraps or landscape timbers; or

B) are ***suspected*** of termite activity, such as

- active feeding site* in structural timbers (i.e. damaged or scarred wood) but with no evident soil activity adjacent to this feeding site, nor live termites found; or

C) are ***conducive*** to termite foraging, such as

- places where the soil retains moisture or remains damp, such as gutter downspouts, water faucets, spigots, hose reels, sprinkler heads, air conditioner drains or drip lines, and low-lying areas that do not readily drain or dry out.
- other areas favorable for termites include food sources made of wood directly in contact with soil.

* When direct evidence of termite activity is identified or to control an active termite infestation, contact a professional pest control operator for an inspection and treatment.

Map and record those locations where **AMDRO Interceptor** bait stations will be placed. It will be helpful to keep a log book and/or file that contains all the information that you need during the treatment of your structures with **AMDRO Interceptor**. It is recommended to keep a calendar and record the dates when you install **AMDRO Interceptor** and then schedule when monitoring and servicing visits should be conducted.

Step 2: Installing the bait stations and baits tubes:

AMDRO Interceptor termite baiting system consists of both bait stations and bait tubes which contain the termite bait. Bait tubes must be used in conjunction with bait stations. Do not apply bait tubes separately or directly into soil. Do not use bait tubes with any other bait station system. Install **AMDRO Interceptor** bait stations and bait tubes as close to structure as possible and within 12" of any site(s) of termite activity or as close as possible if access is limited. However, install at least 18" outside any area previously treated with a liquid insecticide (repellant) and outside the roof drip-line. Make sure to record or mark where you have placed the **AMDRO Interceptor** bait stations on your reference map.

How to install directly into soil:

Scrape away any debris, grass, mulch, or other materials so that soil is exposed.
Drill hole with auger into soil surface 8" deep and 2" wide and insert bait station.
Do not damage station by pounding with a hammer.
Position bait station into soil so that the top of the station is level with soil surface.
Remove plastic shrink wrap from bait tube and discard.
Insert bait tube into station, then attach and lock the cap onto the station.
Mound soil, debris, mulch, or other materials around the perimeter of the station.

How to install if direct soil access is limited by pavement, stones, etc.:

Where access to the soil is limited by pavement, concrete slabs, asphalt, paving stones, terrace wall stones or other ground coverings, it is recommended that **AMDRO Interceptor** be placed as close to the site of termite activity as possible.
Drill hole with auger into soil surface 8" deep and 2" wide and insert bait station.
Do not damage station by pounding with a hammer.
Position bait station into soil so that the top of the station is level with soil surface.
Remove plastic shrink wrap from bait tube and discard.
Insert bait tube into station, then attach and lock cap onto the station.
Mound soil, debris, mulch, or other materials around the perimeter of the station.

Step 3. How many bait stations to be placed:

For areas with *direct evidence** of termite activity:

Install one or more **AMDRO Interceptor** termite bait station(s) and bait tube(s) in soil adjacent to or directly beneath the mud tubes or feeding sites or where live termites are found. If placing more than one, separate bait stations by 12 inches. Extending from those areas, install additional bait stations and bait tubes around the treated structure at rate of one bait station per 10 linear feet.

For areas suspected to be or conducive of termite activity:

Install one **AMDRO Interceptor** termite bait directly into each area of suspected to be or conducive of termite activity. Extending from those areas, install additional bait stations and bait tubes around the treated structure at rate of one bait station per 10 linear feet. If extra coverage is desired, install additional **AMDRO Interceptor** termite baits to thoroughly cover all sites of potential termite activity around the structure. Be sure to separate baits stations by at least 12 inches.

Step 4: One month follow-up inspection after bait placement:

Inspect **AMDRO Interceptor** termite bait within one month following initial installation. During the inspection, look for termite activity in the bait station and bait tubes such as live termites, soil or mud, and/or tunneling around the bait station and bait tube.

- If termites are present in the bait tubes **and** if feeding has consumed 50% or more of the bait, then replace that bait tube with a new bait tube **and** place an additional bait station and bait tube within 12 inches of that station.

MONITORING and SERVICING the BAITs

- Monitor and service **AMDRO Interceptor** termite bait **at least once every three months** after initial one month inspection following bait installation.
- It is important to maintain the supply of **AMDRO Interceptor** termite bait in the bait stations and bait tubes at all times. Inspect each bait station at least once every three months to assess the level of termite activity and amount of bait eaten. In areas of high termite activity, the bait stations should be monitored more frequently as termites can rapidly deplete the bait supply when actively feeding.

- During the inspection, look for termite activity in the bait station and bait tubes such as live termites, soil or mud, and/or tunneling around the bait station and bait tube.

If termites are present in the bait tube **and** if feeding has consumed 50% or more of the bait, then replace that bait with a new bait tube **and** place an additional bait station and bait tube within 12 inches of that station.

Keep the AMDRO Interceptor termite bait fresh!

Replace with new baits if:

- 50% or more of bait is consumed by termites
- 6 months past since last placement of bait
- bait has been compromised by other insects or normal decay
- bait is soaked with water or has been constantly sub-merged in standing water or flooding soil since last inspection

HELPFUL TIPS and FURTHER INSTRUCTIONS:

During inspection and initial installation of baits, mark your (a) calendar to make a record of or remind yourself of the date(s) you need to monitor the baits.

MOVE
BEGINNING OF
STEP 2
p. 6

- ⊗ Install **AMDRO Interceptor** only into areas clear of soil-buried gas, electric, cable, telephone, water or other utility service lines.

Since application of some forms of insecticides (repellents) can prevent termites from discovering and feeding on the bait: Install **AMDRO Interceptor** only into soil that has not been previously treated with other liquid insecticides (insect or termite killers that act as repellents).

Always place **AMDRO Interceptor** bait stations at least 18 inches from soil that has been treated with other liquid insecticides.

Do not apply any liquid insecticides that act as repellants around the perimeter of **AMDRO Interceptor** that have been previously installed. Applications of repellant type liquid insecticides can prevent termites from discovering and feeding on the bait.

Use **AMDRO Interceptor** only in areas where it will not contact wells or other sources of water supply, and where it cannot be washed into streams, ponds or other bodies of water.

Use **AMDRO Interceptor** only in areas where it will not contact or potentially contaminate feed, food or surfaces in contact with food.

Do not place **AMDRO Interceptor** where there is an easy and open access to the stations by children or pets.

Do not use more than 150 bait stations per 0.5 acre of property.

AMDRO Interceptor termite baiting system consists of bait stations and bait tubes which contain the termite bait. Bait tubes must be used in conjunction with bait stations. Do not apply bait tubes separately or directly into soil. Do not use bait tubes with any other bait station system.

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of BASF Corporation. All such risks shall be assumed by the user. BASF Corporation warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

BASF Corporation makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

14/24

LABEL ADDENDUM

AMDRO® Interceptor Termite Baiting System

Replacement Bait Tubes: For use only with AMDRO Interceptor bait stations

Detects and Kills Subterranean Termites

Kills Termites

Helps prevent termites from damaging your home

Helps intercept termite invasions and alerts you to take action to keep termites from attacking your home

Do-it-yourself termite detecting and killing system

Easy-to-install termite baiting system with auger included

For outdoor use around the home and other wood structures in the yard

For active termite infestations, contact a professional pest control operator

AMDRO Interceptor termite baiting system consists of both bait stations and bait tubes which contain the termite bait

Replacement bait tubes must be used in conjunction with bait stations.

Do not apply replacement bait tubes separately or directly into soil.

Do not use replacement bait tubes with any other bait station system.

Active Ingredient:

Hydramethylnon (CAS No. 67485-29-4).....0.3%

Other Ingredients.....99.7%

Total100.0%

KEEP OUT OF REACH OF CHILDREN

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH BAIT TUBES

CAUTION / PRECAUCION!

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See back/side/other panel(s) for additional Precautionary Statements, First Aid, and Directions for Use

Net Weight / Contents:

8 pack replacement kit contains **AMDRO Interceptor** bait tubes (18 g or 0.63 oz of termite bait per tube).

TOTAL NET WEIGHT OF PRODUCT – 144 g or 5.07 oz

EPA Reg. No. 7969-XXX**EPA Est. No.** _____

® Trademark of Central Garden and Pet Company

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED (not required for Category IV s)	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Have person sip glass of water if able to swallow. • Do not induce vomiting unless told to do so by poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOTLINE NUMBER	
<p>Have product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact X-XXX-XXX-XXXX (in case of emergency endangering life or property involving this product or) for medical treatment information.</p>	

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION!**

May be harmful if swallowed (not required for Category IV s). Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not use this product in locations where the bait or its hydramethylnon contents may be washed out of the bait station into ponds, streams, springs, or other natural water sources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product by any method not specified on this label. For outdoor use around the home, yard and private property.

STORAGE AND DISPOSAL

<u>Storage:</u>	Store in original container in a cool, dry storage area. Keep the new or any unused bait cartridges wrapped until ready to be used.
<u>Disposal:</u>	<i>If tubes empty:</i> Do not reuse this container. Place in trash or offer for recycling if available. <i>If tubes partly filled:</i> Wrap used bait tube containing any unused bait with paper and place in trash can. Never place unused product down any indoor or outdoor drain.

WHAT IT IS

AMDRO Interceptor termite baiting system contains a termite bait that is a highly attractive food source to foraging termites. The bait contains a slow acting insecticide that kills termites and helps reduce termite populations and the risk of infestation.

AMDRO Interceptor is intended for use as a detection and killing system against subterranean termites. By killing termites, it helps prevent termites from damaging your home. It helps you intercept a termite invasion so you can take action to keep termites from attacking your home or other wood structures.

AMDRO Interceptor is not recommended as the sole protection of your home or property against termites. To control active termite infestations, contact a professional pest control operator for an inspection and treatment.

WHAT IT DOES

The active ingredient in **AMDRO Interceptor**, hydramethylnon, kills communal or social insects. Foraging workers from subterranean termite colonies (e.g., *Reticulitermes* spp., *Coptotermes* spp., or *Heterotermes* spp.) that discover and feed on **AMDRO Interceptor** will recruit other foragers to the bait. Continued feeding will result in the death of termites. **AMDRO Interceptor** is specially formulated to kill termites slowly. Slow activity is necessary to further encourage the termites to continue feeding on the bait and to encourage more termites within the colony to eat the bait. Death of the termite colony depends on how quickly the termites feed and the amount of bait eaten.

WHERE TO USE IT

Termites are attracted to areas that have a constant source of water and have favorable food sources made of wood directly in contact with soil. Use **AMDRO Interceptor** around or near any structures or sites made of wood that are susceptible to damage or attack from foraging termites such as, but not limited to:

- Homes, houses or other residential structures
- Garages
- Barns
- Sheds
- Other residential properties or buildings
- Car ports
- Decks
- Benches
- Wells
- Fences
- Trellises, Arbors
- Utility poles
- Stairs
- Retaining walls
- Trees or tree stumps
- Buried wood
- Landscaping timbers
- Landscape plantings

Wood piles
Mulch beds
Firewood
Recreational equipment (swings sets, etc.)
Or any other wooden structures in direct contact with soil.

WHY USE IT

Use **AMDRO Interceptor** to detect and kill subterranean termites and help intercept a termite invasion so you can take action to keep termites from attacking your home or other wood structures. By killing termites, it helps prevent termites from damaging your home.

STOP. Read Entire Label Before Use.

HOW TO USE IT

Replacement Bait Tubes: For use only with AMDRO Interceptor bait stations.

AMDRO Interceptor termite baiting system consists of both bait stations and bait tubes which contain the termite bait. Replacement bait tubes must be used in conjunction with bait stations. Do not apply replacement bait tubes separately or directly into soil. Do not use replacement bait tubes with any other bait station system.

Step 1: Inspection and Mapping:

Before using **AMDRO Interceptor**, inspect the structure(s) to be treated. Make a map or drawing of the structure to identify and record reference points (cornerstones, bushes, trees, heating/cooling units, marks on home foundation, gas/water meters, etc.) and dimensions that will help you re-locate the bait stations during future inspections and monitoring visits.

The inspection will serve to identify areas around or near the structure that

A) have **direct evidence*** of termite activity, such as

- presence of mud tubes extending from the soil to the structure (i.e. on the foundation),
- live termites found under mulch, or in construction scraps or landscape timbers; or

B) are **suspected** of termite activity, such as

- active feeding site* in structural timbers (i.e. damaged or scarred wood) but with no evident soil activity adjacent to this feeding site, nor live termites found; or

C) are **conducive** to termite foraging, such as

- places where the soil retains moisture or remains damp, such as gutter downspouts, water faucets, spigots, hose reels, sprinkler heads, air conditioner drains or drip lines, and low-lying areas that do not readily drain or dry out.
- other areas favorable for termites include food sources made of wood directly in contact with soil.

* When direct evidence of termite activity is identified or to control an active termite infestation, contact a professional pest control operator for an inspection and treatment.

Map and record those locations where **AMDRO Interceptor** bait stations will be placed. It will be helpful to keep a log book and/or file that contains all the information that you need during the treatment of your structures with **AMDRO Interceptor**. It is recommended to keep a calendar and record the dates when you install **AMDRO Interceptor** and then schedule when monitoring and servicing visits should be conducted.

Step 2: Installing the bait stations and baits tubes:

AMDRO Interceptor termite baiting system consists of both bait stations and bait tubes which contain the termite bait. Bait tubes must be used in conjunction with bait stations.

Do not apply bait tubes separately or directly into soil. Do not use bait tubes with any other bait station system. Install **AMDRO Interceptor** bait stations and bait tubes as close to structure as possible and within 12" of any site(s) of termite activity or as close as possible if access is limited. However, install at least 18" outside any area previously treated with a liquid insecticide (repellant) and outside the roof drip-line. Make sure to record or mark where you have placed the **AMDRO Interceptor** bait stations on your reference map.

How to install directly into soil:

Scrape away any debris, grass, mulch, or other materials so that soil is exposed.
Drill hole with auger into soil surface 8" deep and 2" wide and insert bait station.
Do not damage station by pounding with a hammer.
Position bait station into soil so that the top of the station is level with soil surface.
Remove plastic shrink wrap from bait tube and discard.
Insert bait tube into station, then attach and lock the cap onto the station.
Mound soil, debris, mulch, or other materials around the perimeter of the station.

How to install if direct soil access is limited by pavement, stones, etc.:

Where access to the soil is limited by pavement, concrete slabs, asphalt, paving stones, terrace wall stones or other ground coverings, it is recommended that **AMDRO Interceptor** be placed as close to the site of termite activity as possible.
Drill hole with auger into soil surface 8" deep and 2" wide and insert bait station.
Do not damage station by pounding with a hammer.
Position bait station into soil so that the top of the station is level with soil surface.
Remove plastic shrink wrap from bait tube and discard.
Insert bait tube into station, then attach and lock cap onto the station.
Mound soil, debris, mulch, or other materials around the perimeter of the station.

Step 3. How many bait stations to be placed:

For areas with *direct evidence** of termite activity:

Install one or more **AMDRO Interceptor** termite bait station(s) and bait tube(s) in soil adjacent to or directly beneath the mud tubes or feeding sites or where live termites are found. If placing more than one, separate bait stations by 12 inches. Extending from those areas, install additional bait stations and bait tubes around the treated structure at rate of one bait station per 10 linear feet.

For areas *suspected* to be or *conducive* of termite activity:

Install one **AMDRO Interceptor** termite bait directly into each area of suspected to be or conducive of termite activity. Extending from those areas, install additional bait stations and bait tubes around the treated structure at rate of one bait station per 10 linear feet. If extra coverage is desired, install additional **AMDRO Interceptor** termite baits to thoroughly cover all sites of potential termite activity around the structure. Be sure to separate baits stations by at least 12 inches.

Step 4: One month follow-up inspection after bait placement:

Inspect **AMDRO Interceptor** termite bait within one month following initial installation. During the inspection, look for termite activity in the bait station and bait tubes such as live termites, soil or mud, and/or tunneling around the bait station and bait tube.

- If termites are present in the bait tubes **and** if feeding has consumed 50% or more of the bait, then replace that bait tube with a new bait tube **and** place an additional bait station and bait tube within 12 inches of that station.

MONITORING and SERVICING the BAITs

- Monitor and service **AMDRO Interceptor** termite bait at least once every three months after initial one month inspection following bait installation.
- It is important to maintain the supply of **AMDRO Interceptor** termite bait in the bait stations and bait tubes at all times. Inspect each bait station at least once every three months to assess the level of termite activity and amount of bait eaten. In areas of high termite activity, the bait stations should be monitored more frequently as termites can rapidly deplete the bait supply when actively feeding.
- During the inspection, look for termite activity in the bait station and bait tubes such as live termites, soil or mud, and/or tunneling around the bait station and bait tube.

If termites are present in the bait tube and if feeding has consumed 50% or more of the bait, then replace that bait with a new bait tube and place an additional bait station and bait tube within 12 inches of that station.

Keep the **AMDRO Interceptor** termite bait fresh!

Replace with new baits if:

- 50% or more of bait is consumed by termites
- 6 months past since last placement of bait
- bait has been compromised by other insects or normal decay
- bait is soaked with water or has been constantly sub-merged in standing water or flooding soil since last inspection

HELPFUL TIPS and FURTHER INSTRUCTIONS:

During inspection and initial installation of baits, mark your (a) calendar to make a record of or remind yourself of the date(s) you need to monitor the baits.

Install **AMDRO Interceptor** only into areas clear of soil-buried gas, electric, cable, telephone, water or other utility service lines.

Since application of some forms of insecticides (repellents) can prevent termites from discovering and feeding on the bait: Install **AMDRO Interceptor** only into soil that has not been previously treated with other liquid insecticides (insect or termite killers that act as repellents).

Always place **AMDRO Interceptor** bait stations at least 18 inches from soil that has been treated with other liquid insecticides.

Do not apply any liquid insecticides that act as repellants around the perimeter of **AMDRO Interceptor** that have been previously installed. Applications of repellant type liquid insecticides can prevent termites from discovering and feeding on the bait.

Use **AMDRO Interceptor** only in areas where it will not contact wells or other sources of water supply, and where it cannot be washed into streams, ponds or other bodies of water.

Use **AMDRO Interceptor** only in areas where it will not contact or potentially contaminate feed, food or surfaces in contact with food.

Do not place **AMDRO Interceptor** where there is an easy and open access to the stations by children or pets.

Do not use more than 150 bait stations per 0.5 acre of property.

AMDRO Interceptor termite baiting system consists of bait stations and bait tubes which contain the termite bait. Bait tubes must be used in conjunction with bait stations. Do not apply bait tubes separately or directly into soil. Do not use bait tubes with any other bait station system.

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Ineffectiveness or other unintended consequences may result because of

such factors as weather conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of BASF Corporation. All such risks shall be assumed by the user. BASF Corporation warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

BASF Corporation makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

BASF Corporation

26 Davis Drive

Research Triangle Park, NC 27709