

7969-268

4/1/2010

lof/K



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

APR 1 2010

Mr. Edward G. Jordan  
Product Registration Manager  
BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709

RE: Notification of change in Primary Brand Name: **Acronis® Fungicide Seed Treatment**  
EPA Registration Number: 7969-268  
Date of Submission: March 9, 2010

Dear Mr. Jordan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 9, 2010, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

2 of 11

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0080



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number BASF/EPA Reg. No. 7969-268	2. EPA Product Manager Shaja B. Joyner	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) BASF/BAS 580 02F fungicide seed treatment	PM# 20	
5. Name and Address of Applicant (Include ZIP Code) BASF CORPORATION 26 Davis Drive Research Triangle Park, NC 27709 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b>  <b>APR 1 - 2010</b>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Acronis® fungicide seed treatment as the new Primary Brand Name for EPA Reg. No. 7969-268 replacing the old name BAS 580 02F fungicide seed treatment per PR Notice 98-10.

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1,5,30 Gallons		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input checked="" type="checkbox"/> Other Sleeve	

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Edward G. Jordan	Title Product Registration Mgr.	Telephone No. (Include Area Code) (919) 547-2889
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Edward G. Jordan</i>	3. Title Product Registration Manager	
4. Typed Name Edward G. Jordan	5. Date March 9, 2010	

3 of 11



The Chemical Company

March 9, 2010

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

**Subject: Notification of change in primary brand name per PR Notice 98-10. Acronis® fungicide seed treatment is the new primary brand name for EPA Registration Number 79679-268 replacing the old name BAS 580 02F fungicide seed treatment.**

**Reference: EPA Registration Number 7969-268**

Dear Sir/Madam:

On October 29, 2009, EPA approved the registration of BAS 580 02F fungicide seed treatment, EPA Reg. No. 7969-268. BASF Corporation is hereby notifying EPA of a change in the primary brand name per PR Notice 98-10. The new primary brand name is Acronis® fungicide seed treatment.

In support of this submission the following documents are enclosed:

- 1.) Completed EPA form 8570-1, Application for Pesticide Notification;
- 2.) One copy of the label for Acronis® HL Fungicide Seed Treatment, EPA Reg. No. 7969-268, with the primary brand name highlighted in yellow; and
- 3.) One copy of the label for Acronis® HL fungicide seed treatment without the highlights.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

**BASF Corporation**  
26 Davis Drive, Research Triangle Park, NC 27709  
Tel: (919) 547-2000

Thank you for your attention to this matter. If you have any questions or need further information, please contact me directly at (919) 547-2889, or by e-mail at [edward.jordan@basf.com](mailto:edward.jordan@basf.com).

Sincerely,  
**BASF Corporation**



Edward G. Jordan  
Product Registration Manager  
BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709

encl

50911



The Chemical Company

GROUP 1 | 11 FUNGICIDE

NOTIFICATION

APR 1 - 2010

# Acronis®

fungicide seed treatment

**Active Ingredients:**

pyraclostrobin (carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy)methyl]phenyl]methoxy-, methyl ester) .....	4.22%
thiophanate-methyl (dimethyl [(1,2-phenylene)bis(iminocarbonothioyl)]bis[Carbamate])* .....	37.92%

**Other Ingredients:** ..... 57.86%

**Total:** ..... 100.00%

\*Also known as dimethyl 4,4'-o-phenylenebis-[3-thioallophanate]  
Contains 0.417 lb of pyraclostrobin and 3.75 lbs thiophanate-methyl per gallon.

EPA Reg. No. 7969-268

EPA Est. No.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION/PRECAUCIÓN**


Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See inside for complete **First Aid, Precautionary Statements, Directions For Use, and Conditions of Sale and Warranty.**

**In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).**

**Net Contents:**

BASF Corporation  
26 Davis Drive, Research Triangle Park, NC 27709



60911

<b>FIRST AID</b>	
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• <b>DO NOT</b> induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• <b>DO NOT</b> give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth to mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eyes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOTLINE NUMBER</b>	
<p>Have the product container label with you when calling a poison control center or doctor or going for treatment.</p> <p><b>EMERGENCY NUMBERS:</b></p> <ul style="list-style-type: none"> <li>• Transportation or spill, call CHEMTREC 1-800-424-9300</li> <li>• Human health, call 1-800-832-HELP (4357)</li> <li>• Animal health, call ASPCA at 1-800-345-4735</li> </ul>	

### Precautionary Statements

#### **Hazards to Humans and Domestic Animals**

**CAUTION.** Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### **Personal Protective Equipment (PPE)**

**Applicators and other handlers must wear:**

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves for all mixers and loaders and for applicators using handheld equipment
- Chemical-resistant apron for mixers, loaders and other handlers exposed to the concentrate

### User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. **DO NOT** reuse them.

### USER SAFETY RECOMMENDATIONS

**Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **Environmental Hazards**

This pesticide is toxic to fish and aquatic invertebrates.

**DO NOT** discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge.

**DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**DO NOT** contaminate water when disposing of equipment washwaters.

70411

## Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**DO NOT** enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **24 hours**.

**EXCEPTION:** If seed is treated with the product and treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is:

- Coveralls
- Chemical-resistant gloves, made of any waterproof material
- Shoes plus socks

## STORAGE AND DISPOSAL

**DO NOT** contaminate water, food, or feed by storage or disposal.

### Pesticide Storage

Store in the original container in a dry area. **DO NOT** store in a manner where cross-contamination with other pesticides, fertilizers, food or feed could occur. If spilled during storage or handling, sweep up spillage and dispose of in accordance with the pesticide disposal instructions listed below.

### Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

### Container Disposal

**Nonrefillable Container. DO NOT reuse or refill this container.** Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

**Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**Triple rinse containers too large to shake (capacity > 5 gallons) as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.

**Pressure rinse as follows:** Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

80911

## In Case of Emergency

In case of large-scale spillage regarding this product, call:

- CHEMTREC 1-800-424-9300
- BASF Corporation 1-800-832-HELP (4357)

### Steps to be taken in case material is released or spilled:

Dike and contain the spill with inert material (sand, earth, etc.) and transfer liquid and solid diking material to separate containers for disposal. Remove contaminated clothing and wash affected skin areas with soap and water. Wash clothing before reuse. Keep the spill out of all sewers and open bodies of water.

---

## General Information

This package contains **Acronis® fungicide seed treatment**, a water-based liquid fungicide seed treatment formulation (FS). **Acronis** is a broad-spectrum fungicide that provides preventive seed and seedling protection against multiple seedborne fungi causing seed and seedling diseases and decay including *Rhizoctonia solani*, *Fusarium* spp., and *Phomopsis* spp., and certain opportunistic pathogens such as *Penicillium* spp., *Aspergillus* spp., and *Botrytis* spp. **Acronis** may be applied in conjunction with applications of other registered seed treatment products. Make all applications according to the use directions in this label.

## Resistance Management

**Acronis** contains two active ingredients: pyraclostrobin, a target site **Group 11** fungicide, and thiophanate-methyl, a target site **Group 1** fungicide. Because of the minimal amounts of **Acronis** applied to the seed that relocate to the upper parts of the plant, the potential for development of resistance is extremely low. Seed treatments of **Acronis** can, therefore, be followed by foliar use and resistance management guidelines of foliar use fungicides containing pyraclostrobin (**Cabrio® EG fungicide** and **Headline® fungicide**) and thiophanate-methyl (**T-methyl fungicide** and **Topsin® M fungicide**) as specified on the respective labels.

---

## Application Instructions

For use at commercial treatment facilities. Not for use on the farm.

Apply **Acronis** as a water-based mixture using standard slurry or mist-type seed treatment application equipment. The exact amount of water needed to provide the mixture or slurry rate (ml/100 kg or oz/cwt of seed) for optimum coverage is difficult to predict since weather conditions (hot or cold), seed type, and surface and equipment used all have a bearing on coverage. Consult a seed treatment specialist regarding slurry rates recommended for the crop seed to be treated with **Acronis**. The required amount of **Acronis** should then be diluted with the recommended amount of water that will provide uniform and complete

coverage on the seed surface. Uniform application on seed and complete seed coverage are necessary for seed safety and best disease protection.

Seed should be sound and well cleaned prior to treatment. The purchaser of **Acronis** is responsible for ensuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21CFR, Part 225. Use an EPA-approved dye or colorant that imparts an unnatural color to the seed. Any dye or colorant added to treated seed must be cleared for use under 40CFR, Part 180.900, "**Exemptions from the requirement of a tolerance**". Federal regulations have established official tolerances or exemptions from tolerances for residues on food and forage crops that should not be exceeded when the product (dye or colorant) is used at specified rates.

Consult the seed treatment specialist for calibration and operation procedures of the seed treatment equipment being used. Mechanical agitation is required for proper mixing of **Acronis**. Prepare no more mixture of **Acronis** than is needed for immediate treating. Add 3/4 of the required volume of water to the mix tank. With agitation running, add the required amount of **Acronis** in the tank along with other seed treatment components. Add the remaining 1/4 amount of the required volume of water. Follow the mixing sequence listed below. Agitate thoroughly before and during application.


## Acronis with Tank Mix Partners

**Acronis** mixes easily with water and other water-based seed treatments manufactured by BASF Corporation. When using **Acronis** in a tank mixture with other seed treatment products, observe all directions for use, crops/sites, use rates, dilution ratios, precautions and limitations that appear on the tank mix partner label. No label dosage or application rate should be exceeded, and the most restrictive label precautions and limitations should be followed. **Acronis** should not be mixed with any product that prohibits such mixing. All applications should be made according to the use directions.

When mixing **Acronis** with products from other manufacturers, test the compatibility prior to use by conducting a jar test as follows:

1. Mix all intended seed treatments with the appropriate amount of water in a clear glass container.
2. Mix well and allow to sit for 1 hour.
3. Remix and observe for incompatibility.

Physical compatibility is only part of compatibility. Testing also needs to be done with the seed to make sure the combination of products does not have detrimental effects on the seed.



### Tank Mixing Instructions

1. Add 3/4 the required amount of water to the mix tank and turn on agitation. Mechanical agitation is preferred.
2. Follow the following mixing sequence: dye or colorant, wettable powders, soluble powders, flowable formulations, emulsifiable concentrates and the remaining 1/4 of the required water. The 1/4 of the required water as the last item for addition to the premix tank can be used as rinsate for the chemical container or to adjust the total slurry to compensate for water displacement by powdered products.
3. Maintain agitation until the entire slurry mixture has been used.
4. Ensure that seed is dry prior to bagging.

**NOTE:** Federal law requires that bags of treated seeds shall be labeled with the following:

Commercially treated seed should be labeled:

"This seed is treated with **Acronis® fungicide seed treatment**, a pyraclostrobin and thiophanate-methyl product.

**DO NOT** allow children, pets or livestock to have access to treated seeds.

Wear long pants, long sleeved shirt and protective gloves when handling treated seed.

Treated seeds exposed on soil surface may be hazardous to wildlife.

Cover or collect treated seed spilled during loading and planting.


Dispose of all excess treated seed by burying seed away from bodies of water.

**DO NOT** contaminate bodies of water when disposing of planting equipment washwater.

Dispose of seed packaging or containers in accordance with local requirements.

**DO NOT** use for food, feed, oil production or any other purpose except planting.

Store away from treated foodstuffs."



**Acronis® fungicide seed treatment Crop-specific Use Directions for Legume Vegetables and Potato Seed Pieces**

Crop	Target Disease	Product Use Rate
<p><b>Legume Vegetable (dried shelled beans and soybeans)</b>                      Broad bean                      Chickpea                      Fava bean                      Guar                      Lablab bean                      Lentil</p> <p><b>Lupinus spp.</b>                      Grain lupin                      Sweet lupin                      White lupin                      White sweet lupin</p> <p><b>Phaseolus spp.</b>                      Black bean                      Cranberry bean                      Field bean                      Kidney bean                      Lima bean                      Navy bean                      Pinto bean                      Runner bean                      Snap bean                      Tepary bean                      Wax bean</p> <p><b>Vigna spp.</b>                      Adzuki bean                      Blackeyed pea                      Catjang                      Cowpea                      Crowder pea                      Moth bean                      Mung bean                      Rice bean                      Southern pea                      Urd bean</p> <p><b>Glycine max</b>                      Soybeans</p>	<p>Seed and seedling disease (damping off) caused by <i>Rhizoctonia solani</i>, <i>Fusarium</i> spp., seedborne fungi causing seed decay (<i>Phomopsis</i> spp. and <i>Fusarium</i> spp.)</p>	<p><b>0.33 fl oz/100 lbs seed</b></p>
<p><b>Potato Seed Pieces<sup>1,2</sup></b></p>	<p>Potato seed-piece diseases caused by <i>Rhizoctonia</i> spp. (black scurf and stem canker)</p>	<p><b>1.70 fl ozs/100 lbs cut seed pieces</b></p>

<sup>1</sup> Prior to cutting and planting seed pieces, thoroughly clean and sanitize equipment, including barrels, cutting machines, knives, tables, trays, trucks, and planters.

<sup>2</sup> **DO NOT** use treated seed pieces for food, feed or fodder.

110911

### Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as the presence of other or untested or unapproved materials, seed of low quality or low vigor or low germination, use of the product in a manner inconsistent with its labeling, misapplication of the product, or weather conditions at planting or environmental conditions during seed storage, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

ST1108

*Acronis, Cabrio, and Headline are registered trademarks of BASF.*

*Topsin is a registered trademark of Nippon Soda Company, Ltd.*

© 2010 BASF Corporation  
All rights reserved.

007969-00268.20100308.NVA 2010-04-305-0035  
Based on: NVA 2008-04-305-0257

BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709



The Chemical Company