

7969-322

06/10/2011

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Amy Dugger-Ronyak
BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

JUN 10 2011

Subject: Application for Pesticide Notification (PRN 98-10)
Submission date: 5/6/11
Product Name: Stamina F3 RTU Fungicide Seed Treatment
EPA Reg. No.: 7969-322
EPA Decision Number: 449208

Dear Ms. Dugger-Ronyak,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10.

The Agency acknowledges the change in primary brand name to from Stamina F3 RTU Fungicide Seed Treatment to Stamina F3 Cereals Fungicide Seed Treatment.

The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have questions concerning this letter, please contact Erin Malone at 703-347-0253 or via email at malone.erin@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Shaja B. Joyner".

Shaja B. Joyner
Product Manager 20
Fungicide Branch
Registration Division (7504P)



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 7969-322	2. EPA Product Manager Shaja Joyner	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Stamina F3 Cereals Fungicide Seed Treatment	PM# 20	
5. Name and Address of Applicant (Include ZIP Code) BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of change in primary brand name, per PR Notice 98-10.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 0-250 gallon		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input checked="" type="checkbox"/> Other adhesive _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Amy Dugger-Ronyak	Title Product Registration Mgr	Telephone No. (Include Area Code)
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Amy Dugger-Ronyak</i>	3. Title Product Registration Manager	
4. Typed Name Amy Dugger-Ronyak	5. Date May 6, 2011	

3/11



The Chemical Company

Agricultural Solutions

May 6, 2011

Ms. Shaja Joyner, PM 20
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Handwritten notes and stamps, including a circular stamp with the letters "GFE".

**Subject: Stamina® F3 Cereals Fungicide Seed Treatment, EPA Reg. No. 7969-322
Notification – Change in Primary Brand Name and Submission of FPL**

Dear Ms. Joyner,

On April 21, 2011, EPA granted registration and approved the product label for Stamina® F3 RTU Fungicide Seed Treatment, EPA Reg. No. 7969-322. A copy of the EPA stamped label and Notice of Pesticide Registration are enclosed for reference.

BASF is hereby notifying EPA of a change in the primary brand name, as permitted by PR Notice 98-10, to Stamina® F3 Cereals Fungicide Seed Treatment. Enclosed is one copy of amended labeling, showing the name Stamina® F3 Cereals Fungicide Seed Treatment in place of Stamina® F3 RTU Fungicide Seed Treatment. Other changes requested by EPA, as noted in the above-mentioned Notice of Pesticide Registration, have been incorporated into this label; no other changes have been made to the product label. Also included is a completed EPA form 8570-1, Registration Application.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions concerning this submission or need further information, please contact me directly at (919) 547-2282, or by e-mail at: amy.s.dugger-ronyak@basf.com.

Best regards,

BASF Corporation – Agricultural Solutions

Amy Dugger-Ronyak, Product Registration Manager

Enclosure(s)

®Trademark of BASF Corporation

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709
Tel: (800) 669-1770
www.basf.com/usa

Helping Make Products Better™

4/11



The Chemical Company

NOTIFICATION

JUN 10 2011



Stamina[®] F³ Cereals

Fungicide Seed Treatment

For commercial and on-farm use

A liquid flowable for control of various seedborne diseases in barley, oats, rye, triticale and wheat

Active Ingredients:

pyraclostrobin*	1.59%
triticonazole**	1.59%
metalaxyl***	0.93%

Other Ingredients: 95.89%

Total: 100.00%

*Contains 0.14 lb of the active ingredient pyraclostrobin per U.S. gallon

**Contains 0.14 lb of the active ingredient triticonazole per U.S. gallon

***Contains 0.08 lb of the active ingredient metalaxyl per U.S. gallon

EPA Reg. No. 7969-322

EPA Est. No.

**KEEP OUT OF REACH OF CHILDREN
CAUTION/PRECAUCION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

See inside booklet for complete **First Aid, Precautionary Statements, Directions For Use, Conditions of Sale and Warranty**, and state-specific crop and/or use site restrictions.

In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).

Net Contents:

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • Have person sip a glass of water if able to swallow. • DO NOT give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after first 5 minutes; then continue rinsing. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth to mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357).</p> <p>NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically.</p>	

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

Personal Protective Equipment (PPE)

Some materials that are chemically resistant to this product are barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, polyvinyl chloride (PVC) ≥ 14 mils, or viton ≥ 14 mils. If you want more options, follow the instructions for **Category C** on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves made of barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, polyvinyl chloride (PVC) ≥ 14 mils, or viton ≥ 14 mils

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

DO NOT apply directly to water, or to areas where surface water is present, or intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. **DO NOT** contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

If treated seed is spilled outdoors or in areas accessible to birds or endangered species, promptly clean up and dispose of properly to prevent ingestion. Dispose of all excess treated seed by burying seed away from bodies of water.

6/11

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of fungicide application.

DO NOT APPLY this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Unless otherwise directed in supplemental labeling, all applicable directions, restrictions, precautions, and **Conditions of Sale and Warranty** are to be followed.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and the restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **24 hours**.

EXCEPTION: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Long-sleeved shirt and long pants
- Socks and shoes
- Chemical-resistant gloves made of any waterproof material

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Store in original container. Keep container closed and in a secure place. Store in an area that is out of reach of children and animals, away from food, feedstuffs, fertilizers and seed. Protect from frost and freezing.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Handling

Nonrefillable Container. DO NOT reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Triple rinse containers too large to shake (capacity > 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 20 seconds. Drain for 10 seconds after the flow begins to drip.

(continued)

STORAGE AND DISPOSAL *(continued)*

Container Handling *(continued)*

Refillable Container. Refill this container with **Stamina® F³ Cereals fungicide seed treatment** only. **DO NOT** reuse this container for any other purpose. Triple rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

Triple rinse as follows: To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

Returnable Containers. After use, return cleaned container to point of purchase or designated locations. **DO NOT** reuse container for any other purpose. Refill only with **Stamina® F³ Cereals fungicide seed treatment**. For information on the disposal of unused or unwanted product, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

In Case of Spill

In case of large-scale spillage regarding this product, call:

- CHEMTREC 1-800-424-9300
- BASF Corporation 1-800-832-HELP (4357)

Product Information

Stamina F³ Cereals is a liquid seed treatment used for control or suppression of certain seedborne and soilborne diseases of barley, oats, rye, triticale and wheat.

Stamina F³ Cereals will generally increase emergence and plant stands by controlling or suppressing these diseases.

Seed treatment applications with **Stamina F³ Cereals** have been associated with more rapid and increased emergence of seedlings under certain cold conditions.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>.

Stamina F³ Cereals contains an EPA-approved dye that imparts an unnatural color to the treated seed to prevent its accidental use as a food or feed for animals. Refer to 21 CFR, Part 2.25.

See the following table for diseases controlled or suppressed by **Stamina F³ Cereals**.

When handling Stamina F³ Cereals and when treating seed or while augering or handling treated seed, work in a well-ventilated area.

Stamina® F³ Cereals fungicide seed treatment Crop-specific Instructions

Crop	Disease Controlled	Disease Suppressed ¹	Rate (fl ozs/100 lbs seed)
Barley	Common root rot <i>Cochliobolus</i> spp. Covered smut <i>Ustilago hordei</i> Dry seed decay <i>Penicillium</i> spp. False loose smut <i>Ustilago nigra</i> Fusarium seed rot <i>Fusarium</i> spp. Fusarium seedling blight <i>Fusarium</i> spp. Pythium damping off <i>Pythium</i> spp. Rhizoctonia root rot <i>Rhizoctonia solani</i> True loose smut <i>Ustilago nuda</i>	Fusarium crown rot <i>Fusarium</i> spp. Fusarium root rot <i>Fusarium</i> spp.	4.6
Oats	Common root rot <i>Cochliobolus</i> spp. Covered smut <i>Ustilago kollerii</i> Fusarium seed rot <i>Fusarium</i> spp. Fusarium seedling blight <i>Fusarium</i> spp. Loose smut <i>Ustilago avenae</i> Pythium damping off <i>Pythium</i> spp.	Fusarium crown rot <i>Fusarium</i> spp. Fusarium root rot <i>Fusarium</i> spp.	4.6

(continued)

Stamina® F³ Cereals fungicide seed treatment Crop-specific Instructions *(continued)*

Crop	Disease Controlled	Disease Suppressed ¹	Rate (fl. ozs/100 lbs seed)
Rye	Common bunt <i>Tilletia caries</i> Common root rot <i>Cochliobolus</i> spp. Fusarium seed rot <i>Fusarium</i> spp. Fusarium seedling blight <i>Fusarium</i> spp. Pythium damping off <i>Pythium</i> spp.	Fusarium crown rot <i>Fusarium</i> spp. Fusarium root rot <i>Fusarium</i> spp.	4.6
Triticale and Wheat	Common bunt <i>Tilletia caries</i> Common root rot <i>Cochliobolus</i> spp. Dry seed decay <i>Penicillium</i> spp. Flag smut <i>Urocystis agropyri</i> Fusarium seed rot <i>Fusarium</i> spp. Fusarium seedling blight <i>Fusarium</i> spp. Loose smut <i>Ustilago nuda</i> var. <i>tritici</i> Pythium damping off <i>Pythium</i> spp. Rhizoctonia root rot <i>Rhizoctonia solani</i>	Fusarium crown rot <i>Fusarium</i> spp. Fusarium root rot <i>Fusarium</i> spp.	4.6

¹Suppression is defined as suboptimal control which is still of commercial benefit.

Application Method

Seed should be well conditioned and free of chaff before treating with **Stamina® F³ Cereals fungicide seed treatment**. **Stamina F³ Cereals** may be applied using standard commercial seed treatment equipment (such as, but not limited to, slurry or mist-type equipment) or on-farm seed treatment equipment. **Stamina F³ Cereals** may also be used in on-the-go type air seeder treatment systems.

Apply **Stamina F³ Cereals** to barley, oats, rye, triticale and wheat at the rate of 4.6 fluid ounces of product per 100 pounds of seed. Thorough seed coverage and proper application equipment calibration is essential for good disease control. To achieve thorough coverage, **Stamina F³ Cereals** may be diluted with water, if needed, into a slurry. Direct application into a planter box is prohibited.

Use Restrictions

- **DO NOT** use treated seed for food, feed or oil processing.
- **DO NOT** store **Stamina F³ Cereals** near feed or foodstuffs.
- **DO NOT** contaminate feed or foodstuffs.
- **DO NOT** contaminate domestic or irrigation waters.
- **DO NOT** plant any crop not listed on this label within 30 days after planting **Stamina F³ Cereals** treated seed.
- **DO NOT** use the same auger for treating seed that will handle commercial or feed grains.
- **DO NOT** store leftover treated seed where there is a chance of it becoming mixed with untreated seed. Store treated seed in cool, dry conditions.
- **Stamina F³ Cereals** is not for use in California.

Seeds treated with this product that are then packaged or bagged for future use must contain the following labeling on the outside of the seed package or bag:

"This package or bag contains seed that has been treated with **Stamina® F³ Cereals fungicide seed treatment** containing pyraclostrobin, triticonazole, and metalaxyl.

DO NOT use treated seed for food, feed, oil processing or any other purpose except planting. Store away from feed and foodstuffs. **DO NOT** allow children, pets or livestock to have access to treated seeds.

Wear long pants, long-sleeved shirt, shoes and socks, and protective gloves when opening bag or handling treated seed. After the seeds have been planted in soil or other planting media, **DO NOT** enter or allow worker entry into areas with treated seeds for **12 hours**, except that workers may enter the areas with treated seeds without restriction if there will be no worker contact with the soil/media subsurface.

Treated seeds exposed on soil surface may be hazardous to wildlife. Cover or collect treated seed spilled during loading and planting. Dispose of all excess seed by burying away from bodies of water.

DO NOT contaminate bodies of water when disposing of planting equipment washwater.

Dispose of seed packaging or containers in accordance with local requirements."

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as the presence of other or untested or unapproved materials, seed of low quality or low vigor or low germination, use of the product in a manner inconsistent with its labeling, misapplication of the product, or weather conditions at planting or environmental conditions during seed storage, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.


TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

ST1108

Stamina and the  symbol are registered trademarks of BASF.

© 2011 BASF Corporation
All rights reserved.

007969-00322.20110426.NVA 2011-04-379-0051
Supersedes: NVA 2010-04-379-0137

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

 - **BASF**

The Chemical Company