



7969-347

8/1/2012

1/13

 <p align="center">U S ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave , NW Washington D C 20460</p> <p align="center">NOTICE OF PESTICIDE <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration (under FIFRA, as amended)</p>	EPA Reg Number 7969-347	Date of Issuance AUG - 1 2012
	Term of Issuance Unconditional	
	Name of Pesticide Product CanDo Granular Weed Preventer	
Name and Address of Registrant (include ZIP Code) BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709		
<p><small>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</small></p> <p>On the basis of information furnished by the registrant the above named pesticide is hereby registered/reregistered under the Federal Insecticide Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment the Administrator on her motion may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>The Basic and Alternate Confidential Statements of Formula (CSFs) dated 07/16/12 are acceptable.</p> <p>This product is registered in accordance with FIFRA section 3(c)(5) provided that you</p> <ol style="list-style-type: none"> 1 Submit and/or cite all data required for registration review/reregistration of your product when the Agency requires all registrants of similar products to submit data 2 Assure that the establishment number and net contents are also added to the final printed label 3 Submit one (1) copy of the revised final printed label for the record <p>If these requirements are not complied with the registration will be subject to cancellation in accordance with FIFRA sec 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.</p> <p>If you have any questions regarding this notice please contact Maggie Rudick of my staff at 703 347 0257 or rudick.maggie@epa.gov</p>		
Signature of Approving Official  Kable Bo Davis Product Manager 25 Herbicide Branch Registration Division (7505P)	Date AUG - 1 2012	

CanDo™ Granular Weed Preventer

For outdoor residential use on ornamental gardens and landscape beds

Active Ingredients

dimethenamid-P (S)-2-chloro-N-[(1-methyl-2-methoxyethyl)-N-(2,4-dimethyl-thien-3-yl)-acetamide	0.75%
pendimethalin N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine	1.00%

Other Ingredients

98.25%

Total

100.00%

EPA Reg. No. 7969-347


EPA Est. No.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel or side panels or inside for complete **First Aid
Precautionary Statements** and **Directions For Use**

**In case of an emergency endangering life or property involving this product
call day or night 1 800 832 HELP (4357)**

Net Contents 3.4 pounds



BASF Corporation
26 Davis Drive
Research Triangle Park NC 27709



[See Appendix for Product Claim Information]

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • DO NOT induce vomiting unless told to do so by a poison control center or doctor • DO NOT give any liquid to the person • DO NOT give anything by mouth to an unconscious person
If in eyes	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes • Remove contact lenses if present after the first 5 minutes then continue rinsing eyes • Call a poison control center for treatment advice
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 to 20 minutes • Call a poison control center or doctor for treatment advice
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth to mouth if possible • Call a poison control center or doctor for further treatment advice
HOTLINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment You may also contact BASF Corporation for emergency medical treatment information at 1 800 832 HELP (4357)</p>	

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed Causes moderate eye irritation Harmful if absorbed through skin Avoid contact with skin eyes or clothing Avoid breathing dust

Environmental Hazards

This product is toxic to fish **DO NOT** apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites **DO NOT** contaminate water when disposing of equipment washwaters To protect the environment **DO NOT** allow pesticide to enter or run off into storm drains drainage ditches gutters or surface waters Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area Sweeping any product that lands on a driveway sidewalk or street back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems

Endangered Species Concerns

The use of any pesticide in a manner that may kill or otherwise harm an endangered species or adversely modify their habitat is a violation of federal law

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating drinking chewing gum using tobacco or using the toilet
- Users should remove clothing immediately if pesticide gets inside Then wash thoroughly and put on clean clothing

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling

DO NOT apply this product in a way that will contact any person or pet either directly or through drift Keep people and pets out of area during application

DO NOT contaminate water used for domestic purposes

STORAGE AND DISPOSAL

DO NOT contaminate water food or feed by storage or disposal Open dumping is prohibited

Pesticide Storage

DO NOT store above 120 F Store product in its original container in a cool dry locked place out of reach of children and animals

Pesticide Disposal and Container Handling

IF EMPTY Nonrefillable Container DO NOT reuse or refill this container Place in trash or offer for recycling if available

IF PARTIALLY FILLED Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

Product Information

Read all directions completely before use

CanDo™ Granular Weed Preventer selectively controls and prevents emergence of certain annual broadleaf weeds sedges and annual grasses in shrubs ornamental gardens and landscape beds This product can be used on established ornamental plants and landscape beds

Not for use on lawns vegetable gardens greenhouses or any other fully enclosed structures

Application Instructions

Read the label first!

When to Apply

- This product controls weeds as they begin to germinate but will not control emerged and established weeds Therefore areas to be treated should be free of established weeds
- If weeds are present prior to **CanDo™ Granular Weed Preventer** application then destroy existing weeds
- **CanDo Granular Weed Preventer** will provide the most effective weed control when applied uniformly While watering is not required 1/2 inch watering after incorporating the product into soil can improve weed control

Before you Apply

Ornamentals (i e pot to soil)

- **DO NOT** apply until transplants have been watered and soil has been thoroughly packed and settled around transplants
- Care must be taken to ensure there are no cracks in the soil where **CanDo Granular Weed Preventer** could come into contact with the roots
- **DO NOT** apply during bud swell bud break or at time of first flush of new growth

Landscape Beds

- Care must be taken that soil or planting mixes have settled firmly following transplanting and there are no cracks that would allow direct contact of **CanDo Granular Weed Preventer** with roots
- Applications where soil and media surfaces are uniformly covered will result in best weed control and ornamental tolerance

How to Apply

- **RATE** 0.5 pound of product per 150 sq ft area
- Calculate the area that needs to be treated and apply appropriate amount
EXAMPLE If the ornamental bed to be treated is 30 feet in length and 5 feet in width then the total treatment area will be equal to 150 sq ft (30 feet x 5 feet = 150 sq ft)
- Sprinkle the product evenly over area
- **CanDo Granular Weed Preventer** may be applied in a single application or in sequential applications
- For extended weed control sequential (repeat) applications of **CanDo Granular Weed Preventer** can be made at a minimum of 6 weeks between applications

Where to Apply

- This product may be applied to established ornamental plants See **Ornamental Plants** section for detailed list
- This product controls annual weeds See **Annual Weeds Controlled** section for detailed list

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants

The species listed below have been tested under actual growing conditions and found tolerant at the labeled application rate

Common Name	Scientific Name
Trees	
Alder European black	<i>Alnus glutinosa</i>
Almond (nonbearing)	<i>Prunus dulcis</i>
Apple (nonbearing)	<i>Malus</i> spp
Apricot (nonbearing)	<i>Prunus armeniaca</i>
Arborvitae	<i>Thuja</i> spp
Arborvitae American	<i>Thuja occidentalis</i>
Arborvitae Oriental	<i>Thuja orientalis</i>
Arbutus	<i>Arbutus</i> spp
Ash	<i>Fraxinus</i> spp
Aspen	<i>Populus</i> spp
Avocado (nonbearing)	<i>Persea americana</i>
Basswood	<i>Tilia</i> spp
Birch	<i>Betula</i> spp
Blackberry (nonbearing)	<i>Rubus ursinus</i> <i>R. arvensis</i>
Blueberry (nonbearing)	<i>Vaccinium</i> spp
Blueberry tree Japanese	<i>Elaeocarpus decipiens</i>
Boxelder	<i>Acer negundo</i>
Boysenberry (nonbearing)	<i>Rubus ursinus</i> x <i>idaeus</i>
Buckeye red	<i>Aesculus pavia</i>
Cedar Eastern red	<i>Juniperus virginiana</i>
Cedar Japanese	<i>Cryptomeria japonica</i>
Cedar Western red	<i>Thuja plicata</i>
Cedar white	<i>Thuja</i> spp
Chamaecyparis boulevard	<i>Chamaecyparis pisifera</i>
Cherry (nonbearing)	<i>Prunus</i> spp
Cottonwood	<i>Populus deltoides</i>
Crabapple (nonbearing)	<i>Malus</i> spp
Crape myrtle	<i>Lagerstroemia indica</i>
Cryptomeria Japanese cedar	<i>Cryptomeria japonica</i>
Currant (nonbearing)	<i>Ribes petraeum</i> <i>R. spicatum</i>
Cypress Italian	<i>Cupressus sempervirens</i>
Cypress bald	<i>Taxodium distichum</i>
Cypress Leyland	<i>Cupressocyparis leylandii</i>
Dewberry (nonbearing)	<i>Rubus aboriginum</i>
Dogwood	<i>Cornus</i> spp
Dogwood flowering	<i>Cornus florida</i>
Elderberry (nonbearing)	<i>Sambucus</i> spp
Elm	<i>Ulmus japonica</i>

(continued)

Common Name	Scientific Name
Trees (continued)	
Fig (nonbearing)	<i>Ficus godeffroyi</i> <i>F. prolixa</i> <i>F. tinctoria</i>
Filbert (nonbearing)	<i>Corylus avellana</i>
Fir	<i>Abies</i> spp
Fir Douglas	<i>Pseudotsuga menziesii</i>
Fir Fraser	<i>Abies fraseri</i>
Franklinia	<i>Franklinia</i> spp
Ginkgo	<i>Ginkgo biloba</i>
Gooseberry (nonbearing)	<i>Ribes</i> spp
Grape (nonbearing)	<i>Vitis</i> spp
Grapefruit (nonbearing)	<i>Citrus x paradisi</i>
Gum black	<i>Nyssa sylvatica</i>
Hawthorn	<i>Crataegus</i> spp
Hemlock	<i>Tsuga</i> spp
Hemlock Western	<i>Tsuga heterophylla</i>
Holly	<i>Ilex</i> spp
Kiwi (nonbearing)	<i>Actinidia chinensis</i>
Lemon (nonbearing)	<i>Citrus x limon</i>
Lilac	<i>Syringa</i> spp
Linden	<i>Tilia</i> spp
Locust honey	<i>Gleditsia triacanthos</i>
Loganberry (nonbearing)	<i>Rubus loganobaccus</i>
Macadamia nut (nonbearing)	<i>Macadamia integrifolia</i> <i>M. tetraphylla</i>
Magnolia	<i>Magnolia</i> spp
Magnolia saucer	<i>Magnolia soulangiana</i>
Magnolia Southern	<i>Magnolia grandiflora</i>
Maidenhair tree	<i>Ginkgo biloba</i>
Maple	<i>Acer</i> spp
Maple Japanese	<i>Acer palmatum</i>
Maple red	<i>Acer rubrum</i>
Maple sugar	<i>Acer saccharum</i>
Nannyberry rusty	<i>Viburnum rufidulum</i>
Nectarine (nonbearing)	<i>Prunus persica</i>
Oak	<i>Quercus</i> spp
Olive (nonbearing)	<i>Olea europaea</i>
Orange (nonbearing)	<i>Citrus</i> spp
Palm date	<i>Phoenix</i> spp
Palm fan	<i>Washingtonia</i> spp
Palm palmetto	<i>Sabal minor</i>

(continued)

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants (continued)

Common Name	Scientific Name
Trees (continued)	
Palm pindo	<i>Butia</i> spp
Palm windmill	<i>Trachycarpus</i> spp
Peach (nonbearing)	<i>Prunus persica</i>
Pear Bradford	<i>Pyrus calleryana</i> Bradford
Pear (nonbearing)	<i>Pyrus communis</i>
Pecan (nonbearing)	<i>Carya illinoensis</i>
Pine	<i>Pinus</i> spp
Pine loblolly	<i>Pinus taeda</i>
Pine white	<i>Pinus strobus</i>
Pistachio (nonbearing)	<i>Pistacia mexicana</i> <i>P vera</i>
Plum (nonbearing)	<i>Prunus domestica</i>
Plum purple leaf	<i>Prunus cerasifera</i>
Pomegranate (nonbearing)	<i>Punica granatum</i>
Poplar black	<i>Populus nigra</i>
Prune (nonbearing)	<i>Carex corrugata</i>
Raspberry (nonbearing)	<i>Rubus idaeus</i>
Redbud	<i>Cercis canadensis</i>
Red ironbark	<i>Eucalyptus sideroxylon</i> Rosea
Redwood dawn	<i>Metasequoia glyptostroboides</i>
Sequoia giant	<i>Sequoiadendron giganteum</i>
Serviceberry	<i>Amelanchier</i> spp
Sourwood	<i>Oxydendrum arboreum</i>
Spruce	<i>Picea</i> spp
Sweetgum	<i>Liquidambar styraciflua</i>
Sycamore	<i>Platanus occidentalis</i>
Tulip tree	<i>Liriodendron tulipifera</i>
Walnut black (nonbearing)	<i>Juglans nigra</i>
Walnut English (nonbearing)	<i>Juglans regia</i>
Willow	<i>Salix</i> spp
Yellowwood	<i>Cladrastis kentukea</i>
Zelkova Japanese	<i>Zelkova</i> spp

Shrubs	
Abelia glossy	<i>Abelia grandiflora</i>
Althaea	<i>Hibiscus</i> spp
Andromeda	<i>Pieris japonica</i>
Aucuba gold	<i>Aucuba japonica</i>
Azalea	<i>Rhododendron</i> spp
Bamboo heavenly	<i>Nandina domestica</i>

(continued)

Common Name	Scientific Name
Shrubs (continued)	
Barberry	<i>Berberis</i> spp <i>Berberis thunbergii</i>
Blue indigo bush	<i>Dalea gregii</i>
Blue mist spirea	<i>Caryopteris clandonensis</i>
Bottlebrush lemon	<i>Callistemon citrinus</i>
Boxwood common	<i>Buxus</i> spp
Boxwood Japanese	<i>Buxus microphylla</i>
Brittlebush	<i>Encelia fannosa</i>
Butterfly bush	<i>Buddleia davidii</i>
Buttonbush	<i>Cephalanthus occidentalis</i>
Camellia	<i>Camellia</i> spp
Cape jasmine	<i>Gardenia jasminoides</i>
Cassia feathery	<i>Cassia artemisioides</i>
Chinese fringe flower	<i>Loropetalum chinense</i>
Chinese witchhazel	
Cordyline	<i>Cordyline</i> spp
Correa	<i>Correa</i> spp
Cotoneaster	<i>Cotoneaster</i> spp
Deutzia slender	<i>Deutzia gracilis</i>
Dogwood red twig	<i>Cornus sericea</i>
Easter rose	<i>Kernia japonica</i>
Elaeagnus	<i>Elaeagnus ebbingei</i>
Elderberry	<i>Sambucus nigra</i>
Escallonia	<i>Escallonia fradesii</i>
Euonymus	<i>Euonymus</i> spp
Firethorn	<i>Pyracantha coccinea</i>
Forsythia border	<i>Forsythia intermedia</i>
Fragrant olive	<i>Osmanthus fragrans</i>
Fuchsia California	<i>Zauschneria californica</i>
Gardenia	<i>Gardenia jasminoides</i>
Hawthorne Indian	<i>Raphiolepis indica</i>
Hibiscus	<i>Hibiscus</i> spp
Holly	<i>Ilex</i> spp
Holly Chinese	<i>Ilex cornuta</i>
Holly Japanese	<i>Ilex crenata</i>
Honeysuckle bush	<i>Diervilla lonicera</i>
Hopseed bush	<i>Dodonaea viscosa</i>
Hydrangea	<i>Hydrangea macrophylla</i>
Juniper	<i>Juniperus</i> spp
Laurel cherry	<i>Prunus laurocerasus</i>
Laurel mountain	<i>Kalmia latifolia</i>
Laurel Otto Luyken	<i>Prunus laurocerasus</i>

(continued)

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants (continued)

Common Name	Scientific Name
Shrubs (continued)	
Laurel Schipka	<i>Prunus schipkanensis</i>
Lavender English	<i>Lavandula angustifolia</i>
Leucothoe	<i>Leucothoe</i> spp
Lilac	<i>Syringa</i> spp
Lily of the Nile	<i>Agapanthus africanus</i>
Loropetalum	<i>Loropetalum chinense</i>
Mahonia	<i>Mahonia</i> spp
Mock orange	<i>Pittosporum tobira</i>
Myrtle compact	<i>Myrtus communis</i>
Myrtle wax	<i>Myrica cerifera</i>
Nandina	<i>Nandina domestica</i>
Oleander	<i>Nerium oleander</i>
Oregon grape	<i>Mahonia</i> spp
Osmanthus	<i>Osmanthus</i> spp
Palm European fan	<i>Chamaerops humilis</i>
Palm Mediterranean fan	<i>Chamaerops</i> spp
Phlox prickly	<i>Leptodactylon californicum</i>
Photinia Fraser	<i>Photinia x fraseri</i>
Pieris Japanese	<i>Pieris japonica</i>
Pine Mugo	<i>Pinus mugo</i>
Pittosporum	<i>Pittosporum tobira</i>
Plum Natal	<i>Carissa grandiflora</i>
Privet	<i>Ligustrum</i> spp
Privet waxleaf	<i>Ligustrum japonicum</i>
Pyracantha	<i>Pyracantha coccinea</i>
Quince	<i>Chaenomeles</i> spp
Quince flowering	<i>Chaenomeles japonica</i>
Ranger Texas	<i>Leucophyllum frutescens</i>
Redroot	<i>Ceanothus</i> spp
Red tip	<i>Photinia x fraseri</i>
Rhododendron	<i>Rhododendron</i> spp
Rose	<i>Rosa</i> spp
Rose of Sharon	<i>Hibiscus</i> spp
St Johnswort	<i>Hypericum</i> spp
Spice plant	<i>Illicium parviflorum</i>
Spirea	<i>Spiraea</i> spp
Spirea Anthony Waterer	<i>Spiraea x bumalda</i>
Sweet bay	<i>Laurus nobilis</i>
Trumpet bush	<i>Tecoma stans</i>
Verbena lemon	<i>Aloysia triphylla</i>
Viburnum	<i>Viburnum</i> spp

(continued)

Common Name	Scientific Name
Shrubs (continued)	
Viburnum shasta	<i>Viburnum plicatum f tomentosum</i>
Viburnum sweet	<i>Viburnum odoratissimum</i>
Vitex	<i>Vitex</i> spp
Weigela	<i>Weigela florida</i>
Wild lilac	<i>Ceanothus</i> spp
Wisteria	<i>Wisteria</i> spp
Xylosma	<i>Xylosma congestum</i>
Yellowbells	<i>Tecoma stans</i>
Yew	<i>Taxus</i> spp <i>Taxus baccata</i>
Yew Southern	<i>Podocarpus macrophyllus</i>
Yucca Adam's needle	<i>Yucca</i> spp
Ground Covers	
Ajuga	<i>Ajuga reptans</i>
Baby sun rose	<i>Aptenia cordifolia</i>
Beach strawberry	<i>Fragaria chiloensis</i>
Capeweed	<i>Arctotheca calendula</i>
Cinquefoil spring	<i>Potentilla</i> spp <i>Potentilla fruticosa</i>
Coyotebrush dwarf	<i>Baccharis pitularis</i>
Daisy trailing African	<i>Osteospermum fruticosum</i>
Dymondia	<i>Dymondia margaretae</i>
Gazania	<i>Gazania splendens</i>
Geranium ivyleaf	<i>Pelargonium peltatum</i>
Green and gold	<i>Chrysogonum virginianum</i>
Iceplant large leaf	<i>Carpobrotus edulis</i>
Ivy English	<i>Hedera helix</i>
Jasmine Asiatic	<i>Trachelospermum asiaticum</i>
Jasmine primrose	<i>Jasminum mesnyi</i>
Jessamine Carolina	<i>Gelsemium sempervirens</i>
Lilyturf big blue or giant	<i>Liriope muscari</i>
Manzanita bearberry	<i>Arctostaphylos uva ursi</i>
Mondograss	<i>Ophiopogon japonica</i>
Morningglory	<i>Convolvulus</i> spp
Myoporum	<i>Myoporum parvifolium</i>
Pachysandra	<i>Pachysandra terminalis</i>
Red apple	<i>Aptenia cordifolia</i>
Rosemary	<i>Rosemannus officinalis</i>
St Johnswort creeping	<i>Hypericum calycinum</i>
Sand strawberry	<i>Fragaria chiloensis</i>

(continued)

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants *(continued)*

Common Name	Scientific Name
Ground Covers (continued)	
Sedum/Stonecrop	<i>Sedum</i> spp
Verbena	<i>Glandularia</i> spp
Vervain	<i>Glandularia</i> spp
Vetch crown	<i>Vicia sativa</i>
Wintercreeper	<i>Euonymus fortunei</i>
Herbaceous Perennials	
Acacia	<i>Acacia redolens</i>
Alumroot	<i>Heuchera sanguinea</i>
Anemone	<i>Anemone hupehensis</i>
Asparagus	<i>Asparagus</i> spp
Aster New York	<i>Aster novi belgii</i>
Aster Stokes	<i>Stokesia laevis</i>
Astilbe (False spirea)	<i>Astilbe</i> spp
Baby's breath	<i>Gypsophila elegans</i>
Beardtongue	<i>Penstemon digitalis</i> <i>P x mexicali</i>
Bee balm	<i>Monarda didyma</i>
Bellflower	<i>Campanula</i> spp
Bergenia	<i>Bergenia</i> spp
Blanket flower	<i>Gaillardia x grandiflora</i>
Bleeding heart	<i>Dicentra spectabilis</i>
Blue false indigo	<i>Baptisia australis</i>
Bugbane	<i>Cimicifuga racemosa</i>
California poppy	<i>Eschscholzia californica</i>
Calla lily	<i>Zantedeschia aethiopica</i>
Canadian ginger	<i>Asarum canadense</i>
Candytuft	<i>Iberis</i> spp
Canna common garden	<i>Canna generalis</i> Lucifer
Carex	<i>Carex</i> spp
Cast iron plant	<i>Aspidistra elatior</i>
Chincherinchee	<i>Ornithogalum thyrsoides</i>
Christmas rose	<i>Helleborus</i> spp
Cinquefoil	<i>Potentilla</i> spp
Clematis	<i>Clematis</i> spp
Clover crimson	<i>Trifolium incarnatum</i>
Cohosh black	<i>Cimicifuga racemosa</i>
Coneflower	<i>Echinacea</i> spp
Coral bells	<i>Heuchera sanguinea</i>
Crinum lily	<i>Crinum</i> spp
Crocus	<i>Crocus</i> spp
Daffodil	<i>Narcissus</i> spp
Daylily	<i>Hemerocallis</i> spp

(continued)

Common Name	Scientific Name
Herbaceous Perennials (continued)	
Fairy duster	<i>Calliandra eriophylla</i>
False dragonhead	<i>Physostegia virginiana</i>
Fern asparagus	<i>Asparagus officinalis</i>
Fern autumn	<i>Dryopteris erythrosora</i>
Fern Boston	<i>Nephrolepis exaltata</i>
Fern leatherleaf	<i>Rumohra adiantiformis</i>
Fern tree	<i>Asparagus virgatus</i>
Flag	<i>Iris</i> spp
Flax blue	<i>Linum perenne</i>
Flax New Zealand	<i>Phlormium colinsoi</i>
Foamflower	<i>Tiarella</i> spp
Fortnight lily	<i>Moraea</i> spp
Foxglove	<i>Digitalis</i> spp
Freesia	<i>Freesia x hybrida</i>
Fuchsia Arizona	<i>Zauschneria californica</i>
Gaura	<i>Gaura lindheimeri</i>
Gladiolus	<i>Gladiolus</i> spp
Goldenrod	<i>Solidago</i> spp
Heather Mexican/Cigar plant	<i>Cuphea hyssopifolia</i>
Hen and chicks	<i>Sempervivum</i> spp
Hopflower oregano	<i>Origanum libanoticum</i>
Hosta	<i>Hosta</i> spp
Hyssop	<i>Agastache</i> spp
Ice plant	<i>Delosperma</i> spp
Indian blanket	<i>Gaillardia pulchella</i>
Iris	<i>Iris</i> spp
Ironweed New York	<i>Vernonia noveboracensis</i>
Jacob's ladder	<i>Polemonium boreale</i>
Jasmine confederate	<i>Trachelospermum jasminoides</i>
Joepywe weed spotted	<i>Eupatorium</i> spp
Jupiter's beard	<i>Centranthus ruber</i>
Lady's mantle	<i>Alchemilla mollis</i>
Lantana	<i>Lantana</i> spp
Lavender cotton	<i>Santolinia chamaecyparissus</i>
Lavender English	<i>Lavandula angustifolia</i>
Lenten rose	<i>Helleborus niger</i>
Leopard's bane	<i>Doronicum cordatum</i>
Lily	<i>Lillium</i> spp
Lily of the Nile	<i>Agapanthus africanus</i>
Lily plantain	<i>Hosta fortunei</i>
Liriope	<i>Liriope</i> spp

(continued)

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants (continued)

Common Name	Scientific Name
Herbaceous Perennials (continued)	
Lobelia	<i>Lobelia hybrids</i>
Loosestrife garden	<i>Lysimachia punctata</i>
Mexican petunia	<i>Ruellia spp</i>
Montbretia	<i>Crocsmia crocosmiiflora</i>
Mum hardy	<i>Dendranthema spp</i>
Nightshade	<i>Solanum spp</i>
Orchid peacock	<i>Acidanthera bicolor</i>
Oxeye daisy	<i>Chrysanthemum leucanthemum</i>
Oxeye smooth	<i>Heliopsis helianthoides</i>
Peony Chinese	<i>Paeonia lactiflora</i>
Phlox creeping	<i>Phlox subulata</i>
Prickly pear devil s tongue	<i>Opuntia humifusa</i>
Primrose fairy	<i>Primula malacoides</i>
Purple coneflower	<i>Echinacea spp</i>
Purple loosestrife	<i>Lythrum virgatum</i>
Pussytoes small leaf	<i>Antennaria spp</i>
Redhot poker	<i>Kniphofia uvaria</i>
Rock cress	<i>Aubrieta spp</i>
Rosemary	<i>Rosmarinus officinalis</i>
Ruscus Israeli	<i>Ruscus hypophyllum</i>
Sage	<i>Salvia spp</i> <i>Salvia x superba</i>
Sage (botanical)	<i>Salvia nemerosa</i>
Sage Mexican	<i>Salvia farnacea</i>
Sage pineapple	<i>Salvia elegans</i>
Sage Ramona	<i>Salvia sylvestris</i>
Sage Russian	<i>Perovskia atriplicifolia</i>
Sedge	<i>Carex spp</i>
Shasta daisy	<i>Chrysanthemum x superbum</i>
Shellplant	<i>Alpinia zerumbet</i>
Shrub verbena	<i>Lantana spp</i>
Sneezeweed common	<i>Helenium autumnale</i>
Speedwell spike	<i>Veronica spicata</i>
Spiderwort	<i>Tradescantia spp</i>
Stokes aster	<i>Stokesia laevis</i>
Stonecrop	<i>Sedum spp</i>
Sunflower	<i>Helianthus spp</i>
Sunflower false	<i>Heliopsis helianthoides</i>
Sun rose rock rose	<i>Helianthemum spp</i>
Sweet flag	<i>Acorus calamus</i>

(continued)

Common Name	Scientific Name
Herbaceous Perennials (continued)	
Texas bluebonnet	<i>Lupinus subcarnosus</i>
Thoroughwort	<i>Eupatorium rugosa</i>
Thrift sea pink	<i>Armeria martima</i>
Tickseed	<i>Coreopsis lanceolata</i>
Transvaal daisy	<i>Gerbera jamesonii</i>
Trumpet golden	<i>Allamanda cathartica</i>
Tulip	<i>Tulipa spp</i>
Turtlehead/Snakehead	<i>Chelone spp</i>
Twinspur	<i>Diasciascia barbaerae</i>
Verbena rose	<i>Glandularia canadensis</i>
Veronica Turkish	<i>Veronica liwanensis</i>
Wonder flower	<i>Ornithogalum thyrsoides</i>
Yarrow	<i>Achillea millefolium</i>
Zephyr lily	<i>Zephyranthes spp</i>
Ornamental Grasses	
Beach grass	<i>Ammophila breviligulata</i>
Pampas grass	<i>Cortaderia selloiana</i>
Reed canary grass	<i>Phalaris arundinacea</i>
Reed giant	<i>Arundo spp</i>
Ribbon grass	<i>Phalaris arundinacea</i>
Silver grass	<i>Miscanthus spp</i>
Tufted hair grass	<i>Deschampsia caespitosa</i>
Bedding Plants	
Ageratum	<i>Ageratum houstonianum</i>
Alyssum	<i>Alyssum saxatile</i>
Alyssum sweet	<i>Lobularia maritima</i>
Anemone poppy flowered	<i>Anemone coronaria</i>
Angelonia	<i>Angelonia angustifolia</i>
Summer snapdragon	
Artemesia	<i>Artemesia spp</i>
Balloonflower	<i>Platycodon grandiflorum</i>
Cabbage ornamental	<i>Brassica oleracea</i>
China aster	<i>Callistephus chinensis</i>
Coleus	<i>Solenostemon scutellarioides</i>
Coleus blumei	<i>S. blumei</i>
Crocsmia Montebretia	<i>Crocsmia x crocosmiiflora</i>
Dahlia	<i>Dahlia spp</i>
Dianthus	<i>Dianthus spp</i>
Dusty miller	<i>Senecio cineraria</i>
Elephant ear	<i>Caladium spp</i>

(continued)

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants *(continued)*

Common Name	Scientific Name
Bedding Plants <i>(continued)</i>	
Fanflower	<i>Scaevola</i> spp
Gayfeather	<i>Liatris</i> spp
Gazania	<i>Gazania</i> spp
Geranium	<i>Geranium</i> spp
Gloxinia	<i>Gloxinia simningia</i>
Impatiens	<i>Impatiens</i> spp
Kale ornamental	<i>Brassica napus</i>
Margold African	<i>Tagetes erecta</i>
Moss rose	<i>Portulaca grandiflora</i>
Mum garden	<i>Chrysanthemum</i> spp
Pansy	<i>Viola tricolor</i>
Periwinkle rose	<i>Catharanthus roseus</i>

(continued)

Common Name	Scientific Name
Bedding Plants <i>(continued)</i>	
Petunia	<i>Petunia</i> spp
Plumosa cockscomb	<i>Celosia cristata</i>
Portulaca	<i>Portulaca grandiflora</i>
Primrose evening	<i>Oenothera</i> spp
Sage scarlet	<i>Salvia splendens</i>
Snapdragon	<i>Antirrhinum majus</i>
Statice	<i>Limonium</i> spp
Sweet potato ornamental	<i>Ipomoea batatas</i>
Sweet William	<i>Dianthus</i> spp
Verbena	<i>Glandularia x hybrida</i>
Zinnia	<i>Zinnia</i> spp

Annual Weeds Controlled

CanDo Granular Weed Preventer will control the following weeds

Common Name	Scientific Name
Grassy Weeds	
Barnyardgrass	<i>Echinochloa crus galli</i>
Bluegrass annual	<i>Poa annua</i>
Bluegrass roughstalk	<i>Poa trivialis</i>
Brome California	<i>Bromus carinatus</i>
Brome downy	<i>Bromus tectorum</i>
Crabgrass large	<i>Digitaria sanguinalis</i>
Crabgrass smooth	<i>Digitaria ischaemum</i>
Crowfootgrass	<i>Dactyloctenium aegyptium</i>
Cupgrass Southwestern	<i>Eriochloa gracilis</i>
Cupgrass woolly	<i>Eriochloa villosa</i>
Foxtail giant	<i>Setaria faberi</i>
Foxtail green	<i>Setaria viridis</i>
Foxtail yellow	<i>Setaria glauca</i>
Goosegrass	<i>Eleusine indica</i>
Itchgrass	<i>Rottboellia exaltata</i>
Johnsongrass (from seed)	<i>Sorghum halepense</i>
Junglerice	<i>Echinochloa colona</i>
Lovegrass (from seed)	<i>Eragrostis</i> spp
Millet wild proso	<i>Panicum dichotomiflorum</i>
Panicum browntop	<i>Panicum fasciculatum</i>
Panicum fall	<i>Panicum dichotomiflorum</i>
Panicum Texas	<i>Panicum texanum</i>

(continued)

Common Name	Scientific Name
Grassy Weeds <i>(continued)</i>	
Red rice	<i>Oryza sativa</i>
Ryegrass Italian	<i>Lolium multiflorum</i>
Sandbur field	<i>Cenchrus incertus</i>
Shattercane	<i>Sorghum bicolor</i>
Signalgrass broadleaf	<i>Brachiana platyphylla</i>
Sprangletop Mexican	<i>Leptochloa uninervia</i>
Sprangletop red	<i>Leptochloa filiformis</i>
Witchgrass	<i>Panicum capillare</i>
Broadleaf Weeds	
Amaranth Palmer	<i>Amaranthus palmeri</i>
Amaranth Powell	<i>Amaranthus powellii</i>
Beggarweed Florida	<i>Desmodium tortuosum</i>
Bittercress	<i>Cardamine</i> spp
Burnweed American	<i>Erechtites hieracifolia</i>
Burweed lawn	<i>Soliva pterosperma</i>
Carpetweed	<i>Mollugo verticillata</i>
Chamomile mayweed	<i>Anthemis cotula</i>
Chickweed common	<i>Stellaria media</i>
Chickweed mouseear	<i>Cerastium vulgatum</i>
Clover hop	<i>Trifolium procumbens</i>
Cudweed	<i>Gnaphalium</i> spp

(continued)

Annual Weeds Controlled

CanDo™ Granular Weed Preventer will control the following weeds (continued)

Common Name	Scientific Name
Broadleaf Weeds (continued)	
Dogfennel	<i>Eupatorium capillifolium</i>
Doveweed	<i>Murdannia nudiflora</i>
Eclipta	<i>Eclipta alba</i> <i>E prostrata</i>
Evening primrose	<i>Oenothera biennis</i>
Fiddleneck	<i>Amsinckia intermedia</i>
Filaree	<i>Erodium</i> spp
Fleabane	<i>Erigeron strigosus</i>
Galinsoga hairy	<i>Galinsoga ciliata</i>
Galinsoga smallflower	<i>Galinsoga parviflora</i>
Groundsel common	<i>Senecio vulgaris</i>
Hawksbeard Asiatic	<i>Youngia japonica</i>
Henbit	<i>Lamium amplexicaule</i>
Horseweed	<i>Conyza canadensis</i>
Knotweed prostrate	<i>Polygonum aviculare</i>
Kochia	<i>Kochia scoparia</i>
Lambsquarters common	<i>Chenopodium album</i>
Lettuce wild	<i>Lactuca</i> spp
Liverwort	<i>Marchantia polymorpha</i>
Mallow little	<i>Malva parviflora</i>
Marsh parsley	<i>Apium leptophyllum</i>
Mulberry weed	<i>Fatoua villosa</i>
Nightshade black	<i>Solanum nigrum</i>
Nightshade cutleaf	<i>Solanum triflorum</i>
Nightshade Eastern black	<i>Solanum ptycanthum</i>
Nightshade hairy	<i>Solanum sarrachoides</i>
Pearlwort	<i>Sagina procumbens</i> or <i>S decumbens</i>
Pennycress field	<i>Thlaspi arvense</i>
Pepperweed	<i>Lepidium virginicum</i>
Phyllanthus chamberbitter	<i>Phyllanthus urinaria</i>
Phyllanthus long stalked	<i>Phyllanthus tenellus</i>
Pigweed prostrate	<i>Amaranthus blitoides</i>
Pigweed redroot	<i>Amaranthus retroflexus</i>
Pigweed smooth	<i>Amaranthus hybridus</i>
Pigweed tumble	<i>Amaranthus albus</i>
Pineappleweed	<i>Matricaria matricarioides</i>
Puncturevine	<i>Tribulus terrestris</i>
Purslane common	<i>Portulaca oleracea</i>
Purslane water	<i>Ludwigia palustris</i>
Pusley Florida	<i>Richardia scabra</i>
Ragweed common	<i>Ambrosia artemisiifolia</i>
Rocket London	<i>Sisymbrium irio</i>

(continued)

Common Name	Scientific Name
Broadleaf Weeds (continued)	
Shepherdspurse	<i>Capsella bursa pastoris</i>
Smartweed Pennsylvania	<i>Polygonum pennsylvanicum</i>
Sowthistle	<i>Sonchus arvensis</i>
Speedwell corn	<i>Veronica arvensis</i>
Spurge annual	<i>Chamaesyce</i> spp <i>Euphorbia</i> spp
Tassel flower	<i>Emilia</i> spp
Thickhead	<i>Crassocephalum crepidioides</i>
Velvetleaf	<i>Abutilon theophrasti</i>
Waterhemp common	<i>Amaranthus rudis</i>
Waterhemp tall	<i>Amaranthus tuberculatus</i>
Willowherb	<i>Epilobium</i> spp
Willowherb hairy	<i>Epilobium hirsutum</i>
Willowherb Northern	<i>Epilobium ciliatum</i>
Woodsorrel yellow	<i>Oxalis</i> spp <i>O corniculata</i> <i>O stricta</i>
Yellowcress marsh	<i>Rorippa islandica</i> or <i>R palustris</i>
Yellowcress Southern	<i>Rorippa teres</i> or <i>R walteri</i>
Sedges	
Flatsedge rice	<i>Cyperus iria</i>
Kyllinga species	<i>Kyllinga</i> spp
Nutsedge yellow	<i>Cyperus esculentus</i>
Sedge annual	<i>Cyperus</i> spp

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION (BASF) or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use** subject to the inherent risks referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

CanDo is a trademark of BASF

© 2012 BASF Corporation
All rights reserved

007969 00347 20120116c **NVA 2011 04 400 0249**
Based on NVA 2011 04 308 0061

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



The Chemical Company

Appendix

Product Claims

- Treats 1000 square feet
- Easy way to apply
- Prevents germination of more than 100 weeds
- Controls over 100 weeds
- Stops weeds from germinating
- Prevents weeds up to 3 months
- Weed free ornamental garden beds
- Season long weed free ornamental garden beds
- Excellent broad spectrum weed control
- Prevents germination of sedges broadleaf weeds and annual grasses
- Prevents [germination of] weed grasses sedges and broadleaf weeds
- Use with confidence around shrubs ornamental and landscape beds