



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 28, 2025

Kevin Finnegan
Product Registration Manager
BASF Corporation
26 Davis Drive, PO Box 13528
Research Triangle Park, NC 27709

Subject: Label Amendment - Registration Review Mitigation for Pendimethalin & Dimethenamid-p
Product Name: CANDO GRANULAR WEED PREVENTER
EPA Registration Number: 7969-347
Application Dates: September 30, 2021 & December 11, 2024
Decision Numbers: 578812 & 596375
Case Numbers: 473515

Dear Kevin Finnegan:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Pendimethalin & Dimethenamid-p Interim Decisions, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Caleb Carr by phone at (202) 566-0636, or via email at carr.caleb@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Linda Arrington", with a stylized flourish at the end.

Linda Arrington, Branch Chief
Risk Management and Implementation Branch 4
Pesticide Re-Evaluation Division
Office of Pesticide Programs

ENCLOSURE: Stamped label

CanDoTM

Granular Weed Preventer

For outdoor residential use on ornamental gardens and landscape beds

Active Ingredients:

dimethenamid-P: (S)-2-chloro-N-[(1-methyl-2-methoxy)ethyl]-N-(2,4-dimethyl-thien-3-yl)-acetamide.	0.75%
pendimethalin: N-(1-ethylpropyl)-3,4-dimethyl-2, 6-dinitrobenzenamine	1.00%

Other Ingredients:	<u>98.25%</u>
-------------------------------------	---------------

Total:	100.00%
-------------------------	---------


EPA Reg. No. 7969-347

EPA Est. No.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel or side panels or inside for complete **First Aid**,
Precautionary Statements, and **Directions For Use**.

**In case of an emergency endangering life or property involving this product,
call day or night 1-800-832-HELP (4357).**



Net Contents: 3.4 pounds

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry

DRAFT

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give any liquid to the person. • DO NOT give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eyes. • Call a poison control center for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth to mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information at 1-800-832-HELP (4357).</p>	

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust.

Environmental Hazards

This product is toxic to fish. **DO NOT** apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. **DO NOT** contaminate water when disposing of equipment washwaters. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. Granules exposed on soil surface may be hazardous to wildlife. Cover or collect granules spilled during loading.

Groundwater Advisory. This product is known to leach through soil into groundwater under certain conditions as a result of label use. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

Surface Water Advisory. **DO NOT** apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. **DO NOT** contaminate water when disposing of equipment

wash-water or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may impact surface water quality due to runoff of rainwater. This is especially true for poorly draining soils and soils with shallow ground water.

Nontarget Organism Advisory: This product is toxic to plants and may adversely impact the forage and habitat of nontarget organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of nontarget organisms by following label directions intended to minimize drift.

Endangered Species Concerns

The use of any pesticide in a manner that may kill or otherwise harm an endangered species or adversely modify their habitat is a violation of federal law.

USER SAFETY RECOMMENDATIONS

- Users should wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of area during application.

DO NOT contaminate water used for domestic purposes.

DRAFT

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage

DO NOT store above 120° F. Store product in its original container in a cool, dry, locked place out of reach of children and animals.

Pesticide Disposal and Container Handling

IF EMPTY: Nonrefillable Container. DO NOT reuse or refill this container. Place in trash or offer for recycling if available.

IF PARTIALLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Product Information

Read all directions completely before use.

CanDo™ Granular Weed Preventer selectively controls and prevents emergence of certain annual broadleaf weeds, sedges, and annual grasses in shrubs, ornamental gardens and landscape beds. This product can be used on established ornamental plants and landscape beds.

Not for use on lawns, vegetable gardens, greenhouses, or any other fully-enclosed structures.

Application Instructions

Read the label first!

When to Apply

- This product controls weeds as they begin to germinate but will not control emerged and established weeds. Therefore, areas to be treated should be free of established weeds.
- If weeds are present prior to **CanDo Granular Weed Preventer** application, then destroy existing weeds.
- **CanDo Granular Weed Preventer** will provide the most effective weed control when applied uniformly. While watering is not required, 1/2 inch watering after incorporating the product into soil can improve weed control.

Before you Apply

Ornamentals (i.e. pot to soil)

- **DO NOT** apply until transplants have been watered and soil has been thoroughly packed and settled around transplants.
- Care must be taken to ensure there are no cracks in the soil where **CanDo Granular Weed Preventer** could come into contact with the roots.
- **DO NOT** apply during bud swell, bud break or at time of first flush of new growth.

Landscape Beds

- Care must be taken that soil or planting mixes have settled firmly following transplanting, and there are no cracks that would allow direct contact of **CanDo Granular Weed Preventer** with roots.
- Applications where soil and media surfaces are uniformly covered will result in best weed control and ornamental tolerance.

How to Apply

- **RATE:** 0.5 pound of product per 150 sq ft area
- Calculate the area that needs to be treated and apply appropriate amount.
EXAMPLE: If the ornamental bed to be treated is 30 feet in length and 5 feet in width, then the total treatment area will be equal to 150 sq ft (30 feet x 5 feet = 150 sq ft).
- Sprinkle the product evenly over area.
- **CanDo Granular Weed Preventer** may be applied in a single application or in sequential applications.
- For extended weed control, sequential (repeat) applications of **CanDo Granular Weed Preventer** can be made at a minimum of 6 weeks between applications.

Where to Apply

- This product may be applied to established ornamental plants. See **Ornamental Plants** section for detailed list.
- This product controls annual weeds. See **Annual Weeds Controlled** section for detailed list.

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants.

The species listed below have been tested under actual growing conditions and found tolerant at the labeled application rate.

Common Name	Scientific Name
Trees	
Alder, European black	<i>Alnus glutinosa</i>
Almond (nonbearing)	<i>Prunus dulcis</i>
Apple (nonbearing)	<i>Malus</i> spp.
Apricot (nonbearing)	<i>Prunus armeniaca</i>
Arborvitae	<i>Thuja</i> spp.
Arborvitae, American	<i>Thuja occidentalis</i>
Arborvitae, Oriental	<i>Thuja orientalis</i>
Arbutus	<i>Arbutus</i> spp.
Ash	<i>Fraxinus</i> spp.
Aspen	<i>Populus</i> spp.
Avocado (nonbearing)	<i>Persea americana</i>
Basswood	<i>Tilia</i> spp.
Birch	<i>Betula</i> spp.
Blackberry (nonbearing)	<i>Rubus ursinus</i> <i>R. arvensis</i>
Blueberry (nonbearing)	<i>Vaccinium</i> spp.
Blueberry tree, Japanese	<i>Elaeocarpus decipiens</i>
Boxelder	<i>Acer negundo</i>
Boysenberry (nonbearing)	<i>Rubus ursinus</i> x <i>idaeus</i>
Buckeye, red	<i>Aesculus pavia</i>
Cedar, Eastern red	<i>Juniperus virginiana</i>
Cedar, Japanese	<i>Cryptomeria japonica</i>
Cedar, Western red	<i>Thuja plicata</i>
Cedar, white	<i>Thuja</i> spp.
Chamaecyparis, boulevard	<i>Chamaecyparis pisifera</i>
Cherry (nonbearing)	<i>Prunus</i> spp.
Cottonwood	<i>Populus deltoides</i>
Crabapple (nonbearing)	<i>Malus</i> spp.
Crape myrtle	<i>Lagerstroemia indica</i>
Cryptomeria, Japanese cedar	<i>Cryptomeria japonica</i>
Currant (nonbearing)	<i>Ribes petraeum</i> <i>R. spicatum</i>
Cypress, Italian	<i>Cupressus sempervirens</i>
Cypress, bald	<i>Taxodium distichum</i>
Cypress, Leyland	<i>Cupressocyparis leylandii</i>
Dewberry (nonbearing)	<i>Rubus aboriginum</i>
Dogwood	<i>Cornus</i> spp.

(continued)

Common Name	Scientific Name
Trees (continued)	
Dogwood, flowering	<i>Cornus florida</i>
Elderberry (nonbearing)	<i>Sambucus</i> spp.
Elm	<i>Ulmus japonica</i>
Fig (nonbearing)	<i>Ficus godeffroyi</i> <i>F. prolixa</i> <i>F. tinctoria</i>
Filbert (nonbearing)	<i>Corylus avellana</i>
Fir	<i>Abies</i> spp.
Fir, Douglas	<i>Pseudotsuga menziesii</i>
Fir, Fraser	<i>Abies fraseri</i>
Franklinia	<i>Franklinia</i> spp.
Ginkgo	<i>Ginkgo biloba</i>
Gooseberry (nonbearing)	<i>Ribes</i> spp.
Grape (nonbearing)	<i>Vitis</i> spp.
Grapefruit (nonbearing)	<i>Citrus x paradisi</i>
Gum, black	<i>Nyssa sylvatica</i>
Hawthorn	<i>Crataegus</i> spp.
Hemlock	<i>Tsuga</i> spp.
Hemlock, Western	<i>Tsuga heterophylla</i>
Holly	<i>Ilex</i> spp.
Kiwi (nonbearing)	<i>Actinidia chinensis</i>
Lemon (nonbearing)	<i>Citrus x limon</i>
Lilac	<i>Syringa</i> spp.
Linden	<i>Tilia</i> spp.
Locust, honey	<i>Gleditsia triacanthos</i>
Loganberry (nonbearing)	<i>Rubus loganobaccus</i>
Macadamia nut (nonbearing)	<i>Macadamia integrifolia</i> <i>M. tetraphylla</i>
Magnolia	<i>Magnolia</i> spp.
Magnolia, saucer	<i>Magnolia soulangiana</i>
Magnolia, Southern	<i>Magnolia grandiflora</i>
Maidenhair tree	<i>Ginkgo biloba</i>
Maple	<i>Acer</i> spp.
Maple, Japanese	<i>Acer palmatum</i>
Maple, red	<i>Acer rubrum</i>
Maple, sugar	<i>Acer saccharum</i>
Nannyberry, rusty	<i>Viburnum rufidulum</i>
Nectarine (nonbearing)	<i>Prunus persica</i>

(continued)

DRAFT

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants. (continued)

Common Name	Scientific Name
Trees (continued)	
Oak	<i>Quercus</i> spp.
Olive (nonbearing)	<i>Olea europaea</i>
Orange (nonbearing)	<i>Citrus</i> spp.
Palm, date	<i>Phoenix</i> spp.
Palm, fan	<i>Washingtonia</i> spp.
Palm, palmetto	<i>Sabal minor</i>
Palm, pindo	<i>Butia</i> spp.
Palm, windmill	<i>Trachycarpus</i> spp.
Peach (nonbearing)	<i>Prunus persica</i>
Pear, Bradford	<i>Pyrus calleryana</i> 'Bradford'
Pear (nonbearing)	<i>Pyrus communis</i>
Pecan (nonbearing)	<i>Carya illinoensis</i>
Pine	<i>Pinus</i> spp.
Pine, loblolly	<i>Pinus taeda</i>
Pine, white	<i>Pinus strobus</i>
Pistachio (nonbearing)	<i>Pistacia mexicana</i> <i>P. vera</i>
Plum (nonbearing)	<i>Prunus domestica</i>
Plum, purple leaf	<i>Prunus cerasifera</i>
Pomegranate (nonbearing)	<i>Punica granatum</i>
Poplar, black	<i>Populus nigra</i>
Prune (nonbearing)	<i>Carex corrugata</i>
Raspberry (nonbearing)	<i>Rubus idaeus</i>
Redbud	<i>Cercis canadensis</i>
Red ironbark	<i>Eucalyptus sideroxylon</i> 'Rosea'
Redwood, dawn	<i>Metasequoia glyptostroboides</i>
Sequoia, giant	<i>Sequoiadendron giganteum</i>
Serviceberry	<i>Amelanchier</i> spp.
Sourwood	<i>Oxydendrum arboreum</i>
Spruce	<i>Picea</i> spp.
Sweetgum	<i>Liquidambar styraciflua</i>
Sycamore	<i>Platanus occidentalis</i>
Tulip tree	<i>Liriodendron tulipifera</i>
Walnut, black (nonbearing)	<i>Juglans nigra</i>
Walnut, English (nonbearing)	<i>Juglans regia</i>
Willow	<i>Salix</i> spp.

(continued)

Common Name	Scientific Name
Trees (continued)	
Yellowwood	<i>Cladrastis kentukea</i>
Zelkova, Japanese	<i>Zelkova</i> spp.
Shrubs	
Abelia, glossy	<i>Abelia grandiflora</i>
Althaea	<i>Hibiscus</i> spp.
Andromeda	<i>Pieris japonica</i>
Aucuba, gold	<i>Aucuba japonica</i>
Azalea	<i>Rhododendron</i> spp.
Bamboo, heavenly	<i>Nandina domestica</i>
Barberry	<i>Berberis</i> spp. <i>Berberis thunbergii</i>
Blue indigo bush	<i>Dalea gregii</i>
Blue mist spirea	<i>Caryopteris clandonensis</i>
Bottlebrush, lemon	<i>Callistemon citrinus</i>
Boxwood, common	<i>Buxus</i> spp.
Boxwood, Japanese	<i>Buxus microphylla</i>
Brittlebush	<i>Encelia farinosa</i>
Butterfly bush	<i>Buddleia davidii</i>
Buttonbush	<i>Cephalanthus occidentalis</i>
Camellia	<i>Camellia</i> spp.
Cape jasmine	<i>Gardenia jasminoides</i>
Cassia, feathery	<i>Cassia artemisioides</i>
Chinese fringe flower, Chinese witchhazel	<i>Loropetalum chinense</i>
Cordyline	<i>Cordyline</i> spp.
Correa	<i>Correa</i> spp.
Cotoneaster	<i>Cotoneaster</i> spp.
Deutzia, slender	<i>Deutzia gracilis</i>
Dogwood, red twig	<i>Cornus sericea</i>
Easter rose	<i>Kerria japonica</i>
Elaeagnus	<i>Elaeagnus ebbingei</i>
Elderberry	<i>Sambucus nigra</i>
Escallonia	<i>Escallonia fradesii</i>
Euonymus	<i>Euonymus</i> spp.
Firethorn	<i>Pyracantha coccinea</i>
Forsythia, border	<i>Forsythia intermedia</i>
Fragrant olive	<i>Osmanthus fragrans</i>
Fuchsia, California	<i>Zauschneria californica</i>
Gardenia	<i>Gardenia jasminoides</i>

(continued)

DRAFT

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants. (continued)

Common Name	Scientific Name
Shrubs (continued)	
Hawthorne, Indian	<i>Raphiolepis indica</i>
Hibiscus	<i>Hibiscus</i> spp.
Holly	<i>Ilex</i> spp.
Holly, Chinese	<i>Ilex cornuta</i>
Holly, Japanese	<i>Ilex crenata</i>
Honeysuckle, bush	<i>Diervilla lonicera</i>
Hopseed bush	<i>Dodonaea viscosa</i>
Hydrangea	<i>Hydrangea macrophylla</i>
Juniper	<i>Juniperus</i> spp.
Laurel, cherry	<i>Prunus laurocerasus</i>
Laurel, mountain	<i>Kalmia latifolia</i>
Laurel, Otto Luyken	<i>Prunus laurocerasus</i>
Laurel, Schipka	<i>Prunus schipkanensis</i>
Lavender, English	<i>Lavandula angustifolia</i>
Leucothoe	<i>Leucothoe</i> spp.
Lilac	<i>Syringa</i> spp.
Lily of the Nile	<i>Agapanthus africanus</i>
Loropetalum	<i>Loropetalum chinense</i>
Mahonia	<i>Mahonia</i> spp.
Mock orange	<i>Pittosporum tobira</i>
Myrtle, compact	<i>Myrtus communis</i>
Myrtle, wax	<i>Myrica cerifera</i>
Nandina	<i>Nandina domestica</i>
Oleander	<i>Nerium oleander</i>
Oregon grape	<i>Mahonia</i> spp.
Osmanthus	<i>Osmanthus</i> spp.
Palm, European fan	<i>Chamaerops humilis</i>
Palm, Mediterranean fan	<i>Chamaerops</i> spp.
Phlox, prickly	<i>Leptodactylon californicum</i>
Photinia, Fraser	<i>Photinia x fraseri</i>
Pieris, Japanese	<i>Pieris japonica</i>
Pine, Mugo	<i>Pinus mugo</i>
Pittosporum	<i>Pittosporum tobira</i>
Plum, Natal	<i>Carissa grandiflora</i>
Privet	<i>Ligustrum</i> spp.
Privet, waxleaf	<i>Ligustrum japonicum</i>
Pyracantha	<i>Pyracantha coccinea</i>
Quince	<i>Chaenomeles</i> spp.
Quince, flowering	<i>Chaenomeles japonica</i>

(continued)

Common Name	Scientific Name
Shrubs (continued)	
Ranger, Texas	<i>Leucophyllum frutescens</i>
Redroot	<i>Ceanothus</i> spp.
Red-tip	<i>Photinia x fraseri</i>
Rhododendron	<i>Rhododendron</i> spp.
Rose	<i>Rosa</i> spp.
Rose-of-Sharon	<i>Hibiscus</i> spp.
St. Johnswort	<i>Hypericum</i> spp.
Spice plant	<i>Illicium parviflorum</i>
Spirea	<i>Spiraea</i> spp.
Spirea, Anthony Waterer	<i>Spiraea x bumalda</i>
Sweet bay	<i>Laurus nobilis</i>
Trumpet bush	<i>Tecoma stans</i>
Verbena, lemon	<i>Aloysia triphylla</i>
Viburnum	<i>Viburnum</i> spp.
Viburnum, shasta	<i>Viburnum plicatum</i> <i>f. tomentosum</i>
Viburnum, sweet	<i>Viburnum odoratissimum</i>
Vitex	<i>Vitex</i> spp.
Weigela	<i>Weigela florida</i>
Wild lilac	<i>Ceanothus</i> spp.
Wisteria	<i>Wisteria</i> spp.
Xylosma	<i>Xylosma congestum</i>
Yellowbells	<i>Tecoma stans</i>
Yew	<i>Taxus</i> spp. <i>Taxus baccata</i>
Yew, Southern	<i>Podocarpus macrophyllus</i>
Yucca, Adam's needle	<i>Yucca</i> spp.
Ground Covers	
Ajuga	<i>Ajuga reptans</i>
Baby sun rose	<i>Aptenia cordifolia</i>
Beach strawberry	<i>Fragaria chiloensis</i>
Capeweed	<i>Arctotheca calendula</i>
Cinquefoil, spring	<i>Potentilla</i> spp. <i>Potentilla fruticosa</i>
Coyotebrush, dwarf	<i>Baccharis pitularis</i>
Daisy, trailing African	<i>Osteospermum fruticosum</i>
Dymondia	<i>Dymondia margaretae</i>
Gazania	<i>Gazania splendens</i>
Geranium, ivyleaf	<i>Pelargonium peltatum</i>

(continued)

DRAFT

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants. (continued)

Common Name	Scientific Name
Ground Covers (continued)	
Green and gold	<i>Chrysogonum virginianum</i>
Iceplant, large leaf	<i>Carpobrotus edulis</i>
Ivy, English	<i>Hedera helix</i>
Jasmine, Asiatic	<i>Trachelospermum asiaticum</i>
Jasmine, primrose	<i>Jasminum mesnyi</i>
Jessamine, Carolina	<i>Gelsemium sempervirens</i>
Lilyturf, big blue or giant	<i>Liriope muscari</i>
Manzanita, bearberry	<i>Arctostaphylos uva-ursi</i>
Mondograss	<i>Ophiopogon japonica</i>
Morningglory	<i>Convolvulus</i> spp.
Myoporum	<i>Myoporum parvifolium</i>
Pachysandra	<i>Pachysandra terminalis</i>
Red apple	<i>Aptenia cordifolia</i>
Rosemary	<i>Rosemarinus officinalis</i>
St. Johnswort, creeping	<i>Hypericum calycinum</i>
Sand strawberry	<i>Fragaria chiloensis</i>
Sedum/Stonecrop	<i>Sedum</i> spp.
Verbena	<i>Glandularia</i> spp.
Vervain	<i>Glandularia</i> spp.
Vetch, crown	<i>Vicia sativa</i>
Wintercreeper	<i>Euonymus fortunei</i>
Herbaceous Perennials	
Acacia	<i>Acacia redolens</i>
Alumroot	<i>Heuchera sanguinea</i>
Anemone	<i>Anemone hupehensis</i>
Asparagus	<i>Asparagus</i> spp.
Aster, New York	<i>Aster novi-belgii</i>
Aster, Stokes	<i>Stokesia laevis</i>
Astilbe (False spirea)	<i>Astilbe</i> spp.
Baby's breath	<i>Gypsophila elegans</i>
Beardtongue	<i>Penstemon digitalis</i> <i>P. x mexicali</i>
Bee balm	<i>Monarda didyma</i>
Bellflower	<i>Campanula</i> spp.
Bergenia	<i>Bergenia</i> spp.
Blanket flower	<i>Gaillardia x grandiflora</i>
Bleeding heart	<i>Dicentra spectabilis</i>
Blue false indigo	<i>Baptisia australis</i>

(continued)

Common Name	Scientific Name
Herbaceous Perennials (continued)	
Bugbane	<i>Cimicifuga racemosa</i>
California poppy	<i>Eschscholzia californica</i>
Calla lily	<i>Zantedeschia aethiopica</i>
Canadian ginger	<i>Asarum canadense</i>
Candytuft	<i>Iberis</i> spp.
Canna, common garden	<i>Canna generalis</i> 'Lucifer'
Carex	<i>Carex</i> spp.
Cast iron plant	<i>Aspidistra elatior</i>
Chincherinchee	<i>Ornithogalum thyrsoides</i>
Christmas rose	<i>Helleborus</i> spp.
Cinquefoil	<i>Potentilla</i> spp.
Clematis	<i>Clematis</i> spp.
Clover, crimson	<i>Trifolium incarnatum</i>
Cohosh, black	<i>Cimicifuga racemosa</i>
Coneflower	<i>Echinacea</i> spp.
Coral bells	<i>Heuchera sanguinea</i>
Crinum lily	<i>Crinum</i> spp.
Crocus	<i>Crocus</i> spp.
Daffodil	<i>Narcissus</i> spp.
Daylily	<i>Hemerocallis</i> spp.
Fairy duster	<i>Calliandra eriophylla</i>
False dragonhead	<i>Physostegia virginiana</i>
Fern, asparagus	<i>Asparagus officinalis</i>
Fern, autumn	<i>Dryopteris erythrosora</i>
Fern, Boston	<i>Nephrolepis exaltata</i>
Fern, leatherleaf	<i>Rumohra adiantiformis</i>
Fern, tree	<i>Asparagus virgatus</i>
Flag	<i>Iris</i> spp.
Flax, blue	<i>Linum perenne</i>
Flax, New Zealand	<i>Phlormium colinsoi</i>
Foamflower	<i>Tiarella</i> spp.
Fortnight lily	<i>Moraea</i> spp.
Foxglove	<i>Digitalis</i> spp.
Freesia	<i>Freesia x hybrida</i>
Fuchsia, Arizona	<i>Zauschneria californica</i>
Gaura	<i>Gaura lindheimeri</i>
Gladiolus	<i>Gladiolus</i> spp.
Goldenrod	<i>Solidago</i> spp.

(continued)

DRAFT

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants. (continued)

Common Name	Scientific Name
Herbaceous Perennials (continued)	
Heather, Mexican/Cigar plant	<i>Cuphea hyssopifolia</i>
Hen and chicks	<i>Sempervivum</i> spp.
Hopflower oregano	<i>Origanum libanoticum</i>
Hosta	<i>Hosta</i> spp.
Hyssop	<i>Agastache</i> spp.
Ice plant	<i>Delosperma</i> spp.
Indian blanket	<i>Gaillardia pulchella</i>
Iris	<i>Iris</i> spp.
Ironweed, New York	<i>Vernonia noveboracensis</i>
Jacob's ladder	<i>Polemonium boreale</i>
Jasmine, confederate	<i>Trachelospermum jasminoides</i>
Joepy weed, spotted	<i>Eupatorium</i> spp.
Jupiter's beard	<i>Centranthus ruber</i>
Lady's mantle	<i>Alchemilla mollis</i>
Lantana	<i>Lantana</i> spp.
Lavender cotton	<i>Santolinia chamaecyparissus</i>
Lavender, English	<i>Lavandula angustifolia</i>
Lenten rose	<i>Helleborus niger</i>
Leopard's bane	<i>Doronicum cordatum</i>
Lily	<i>Lilium</i> spp.
Lily of the Nile	<i>Agapanthus africanus</i>
Lily, plantain	<i>Hosta fortunei</i>
Liriope	<i>Liriope</i> spp.
Lobelia	<i>Lobelia</i> hybrids
Loosestrife, garden	<i>Lysimachia punctata</i>
Mexican petunia	<i>Ruellia</i> spp.
Montbretia	<i>Crocasmia crocosmiiflora</i>
Mum, hardy	<i>Dendranthema</i> spp.
Nightshade	<i>Solanum</i> spp.
Orchid, peacock	<i>Acidanthera bicolor</i>
Oxeye daisy	<i>Chrysanthemum leucanthemum</i>
Oxeye, smooth	<i>Heliopsis helianthoides</i>
Peony, Chinese	<i>Paeonia lactiflora</i>
Phlox, creeping	<i>Phlox subulata</i>
Prickly pear, devil's tongue	<i>Opuntia humifusa</i>
Primrose, fairy	<i>Primula malacoides</i>

(continued)

Common Name	Scientific Name
Herbaceous Perennials (continued)	
Purple coneflower	<i>Echinacea</i> spp.
Purple loosestrife	<i>Lythrum virgatum</i>
Pussytoes, small-leaf	<i>Antennaria</i> spp.
Redhot poker	<i>Kniphofia uvaria</i>
Rock cress	<i>Aubrieta</i> spp.
Rosemary	<i>Rosmarinus officinalis</i>
Ruscus, Israeli	<i>Ruscus hypophyllum</i>
Sage	<i>Salvia</i> spp. <i>Salvia x superba</i>
Sage (botanical)	<i>Salvia nemerosa</i>
Sage, Mexican	<i>Salvia farinacea</i>
Sage, pineapple	<i>Salvia elegans</i>
Sage, Ramona	<i>Salvia sylvestris</i>
Sage, Russian	<i>Perovskia atriplicifolia</i>
Sedge	<i>Carex</i> spp.
Shasta daisy	<i>Chrysanthemum x superbum</i>
Shellplant	<i>Alpinia zerumbet</i>
Shrub verbena	<i>Lantana</i> spp.
Sneezeweed, common	<i>Helenium autumnale</i>
Speedwell, spike	<i>Veronica spicata</i>
Spiderwort	<i>Tradescantia</i> spp.
Stokes aster	<i>Stokesia laevis</i>
Stonecrop	<i>Sedum</i> spp.
Sunflower	<i>Helianthus</i> spp.
Sunflower, false	<i>Heliopsis helianthoides</i>
Sun rose, rock rose	<i>Helianthemum</i> spp.
Sweet flag	<i>Acorus calamus</i>
Texas bluebonnet	<i>Lupinus subcarnosus</i>
Thoroughwort	<i>Eupatorium rugosa</i>
Thrift sea pink	<i>Armeria martima</i>
Tickseed	<i>Coreopsis lanceolata</i>
Transvaal daisy	<i>Gerbera jamesonii</i>
Trumpet, golden	<i>Allamanda cathartica</i>
Tulip	<i>Tulipa</i> spp.
Turtlehead/Snakehead	<i>Chelone</i> spp.
Twinspur	<i>Diasciascia barbaerae</i>
Verbena, rose	<i>Glandularia canadensis</i>
Veronica, Turkish	<i>Veronica liwanensis</i>

(continued)

DRAFT

Ornamental Plants

CanDo™ Granular Weed Preventer may be applied to these established ornamental plants. *(continued)*

Common Name	Scientific Name
Herbaceous Perennials <i>(continued)</i>	
Wonder flower	<i>Ornithogalum thyrsoides</i>
Yarrow	<i>Achillea millefolium</i>
Zephyr lily	<i>Zephyranthes</i> spp.
Ornamental Grasses	
Beach grass	<i>Ammophila breviligulata</i>
Pampas grass	<i>Cortaderia selloiana</i>
Reed canary grass	<i>Phalaris arundinacea</i>
Reed, giant	<i>Arundo</i> spp.
Ribbon grass	<i>Phalaris arundinacea</i>
Silver grass	<i>Miscanthus</i> spp.
Tufted hair grass	<i>Deschampsia caespitosa</i>
Bedding Plants	
Ageratum	<i>Ageratum houstonianum</i>
Alyssum	<i>Alyssum saxatile</i>
Alyssum, sweet	<i>Lobularia maritima</i>
Anemone, poppy-flowered	<i>Anemone coronaria</i>
Angelonia, Summer snapdragon	<i>Angelonia angustifolia</i>
Artemesia	<i>Artemesia</i> spp.
Balloonflower	<i>Platycodon grandiflorum</i>
Cabbage, ornamental	<i>Brassica oleracea</i>
China aster	<i>Callistephus chinensis</i>
Coleus	<i>Solenostemon scutellarioides</i>
Coleus blumei	<i>S. blumei</i>
Crocosmia, Montebretia	<i>Crocosmia x crocosmiiflora</i>
Dahlia	<i>Dahlia</i> spp.
Dianthus	<i>Dianthus</i> spp.
Dusty miller	<i>Senecio cineraria</i>
Elephant ear	<i>Caladium</i> spp.
Fanflower	<i>Scaevola</i> spp.
Gayfeather	<i>Liatris</i> spp.
Gazania	<i>Gazania</i> spp.
Geranium	<i>Geranium</i> spp.
Gloxinia	<i>Gloxinia simningia</i>
Impatiens	<i>Impatiens</i> spp.
Kale, ornamental	<i>Brassica napus</i>
Marigold, African	<i>Tagetes erecta</i>
Moss rose	<i>Portulaca grandiflora</i>

(continued)

Common Name	Scientific Name
Bedding Plants <i>(continued)</i>	
Mum, garden	<i>Chrysanthemum</i> spp.
Pansy	<i>Viola tricolor</i>
Periwinkle, rose	<i>Catharanthus roseus</i>
Petunia	<i>Petunia</i> spp.
Plumosa cockscomb	<i>Celosia cristata</i>
Portulaca	<i>Portulaca grandiflora</i>
Primrose, evening	<i>Oenothera</i> spp.
Sage, scarlet	<i>Salvia splendens</i>
Snapdragon	<i>Antirrhinum majus</i>
Statice	<i>Limonium</i> spp.
Sweet potato, ornamental	<i>Ipomoea batatas</i>
Sweet William	<i>Dianthus</i> spp.
Verbena	<i>Glandularia x hybrida</i>
Zinnia	<i>Zinnia</i> spp.

DRAFT

Annual Weeds Controlled

CanDo™ Granular Weed Preventer will control the following weeds.

Common Name	Scientific Name
Grassy Weeds	
Barnyardgrass	<i>Echinochloa crus-galli</i>
Bluegrass, annual	<i>Poa annua</i>
Bluegrass, roughstalk	<i>Poa trivialis</i>
Brome, California	<i>Bromus carinatus</i>
Brome, downy	<i>Bromus tectorum</i>
Crabgrass, large	<i>Digitaria sanguinalis</i>
Crabgrass, smooth	<i>Digitaria ischaemum</i>
Crowfootgrass	<i>Dactyloctenium aegyptium</i>
Cupgrass, Southwestern	<i>Eriochloa gracilis</i>
Cupgrass, woolly	<i>Eriochloa villosa</i>
Foxtail, giant	<i>Setaria faberi</i>
Foxtail, green	<i>Setaria viridis</i>
Foxtail, yellow	<i>Setaria glauca</i>
Goosegrass	<i>Eleusine indica</i>
Itchgrass	<i>Rottboellia exaltata</i>
Johnsongrass (from seed)	<i>Sorghum halepense</i>
Junglerice	<i>Echinochloa colona</i>
Lovegrass (from seed)	<i>Eragrostis</i> spp.
Millet, wild proso	<i>Panicum dichotomiflorum</i>
Panicum, browntop	<i>Panicum fasciculatum</i>
Panicum, fall	<i>Panicum dichotomiflorum</i>
Panicum, Texas	<i>Panicum texanum</i>
Red rice	<i>Oryza sativa</i>
Ryegrass, Italian	<i>Lolium multiflorum</i>
Sandbur, field	<i>Cenchrus incertus</i>
Shattercane	<i>Sorghum bicolor</i>
Signalgrass, broadleaf	<i>Brachiaria platyphylla</i>
Sprangletop, Mexican	<i>Leptochloa uninervia</i>
Sprangletop, red	<i>Leptochloa filiformis</i>
Witchgrass	<i>Panicum capillare</i>
Broadleaf Weeds	
Amaranth, Palmer	<i>Amaranthus palmeri</i>
Amaranth, Powell	<i>Amaranthus powellii</i>
Beggarweed, Florida	<i>Desmodium tortuosum</i>
Bittercress	<i>Cardamine</i> spp.
Burnweed, American	<i>Erechtites hieraciifolia</i>
Burweed, lawn	<i>Soliva pterosperma</i>
Carpetweed	<i>Mollugo verticillata</i>
Chamomile, mayweed	<i>Anthemis cotula</i>

(continued)

Common Name	Scientific Name
Broadleaf Weeds (continued)	
Chickweed, common	<i>Stellaria media</i>
Chickweed, mouseear	<i>Cerastium vulgatum</i>
Clover, hop	<i>Trifolium procumbens</i>
Cudweed	<i>Gnaphalium</i> spp.
Dogfennel	<i>Eupatorium capillifolium</i>
Doveweed	<i>Murdannia nudiflora</i>
Eclipta	<i>Eclipta alba</i> <i>E. prostrata</i>
Evening primrose	<i>Oenothera biennis</i>
Fiddleneck	<i>Amsinckia intermedia</i>
Filaree	<i>Erodium</i> spp.
Fleabane	<i>Erigeron strigosus</i>
Galinsoga, hairy	<i>Galinsoga ciliata</i>
Galinsoga, smallflower	<i>Galinsoga parviflora</i>
Groundsel, common	<i>Senecio vulgaris</i>
Hawksbeard, Asiatic	<i>Youngia japonica</i>
Henbit	<i>Lamium amplexicaule</i>
Horseweed	<i>Conyza canadensis</i>
Knotweed, prostrate	<i>Polygonum aviculare</i>
Kochia	<i>Kochia scoparia</i>
Lambsquarters, common	<i>Chenopodium album</i>
Lettuce, wild	<i>Lactuca</i> spp.
Liverwort	<i>Marchantia polymorpha</i>
Mallow, little	<i>Malva parviflora</i>
Marsh parsley	<i>Apium leptophyllum</i>
Mulberry weed	<i>Fatoua villosa</i>
Nightshade, black	<i>Solanum nigrum</i>
Nightshade, cutleaf	<i>Solanum triflorum</i>
Nightshade, Eastern black	<i>Solanum ptycanthum</i>
Nightshade, hairy	<i>Solanum sarrachoides</i>
Pearlwort	<i>Sagina procumbens</i> or <i>S. decumbens</i>
Pennycress, field	<i>Thlaspi arvense</i>
Pepperweed	<i>Lepidium virginicum</i>
Phyllanthus, chamberbitter	<i>Phyllanthus urinaria</i>
Phyllanthus, long-stalked	<i>Phyllanthus tenellus</i>
Pigweed, prostrate	<i>Amaranthus blitoides</i>
Pigweed, redroot	<i>Amaranthus retroflexus</i>
Pigweed, smooth	<i>Amaranthus hybridus</i>

(continued)

DRAFT

Annual Weeds Controlled

CanDo™ Granular Weed Preventer will control the following weeds. *(continued)*

Common Name	Scientific Name
Broadleaf Weeds <i>(continued)</i>	
Pigweed, tumble	<i>Amaranthus albus</i>
Pineappleweed	<i>Matricaria matricarioides</i>
Puncturevine	<i>Tribulus terrestris</i>
Purslane, common	<i>Portulaca oleracea</i>
Purslane, water	<i>Ludwigia palustris</i>
Pusley, Florida	<i>Richardia scabra</i>
Ragweed, common	<i>Ambrosia artemisiifolia</i>
Rocket, London	<i>Sisymbrium irio</i>
Shepherdspurse	<i>Capsella bursa-pastoris</i>
Smartweed, Pennsylvania	<i>Polygonum pennsylvanicum</i>
Sowthistle	<i>Sonchus arvensis</i>
Speedwell, corn	<i>Veronica arvensis</i>
Spurge, annual	<i>Chamaesyce</i> spp. <i>Euphorbia</i> spp.
Tassel-flower	<i>Emilia</i> spp.
Thickhead	<i>Crassocephalum crepidioides</i>
Velvetleaf	<i>Abutilon theophrasti</i>
Waterhemp, common	<i>Amaranthus rudis</i>
Waterhemp, tall	<i>Amaranthus tuberculatus</i>
Willowherb	<i>Epilobium</i> spp.
Willowherb, hairy	<i>Epilobium hirsutum</i>
Willowherb, Northern	<i>Epilobium ciliatum</i>
Woodsorrel, yellow	<i>Oxalis</i> spp. <i>O. corniculata</i> <i>O. stricta</i>
Yellowcress, marsh	<i>Rorippa islandica</i> or <i>R. palustris</i>
Yellowcress, Southern	<i>Rorippa teres</i> or <i>R. walteri</i>
Sedges	
Flatsedge, rice	<i>Cyperus iria</i>
Kyllinga species	<i>Kyllinga</i> spp.
Nutsedge, yellow	<i>Cyperus esculentus</i>
Sedge, annual	<i>Cyperus</i> spp.

DRAFT

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

***CanDo** is a trademark of BASF.*

DRAFT

© 2024 BASF Corporation
All rights reserved.

007969-00347.20210928b.**NVA 2021-04-400-0180**
Supersedes: NVA 2011-04-400-0249

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry

Appendix

Product Claims

- Treats 1000 square feet
- Easy way to apply
- Prevents germination of more than 100 weeds
- Controls over 100 weeds
- Stops weeds from germinating
- Prevents weeds up to 3 months
- Weed-free ornamental garden beds
- Season-long weed-free ornamental garden beds
- Excellent, broad-spectrum weed control
- Prevents germination of sedges, broadleaf weeds and annual grasses
- Prevents [germination of] weed grasses, sedges, and broadleaf weeds
- Use with confidence around shrubs, ornamental and landscape beds

DRAFT