



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 12, 2017

Christi Keating
BASF Corporation
P.O. Box 13528, 26 Davis Drive
Research Triangle Park, NC 27709

Subject: Label Amendment – To delete the bait block sublabel and to add graphics
Product Name: TC 411
EPA Registration Number: 7969-383
Application Date: August 3, 2017
Decision Number: 532257

Dear Ms. Keating:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.


A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 7969-383
Decision No. 532257


Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Gene Benbow by phone at 703-347-0235, or via email at Benbow.Gene@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Venus Eagle", with a small "Ar" written to the right of the main signature.

Venus Eagle, Product Manager 01
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Outer Carton/Bag Front Label {Note to PM: Bold Italicized text enclosed in "{ }" is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by "/" denotes and/or options.}



TC 411
[Product Name]

Kills House Mice

This bait station is resistant to weather and to tampering by children and dogs.
For use indoors and outdoors.

ACTIVE INGREDIENT:

Cholecalciferol 0.075%

OTHER INGREDIENTS: 99.925%

TOTAL: 100.000%

EPA Reg. No. 7969-383

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN
CAUTION

Read additional precautionary statements on back [side] panel.

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
2 Refill[s] [Bait]
[Net Contents:] 2/0.5 OZ. [14 g] / 2/14 g [0.5 OZ.]
TOTAL: 1 OZ. [28 g] / TOTAL: 28 g [1 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
4 Refill[s] [Bait]
[Net Contents:] 4/0.5 OZ. [14 g] / 4/14 g [0.5 OZ.]
TOTAL: 2 OZ. [56 g] / TOTAL: 56 g [2 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
5 Refill[s] [Bait]
[Net Contents:] 5/0.5 OZ. [14 g] / 5/14 g [0.5 OZ.]
TOTAL: 2.5 OZ. [70 g] / TOTAL: 70 g [2.5 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
6 Refill[s] [Bait]
[Net Contents:] 6/0.5 OZ. [14 g] / 6/14 g [0.5 OZ.]
TOTAL: 3 OZ. [84 g] / TOTAL: 84 g [3 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
8 Refill[s] [Bait]
[Net Contents:] 8/0.5 OZ. [14 g] / 8/14 g [0.5 OZ.]
TOTAL: 4 OZ. [112 g] / TOTAL: 112 g [4 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
10 Refill[s] [Bait]
[Net Contents:] 10/0.5 OZ. [14 g] / 10/14 g [0.5 OZ.]
TOTAL: 4.9 OZ. [140 g] / TOTAL: 140 g [4.9 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
12 Refill[s] [Bait]
[Net Contents:] 12/0.5 OZ. [14 g] / 12/14 g [0.5 OZ.]
TOTAL: 5.9 OZ. [168 g] / TOTAL: 168 g [5.9 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
14 Refill[s] [Bait]
[Net Contents:] 14/0.5 OZ. [14 g] / 14/14 g [0.5 OZ.]
TOTAL: 6.9 OZ. [196 g] / TOTAL: 196 g [6.9 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
16 Refill[s] [Bait]
[Net Contents:] 16/0.5 OZ. [14 g] / 16/14 g [0.5 OZ.]
TOTAL: 7.9 OZ. [224 g] / TOTAL: 224 g [7.9 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
18 Refill[s] [Bait]
[Net Contents:] 18/0.5 OZ. [14 g] / 18/14 g [0.5 OZ.]
TOTAL: 8.9 OZ. [252 g] / TOTAL: 252 g [8.9 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
20 Refill[s] [Bait]
[Net Contents:] 20/0.5 OZ. [14 g] / 20/14 g [0.5 OZ.]
TOTAL: 9.9 OZ. [280 g] / TOTAL: 280 g [9.9 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
22 Refill[s] [Bait]
[Net Contents:] 22/0.5 OZ. [14 g] / 22/14 g [0.5 OZ.]
TOTAL: 10.9 OZ. [308 g] / TOTAL: 308 g [10.9 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
24 Refill[s] [Bait]
[Net Contents:] 24/0.5 OZ. [14 g] / 24/14 g [0.5 OZ.]
TOTAL: 11.9 OZ. [336 g] / TOTAL: 336 g [11.9 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
26 Refill[s] [Bait]
[Net Contents:] 26/0.5 OZ. [14 g] / 26/14 g [0.5 OZ.]
TOTAL: 12.8 OZ. [364 g] / TOTAL: 364 g [12.8 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
28 Refill[s] [Bait]
[Net Contents:] 28/0.5 OZ. [14 g] / 28/14 g [0.5 OZ.]
TOTAL: 13.8 OZ. [392 g] / TOTAL: 392 g [13.8 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
30 Refill[s] [Bait]
[Net Contents:] 30/0.5 OZ. [14 g] / 30/14 g [0.5 OZ.]
TOTAL: 14.8 OZ. [420 g] / TOTAL: 420 g [14.8 OZ.]

[Contains:] 1 [Refillable] Bait Station[s] [and] [+]
32 Refill[s] [Bait]
[Net Contents:] 32/0.5 OZ. [14 g] / 32/14 g [0.5 OZ.]
TOTAL: 15.8 OZ. [448 g] / TOTAL: 448 g [15.8 OZ.]

Outer Carton/Bag Back Label {Note to PM: Bold Italicized text enclosed in “{ }” is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by “/” denotes and/or options.}

[Important: For **Directions For Use** and **First Aid** instructions in Spanish, please call [phone number].]

[Importante: Para **instrucciones de uso y primeros auxilio** en español por favor llame al [phone number].]

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give anything to an unconscious person.
<p>Note to Physician: If serum calcium levels are elevated, treatment with Calcitonin is effective in reducing calcium to normal levels. Continue monitoring serum calcium and treat as necessary for hypercalcemia (Reference, AMA Drug Evaluations. Third Edition (1977), Chapter 16, pp. 248-251).</p> <p>Treatment for Pet Poisoning: If animal eats bait, call a veterinarian at once.</p> <p>Note to Veterinarians: Calcium Mobilizer Cholecalciferol: For animals ingesting bait, induce vomiting by using hydrogen peroxide or administration of activated charcoal with a cathartic. If clinical signs develop, treatment consisting of saline diuresis combined with the use of furosemide, corticosteroids and phosphate binders are recommended. Calcitonin or pamidronate may be needed for animals that remain hypercalcemic despite symptomatic treatments.</p>	
[HOTLINE/CONTACT] NUMBER	
<p>In case of emergency, call [toll free] [1-800-832-HELP (4357)/alternate phone number]. Have the product container or label with you when calling a poison control center or doctor or going for treatment.</p>	

Precautionary Statements

Hazards to Humans and Domestic Animals:

CAUTION. Harmful if swallowed. Keep away from humans, domestic animals, and pets. All handlers (including applicators) must wear gloves. Any person who retrieves carcasses, exposed bait, or bait station following application of this product must wear gloves. Wash hands with soap and water after handling bait station.

Environmental Hazards:

This product is toxic to fish, birds, and other wildlife. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon rodents or other animals that have eaten this bait. **DO NOT** apply directly to water.

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label before using this product. Follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

Use Restrictions:

- Only use bait in bait station to control house mice. This bait station may be used [[in and around] or [within 50 feet of]] homes accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. **DO NOT** apply further than 50 feet away from home or building.

- **DO NOT** place bait station in areas where there is a possibility of contaminating food or surfaces that come into direct contact with food.

Selection of Treatment Areas:

Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, or in other locations where there are signs of house mice.

To Control House Mice:

First Placement:

1. Remove bait station from carton/bag.
2. Place bait station in a corner or along a wall or other vertical surface in an appropriate location. See **Use Restrictions** and **Selection of Treatment Areas**.

Position station so that both of the entrance holes are exposed and not blocked. If more than one bait station is used, space the stations at intervals of 6 to 12 feet in the infested area. If a bait station has not been fed from after 3 days, it may be moved to another location appropriate for controlling house mice. If bait has been removed or has become soiled or spoiled, remove residual material and reload the station with a new soft bait. See **To [Load or] Refill**. Wear gloves when performing these tasks. Maintain stations in position with bait in them for at least 15 days or as long as activity persists.

Wearing gloves, collect and dispose of all dead animals and leftover bait properly as specified on this label. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment.

Outer Carton/Bag Back Label {Note to PM: Bold Italicized text enclosed in “{ }” is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by “/” denotes and/or options.}

To [Load or] Refill: {Pictograms will be added to illustrate each step.}

You will need both hands to open the station.

1. Find the latch on the underside of the station and the top button.
2. Using one hand, pull the bottom latch fully in the direction shown by the arrow with your index finger and fully press the button on top of the station with your thumb.
3. While still pulling on the bottom latch and pressing the top button, swing the window open with your other hand.

{Registrant will select one of the two following sets of instructions to appear on the marketplace label}

{First Set:}

4. Wearing gloves, remove a new soft bait from the [bag/package/box/container], leaving the protective wrapper in place.
5. Place the new soft bait [with the [perforated/protective] wrapper] into the station ensuring that the peg goes through [the hole in]/[the center of] the soft bait. Press bait firmly into the station.
6. Close the station by swinging the window back into place until a click is heard.
7. Wash hands thoroughly.

{Second Set:}

4. Wearing gloves, place the new soft bait [with the perforated/protective wrapper] into the station ensuring that the peg goes through [the hole in]/[the center of] the soft bait. Press bait firmly into the station.
5. Close the station by swinging the window back into place until a click is heard.
6. Wash hands thoroughly.

[NOTICE TO BUYER AND USER

Buyer and user assume all responsibility for safety and risk associated with any use not in accordance with directions. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER’S SOLE LIABILITY AND BUYER’S AND USER’S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.]**

STORAGE AND DISPOSAL

Pesticide Storage

Store in original container in a dry place inaccessible to children and pets.

Pesticide Disposal and Container Handling

Non-refillable container. DO NOT reuse or refill this container except as described in the Directions For Use. If empty: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

Outer Carton/Bag Back Label {Note to PM: Bold Italicized text enclosed in “{ }” is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by “/” denotes and/or options.}

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION (“BASF”) or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER’S EXCLUSIVE REMEDY AND BASF’S AND SELLER’S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer and User accept it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS915

[Bitrex is a registered trademark of Macfarlan Smith.]

[Corner Fit is a trademark of Reckitt Benckiser.]

[Questions?] {telephone icon}

[Company Phone Number/Hotline Number]

[For ingredient [and other] information/Para información sobre los ingredientes, www.rbnainfo.com]

[Distributed by/Distribuido por]/[Manufactured for]:

[Reckitt Benckiser]

[Parsippany, NJ 07054-0224]

[Bait made in United Kingdom, Station made in Mexico/
Cebo hecho en Reino Unido, Estación hecha en México]

[Packaged in U.S.A.] [Components from {insert country}]

[Company Name] © [date]

[Company Logo]

© 2017 BASF Corporation
All rights reserved.

007969-00383.20170802b.NVA 2017-04-520-0144

Supersedes: NVA 2015-04-520-0099

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



We create chemistry

Labeling for Station {Note to PM: Bold Italicized text enclosed in "{ }" is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by "/" denotes and/or options.}

[Peel Back]

TC 411 [Product Name]

Kills House Mice

This bait station is resistant to weather and to tampering by children and dogs.
For use indoors and outdoors.

ACTIVE INGREDIENT:

Cholecalciferol 0.075%

OTHER INGREDIENTS: 99.925%

TOTAL: 100.000%

EPA Reg. No. 7969-383

EPA Est. No.

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH BAIT STATION CAUTION

If swallowed, call a physician or veterinarian. See outer package label for additional First Aid, Precautionary Statements, and Directions For Use.

This bait station can only be refilled with the bait blocks sold with this station.

[Questions?] {telephone icon} [Company Phone Number/Hotline Number]

[For ingredient (and other) technical information, www.rbnainfo.com]

[Distributed by/Distribuido por]/[Manufactured for]: [Reckitt Benckiser]
[Parsippany, NJ 07054-0224]

[Bait made in United Kingdom, Station made in Mexico/Cebo hecho en Reino Unido, Estación hecha en México]

[Packaged in U.S.A.] [Components from {insert country}]

[Company Name] © [date]

Net Contents: 0.5 OZ. [14 g] / 14 g [0.5 OZ.]

Labeling for Outer Carton/Bag Front, Back, or Side Panel Label *(Note to PM: Bold Italicized text enclosed in “{ }” is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by “/” denotes and/or options.)*

{Pictograms Illustrating Refill Directions}

To load or refill see **To [Load or] Refill** Section

Step 1



Steps 2 - 5



Step 6



Labeling for Outer Carton/Bag Front, Back, or Side Panel Label *(Note to PM: Bold Italicized text enclosed in “{ }” is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by “/” denotes and/or options.)*

{Optional Marketing Claims}

1. Active Ingredient/Efficacy/Palatability:

- Kills house mice
- Patented/Patent Pending formula/formulation/technology
- d-CON baits: killing mice in America for over 60 years
- *Satisfaction Guaranteed or your money back
- Kills anticoagulant-resistant house mice
- First deaths appear 3 days after feeding begins
- First kill/death on day 3
- Mice start to die at day 3
- Mice begin to die at day 3
- Mice begin to die as early as day 3
- Effective, mice die as early as day 3
- Contains denatonium benzoate (**Bitrex**[®], bittering agent)
- Guaranteed to kill* or your money back

2. Bait Station:

- Compact design
- Tamper-resistant by children/dogs
- Use indoors/outdoors
- Ready to use
- Corner Fit**[™]
- No need to touch the bait when initially placing the bait station
- Mouse enters, then feeds on bait, mouse exits, then dies later
- Window shows how much bait is left
- Can be used in compact places around the home
- Refillable bait station
- Tamper-resistant to [children][dogs][weather]
- Good for [indoor/outdoor] use
- Child/dog resistant station
- Kid and Dog Resistant [Bait] Station
- Kid & Dog Tamper Resistant [Bait Station]
- Kid and Dog Tested [Bait] Station
- Kid Tested [bait station]
- Dog resistant [bait] station
- Dog Tested [bait station]
- Durable design of [bait] station is child and dog resistant
- Child and dog resistant [bait] station
- Child, dog and weather – resistant [bait station]
- Child resistant [bait station]
- Soft bait contained in each station
- Bait Station is child (and dog) resistant
- Control house mouse problems
- For use indoors and out
- Helps reduce house mice problems
- Value Pack

Labeling for Outer Carton/Bag Front, Back, or Side Panel Label *{Note to PM: Bold Italicized text enclosed in “{ }” is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by “/” denotes and/or options.}*

- Child tamper-resistant [bait] station
- Clear window [for easy monitoring]
- Indoor/outdoor use
- Fits in the station without unwrapping
- No need to unwrap
- No need to touch the [bait/poison]
- Water resistant
- May be used indoors/outdoors
- Able to see if the bait is eaten through the window
- Station accommodates entry and feeding by all house mice
- All ages and sizes of house mice can enter the bait station
- Mice can access the station when it is placed flat
- Works if placed horizontally
- Works if placed flat
- Double [button/latch] locking system
- Designed for use in a variety of locations:
 - Garage
 - Basement
 - Laundry
 - Attic
 - Behind appliances
- Station comes with bait already in it
- Pre-loaded, ready-to-use bait station
- Ready to Use/Ready-to-Use Bait Station
- Refillable
- Refillable Bait Station [with/contains] Bait refills
- (x) Refillable Bait Station(s)
- (x) (Refill(s)) (Bait) (Blocks)
- (x) Refillable Bait Station(s) + X Refills
- (x) (Refillable) Bait Station(s)
- (x) Refills + (x) Refillable Bait Station(s)
- Bait station contains enough bait to kill multiple house mice

Labeling for Outer Carton/Bag Front, Back, or Side Panel Label *{Note to PM: Bold Italicized text enclosed in “{ }” is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by “/” denotes and/or options.}*

{Optional Marketing Claims with Pictograms}

Clear window lets you know when to replace bait or dispose of bait station

Compact design

Low profile bait station

Mouse enters, then feeds on bait, mouse exits, then dies later

Refillable

Window shows how much bait is left

Can be used in compact places around the home

Use in compact places/spaces

Designed for use in a variety of locations:

- Garage
- Basement
- Laundry
- Attic
- Behind appliances

{Optional Marketing Claims with Pictograms and Qualifier}

{The following qualifier statement must appear on the same panel and in close proximity to the below claims and pictograms}

Must adhere to the **Use Restrictions** in the **Directions For Use** section of this label.

Can be used in compact places around the home

Designed to fit in corners, indoors and outdoors, at locations specified in the **Directions For Use**

Directions for use: {pictograms showing use sites}

Fits behind some furniture/appliances in label permitted locations

Fits in almost any corner

Use inside/in cabinets/closets/garages/attics

Use behind/under/between appliances

Use underneath/under cabinets

Use in compact places/spaces

Window shows how much bait is left

{6 Month Introductory Claims (only for use for the first 6 months of commercialization)}

New


Labeling for Outer Carton/Bag Front, Back, or Side Panel Label *(Note to PM: Bold Italicized text enclosed in “{ }” is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by “/” denotes and/or options.)*

{Optional Pictograms}

Optional pictogram of front panel graphic of brand name with “Kills house mice” claim



Optional pictograms showing use sites and directions for use:



Optional pictogram for “Window shows how much bait remains in the bait compartment”



Optional pictograms showing variety of use site locations:



Labeling for Outer Carton/Bag Front, Back, or Side Panel Label *{Note to PM: Bold Italicized text enclosed in “{ }” is information for the reviewer and not part of the label. [Bracketed information is optional text.] Text separated by “/” denotes and/or options.}*

Optional pictogram for “Mouse enters, then feeds on bait, mouse exits, then dies later”



Optional pictograms for child & dog resistant claims:



© 2017 BASF Corporation
All rights reserved.

007969-00383.20170802b.NVA 2017-04-520-0144
Supersedes: NVA 2015-04-520-0099

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry