


(Flies, Worms and Foot Rot Control)

ACTIVE INGREDIENTS

OTHER INGREDIENTS

Food ingredients



No. Weight: Description: Remarks:



6 8 4 9 5 4 8 2 1 0 3
15
DIRECTIONS FOR USE

Use CATTLE MINERAL EWI MEDICATED as the sole source of salt. CATTLE MINERAL EWI MEDICATED, provide one-half ounce per day for each 100 pounds of body weight. This is equivalent to one quarter pound per day for each 800 pound animal, and at the same time will provide a minimum of phenothiazine per 100 pounds of body weight, and 50 milligrams per head daily of choline diaminodihydrochloride for the prevention of liver rot in cattle and salt toxicosis. Use raw.

Feed CATTLE MINERAL EWI MEDICATED as a central feeder collected from each individual animal or as small amounts by feeding area.

NOTE: For more information about salt and mineral needs of dairy cattle, please refer to your veterinarian or nutritionist feeding program for CATTLE MINERAL EWI. CATTLE MINERAL EWI MEDICATED is not to be fed alone from the feed bale. It is to be fed in conjunction with other mineral sources. Since fatty acids are present in the mineral, it is recommended that the time of administration be limited to the time of feeding. If the animal is to be moved, do not change the mineral until the animal has been acclimated to the new location.

For more information about salt and mineral needs of cattle, consult your veterinarian.

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasites.

GENERAL CLASSIFICATION
It is a violation of Federal law to use this product in a manner inconsistent with labeling.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION

ENVIRONMENTAL HAZARDS

STORAGE AND DISPOSAL

- KEEP DRY
- KEEP DUST FREE
- KEEP CLEAN
- KEEP OUT OF REACH OF CHILDREN
- KEEP FROM FIRE
- STORE IN A COOL, DRY PLACE
- DISPOSE OF CONTAINER ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS

BEST DOCUMENT-AVAILABLE