



ARMSTRONG ALGAE RID

Swimming Pool Algaecide

ACTIVE INGREDIENTS

n-Alkyl (50% C 14, 40% C 12, 10% C 16) dimethyl benzyl ammonium chloride . . . 10%

INERT INGREDIENTS

Water and ethanol 90%

EPA Registration No. 7998-3

DANGER
KEEP OUT OF REACH OF CHILDREN Severe eye irritant. May cause eye and skin damage. Do not get in eyes or on skin. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID
In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes, then promptly get medical attention. In case of skin contact flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink large quantities of fluids and get medical attention immediately.

Sold by

Armstrong Chemical Co.
Hugo, Oklahoma

ACCEPTED
June 2, 1972
FEDERAL BUREAU OF INVESTIGATION
LABORATORY
UNDER NO. 7998-3

The presence of algae in outdoor swimming pools is objectionable because of the color, cloudiness, odor, and increased chlorine demand of the water. The use of Armstrong Algae-Rid will help to maintain the water in a clean condition. Algae-Rid is compatible with the usual water treatment chemicals. By controlling algae growth with Algae-Rid the chlorine demand of the pool may be significantly reduced.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and bury in a safe place.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

DIRECTIONS

1. In freshly filled pools or pools showing no visible algae growth add one gallon Algae Rid per 50,000 gallons of water to prevent algae growth.
2. If algae growth is observed, add one gallon Algae-Rid for each 20,000 gallons of water to kill and control those algae species most commonly found in swimming pools. When existing growth is dead, clean the pool, drain and refill if necessary, and add one gallon Algae-Rid per 50,000 gallons of water.
3. If the pool water treated as in (1) or (2) is recycled, add one gallon per 50,000 gallons of water every five to seven days to maintain between two and five parts per million active ingredient. See serviceman for test kit.
4. If the pool water treated as in (1) or (2) above is not recycled or not filtered it should be tested periodically to determine the active ingredient content. When necessary, one gallon Algae-Rid per 50,000 gallons of water should be added to maintain two to five parts per million of active ingredient.