AUG 27 2004

Mr. John J. Wrubel
Regulatory Affairs Director
NIPPON SODA COMPANY, LTD.
NISSO AMERICA, INC.
220 East 42nd Street Suite 3002
New York, NY 10017

Dear Mr. Wrubel:

This is in response to your request dated June 30, 2004 to change the primary brand name for **EPA Registration 8033-21** from <u>Pristine RTU</u> Insecticide to:

ACETAMIPRID RTU INSECTICIDE

Your request for the name change is accepted and the change will be made to the Agency's records. All future correspondence on this product should reference the new name.

Sincerely yours,

Sherada D. Hobgood

Notifications Review Coordinator

Registration Division (7505C)

| Please read instructions on reverse before completing form. | | | Form Approved, | OMB No. 2070-0 | 0060, Approval expires 05-31-98 | |
|--|---------------------------------------|-------------------------|--|-------------------|---|--|
| Ω EDA | United State | es | ☐ Registra | tion | OPP Identifier Number | |
| S EPA | Environmental Prote | ction Agency | _ | | | |
| Washington, DC 2046 | | | ⊠ Other: | | | |
| | Application for Pesticide - Section I | | | | | |
| Company/Product Number | | | Product Manager | · | Proposed Classification | |
| | 8033-21 | | t / A. Abramovitch | 1 | э. гторовеч Ставалтация | |
| 4. Company/Product (Name) | | PM# | | | None Restricted | |
| PRISTINE brand RTU | | | Team 4 | | | |
| 5. Name and Address of Appli Nippon Soda Co., Ltd. | cant (Include ZIP Code) | | 6. Expedited Review . In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling | | | |
| c/o Nisso America Inc. | | (b)(l), n | ny product is similar | or identical in | composition and labeling | |
| 220 East 42 nd Street, Suite | e 3002 | " | F | | | |
| New York, NY 10017 | | | NOTIFICATION | | | |
| Check if this is a | new address | Produc | t Name | AUC 9.7 | 0.00 | |
| | | Section | on - II | A00 0 1 / | 2004 | |
| Amendment – Explain be | elow. | | Final printed labels | s in response to | Agency letter dated | |
| Resubmission in respons | se to Agency letter dated | | Me Too" Application | on | | |
| Notification - Explain below | | | Other - Explain be | low | | |
| | itional page(s) if necessa | | | | | |
| NOTIFICATION OF THE CH | | | | | QUIRED. 6, and no other changes have | |
| | | | | | on of 18 U.S.C. Sec. 1001 to | |
| willfully make any false state | ement to EPA. I further und | derstand that if the | his notification is not co | onsistent with tl | he terms of PR notices 98-10 | |
| and 40 CFR 152.46, this pro | duct may be in violation of | FIFRA and I ma | ay be subject to enforce | ement action a | nd penalties under sections | |
| 12 and 14 of FIFRA. | | | | | | |
| | | Sectio | | - | | |
| Material This Product Will | Be Packaged In: | | | | | |
| Child-Resistant Packaging | Unit Packaging | | Water Soluble Packag | ging | 2. Type of Container | |
| Yes* | ☐ Yes | 1 | Yes | | Metal | |
| ☐ No | □ No | | □ No | | Plastic | |
| <u> </u> | If "Yes" Unit Packaging wgt | No. per t. container | if "Yes" Package wgt. | No. per container | Glass | |
| *Certification must | Silk i densegnig vig- | i. Comanic. | i donagog | Container | Paper | |
| be submitted | | | | | Other (Specifiy) | |
| | | | | | Label Directions | |
| | | | | On Label | | |
| 6. Manner in Which Label is | Affixed to Product Lif | thograph | ☐ Other | Un labelin | g accompanying product | |
| V. Maillioi ili TTIIIGII EGDO, IO | | aper glued | | | | |
| | | enciled | | | | |
| Section - IV | | | | | | |
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application; | | | | | | |
| Name | • | | | | elephone No. (Include Area | |
| John J. Wrubel Reg | | | egulatory Affairs Director | | ode) 212-490-0351 | |
| | Certific | cation | | | 6. Date application | |
| | have made on this form and al | II attachments the | | | Received | |
| under applicable law. | ngly false or misleading stateme | | nable by fine or imprisonm | | : .(Stamped) | |
| 2. Signature | 11 / | 3. Title | | otor | • | |
| 4. Typed Name | Wrubel | 5. Date | Regulatory Affairs Director | | * 10 - 3 | |
| | 4. Typed Name John J. Wrubel | | June 30, 2004 | | \$ 1 4 2 3 0 4 4 4 | |



NISSO AMERICA, INC.

220 EAST 42ND STREET, SUITE 3002 NEW YORK, NY 10017

PHONE: (212) 490-0350

FAX: (212) 972-9361

June 30, 2004

Document Processing Desk [NOTIF] Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency 1921 Jefferson Davis Highway, CM-2 Arlington, VA 22202

Re:

NOTIFICATION OF CHANGE OF PRIMARY BRAND NAME

(EPA Reg. No. 8033-21) as per PR Notice 98-10

Dear Sir/Madam:

Nippon Soda Co., Ltd. is hereby notifying US EPA of the CHANGE IN PRIMARY BRAND NAME of Pristine brand RTU Insecticide (EPA Reg. No. 8033-21). The new primary brand name for this registration is:

ACETAMIPRID RTU Insecticide.

There are no fees associated with this action.

Nippon Soda Co., Ltd. in care of Nisso America Inc. is submitting a copy of the revised label with the new primary brand name added via notification as per PR Notices 98-10. The change is highlighted for ease in review. Nippon Soda Co., Ltd. certifies that no other changes to the label have been made. We are also enclosing a completed notification form (EPA Form 8570-1) and five loose copies of the proposed label for your convenience.

Thank you for processing this notification and should you have any questions please contact me directly at you earliest convenience via telephone at 212-490-0351 or e-mail at <u>i.wrubel@nissoamerica.com</u>.

John J. Wrubel Regulatory Affairs Director

encls.

Acetamiprid RTU Insecticide

| For Homeowner Use | |
|--|---|
| ACTIVE INGREDIENT: Acetamiprid, (E)-N1-[(6-chloro-3-pyridyl INERT INGREDIENTS: | methyl]-N ² -cyano-N ¹ -methylacetamidine |
| EPA Reg. No. 8033-21 | EPA Est. No. |

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label find someone to explain it to you in detail.)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-424-9300 For PRODUCT USE Information Call 1-212-490-0350

FIRST AID

| octor for treatment advice. by a poison control center or doctor. wallow. scious person. h water for 15-20 minutes. rst 5 minutes, then continue rinsing. | 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | e e e e e e e e e e e e e e e e e e e |
|--|---|---|
| scious person. h water for 15-20 minutes. | 10 W 10 M | * * * * * * * * * * * * * * * * * * * |
| scious person. h water for 15-20 minutes. | H. 192 12 14 15 14 15 14 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15 | er |
| | He were | e en en en he |
| rst 5 minutes, then continue rinsing. | age of the tea | d |
| | | ь. |
| nent advice. | | and well |
| | | w a to t |
| or 15-20 minutes. | | 1 min 2 W |
| tment advice. | | our ope for right |
| | ferably mouth- | -to-mouth if possible. |
| | tment advice. | tment advice. Pulance, then give artificial respiration, preferably mouth- |

For MEDICAL Emergencies Call 24 Hours A Day 1-800-424-9300.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: There is no specific antidote. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to other materials other than this product may have occurred.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

Harmful if inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Keep out of reach of children and domestic animals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. PERSONAL PROTECTIVE EQUIPMENT (PPE)

Users of this product must wear long-sleeved shirt, long pants, shoes and socks.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

EPA Reg. No. 8033-21 Notification June 30, 2003

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwater or rinsate.

This pesticide is toxic to wildlife. This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treated area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

GENERAL INFORMATION

Apply to outdoor plants when insect problems are noticed. For outdoor use only. Do not apply indoors. Do not apply this product in a way that the spray will contact persons, either directly or through drift. Keep children and pets out of treated areas until sprays have thoroughly dried.

Shake container gently before using. Hold sprayer 8 to 12 inches from the area to be treated. Spray only until surface is wet. Thoroughly cover leaf surfaces since some pests may be found on the undersides of the leaves.

Do not apply if wind speed exceeds 10 mph. Always stand "up wind" when applying this product.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE

Store unused product in a cool, ventilated, dry, locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 115° F (46° C). NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.

DISPOSAL

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

FLOWERS AND ORNAMENTAL PLANTS

| APPLICATION SITE | INSECTS CONTROLLED | SPECIFIC USE DIRECTIONS |
|---|--|---|
| FLOWERS AND ORNAMENTAL PLANTS | Aphids Citrus thrips European pine sawfly Leafhoppers Mealybugs Whiteflies | Direct spray toward the upper and lower leaf surfaces and stems where pests appear. Apply as soon as insect problems are noticed. |
| RESTRICTIONS AND PRECAUTIONS: Flowers a Do not make more than 5 applications per sea | | |
| Do not apply more than once every 7 days. | | |

EPA Reg. No. 8033-21 Notification June 30, 2003

LEAFY VEGETABLES

| APPLICATION SITE | INSECTS CONTROLLED | SPECIFIC USE DIRECTIONS |
|--|--------------------|---|
| LEAFY VEGETABLES Amaranth, Arrugula, Cardoon, Celery, Celtuce, Chervill, Chrysanthemum (edible leaved, garland), Corn Salad, Cress (garden, upland), Dandelion, Dock, Endive, Florence Fennel, | Aphids | Direct spray toward the upper and lower leaf surfaces and stems where pests appear. Apply as soon as insect problems are noticed. |
| Lettuce (head, leaf), Orach, Parsley, Purslane (garden, winter), Radicchio, Rhubarb, Spinach (leaf, vine, New Zealand), Swiss Chard | | |
| RESTRICTIONS AND PRECAUTIONS: Leafy Vegetables Do not make more than 5 applications per season. Do not apply more than once every 7 days. | | |
| Do not apply less than 7 days before harvest (PHI = 7 days). | | |

COLE CROPS

| APPLICATION SITE | INSECTS CONTROLLED | SPECIFIC USE DIRECTIONS |
|--|--------------------|---|
| COLE CROPS | Aphids | Direct spray toward the upper and lower leaf surfaces and stems |
| Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, | Whiteflies | where pests appear. Apply as soon as insect problems are noticed. |
| Kale, Kohlrabi, Mizuna, Mustard Greens, Mustard Spinach, | | |
| Rape Greens | | |
| RESTRICTIONS AND PRECAUTIONS: Leafy Vegetables | | |
| Do not make more than 5 applications per season. | | |
| Do not apply more than once every 7 days. | | |
| Do not apply less than 7 days before harvest (PHI = 7 days). | | |

FRUITING VEGETABLES (Except Cucurbits such as Cucumber, Squash, Pumpkins, Gourds)

| APPLICATION SITE | INSECTS CONTROLLED | SPECIFIC USE DIRECTIONS |
|---|------------------------|---|
| FRUITING VEGETABLES | Aphids | Direct spray toward the upper and lower leaf surfaces and stems |
| Eggplant, Groundcherry, Pepino, Pepper (bell pepper, chili | Colorado Potato Beetle | where pests appear. Apply as soon as insect problems are noticed. |
| pepper, cooking pepper, pimento, sweet pepper), Tomatillo, | Tomato Fruitworm | |
| Tomato | Whiteflies | |
| RESTRICTIONS AND PRECAUTIONS: Fruiting Vegetables (e | xcept Cucurbits) | |
| Do not make more than 4 applications per season. | | |
| Do not apply more than once every 7 days. | | |
| . Do not apply less than 7 days before harvest (PHI = 7 days) | l. | |

CITRUS FRUITS

| APPLICATION SITE | INSECTS CONTROLLED | SPECIFIC USE DIRECTIONS |
|--|--|---|
| CITRUS FRUITS Calamondin, Citrus hybrids (chironja, tangelo, tangor), Grapefruit, Kumquat, Lemon, Lime, Mandarin (tangerine), Orange (sour, sweet), Pummelo, Satsuma mandarin | Aphids Citrus thrips Leafhoppers Mealybugs Scales (Caribbean black, California red) Whiteflies | Direct spray toward the upper and lower leaf surfaces and stems where pests appear. Apply as soon as insect problems are noticed. |
| RESTRICTIONS AND PRECAUTIONS: Citrus Fruits Do not make more than 5 applications per season. Do not apply more than once every 7 days. Do not apply less than 7 days before harvest (PHI = 7 days). | | |

POME FRUITS

| APPLICATION SITE | INSECTS CONTROLLED | SPECIFIC USE DIRECTIONS |
|---|--|--|
| POME FRUITS Apple, Crabapple, Loquat, Mayhaw, Pear, Quince | Aphids Leafhoppers Tentiform leafminer | Direct spray toward the upper and lower leaf surfaces and stems where pests appear. Time applications per local Extension Service recommendations. |
| RESTRICTIONS AND PRECAUTIONS: Pome Fruits Do not make more than 4 applications per season. Do not apply more than once every 12 days. Do not apply less than 7 days before harvest (PHI = 7 days). | | Toolimiciaaliono |

EPA Reg. No. 8033-21 Notification June 30, 2003

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Nippon Soda Co., Ltd. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: NIPPON SODA CO., LTD. MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Nippon Soda Co., Ltd. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. NIPPON SODA CO., LTD. DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT NIPPON SODA CO., LTD.'S ELECTION, THE REPLACEMENT OF THE PRODUCT.

NET CONTENTS:

Nippon Soda Co., Ltd. 2-1, 2-Chome Ohtemachi Chiyoda-ku, Tokyo 100-8165 Japan