8033-31

04/04/2005

74

| | U.S. ENVIRONMENTAL PROTECTION AGENCY | EPA Reg. | Date of |
|--|---|-----------------------------------|------------------------|
| UNITED STATES | Office of Pesticide Programs Registration Division (7505C) | Number: | |
| AGENCY STREET | 401 "M" St., S.W. Washington, D.C. 20460 | 8033-31 | APR 4 2005 |
| | OTICE OF PESTICIDE: | Term of Issuance: | |
| 14/ 5=0184 | Registration Reregistration | Conditional | |
| (u), | | Name of Pesticide | Product: |
| | | | d (F5025) 0.15% |
| | | Sweet Bait | Gel Cockroaches |
| Name and Address of Registra | ant (include ZIP Code): | | |
| Nisso America Inc. | | | |
| 45 Broadway, Suite | 2120 | | |
| New York, NY 100 | 06 | ,, | |
| | ering in substance from that accepted in connection with this se of the label in commerce. In any correspondence on this | | |
| Fungicide and Rodenticide Ac | | | |
| environment, the Administrato acceptance of any name in co | construed as an endorsement or recommendation of this pr r, on his motion, may at any time suspend or cancel the regi nnection with the registration of a product under this Act is n | stration of a pesticide in accord | ance with the Act. The |
| | it has been covered by others. It is conditionally registered in accor | dance with FIFRA | sec. 3(a)(7)(A) |
| provided that you: | , – | | |
| 1 Submit | and/or cite all data required for regis | tration of your prov | duct under EIEDA |
| | the Agency requires all registrants of | | |
| | acceptable responses required for re | - | |
| FIFRA section 4. | | | |
| | | | |
| 2. Make th | e following label changes before yo | u release the produ | uct for shipment: |
| a. Revise t | he EPA Registration Number to re | ead, "EPA Reg. No | o. 8033-31". |
| | lectrical to shock in "do not use | | |
| hazard exi | sts" - the end sentence of the Cra | ick and Crevice A | pplication |
| section. | | | - |
| | | | |
| | t provide storage stability and corro ne registration date of this product. | sion characteristics | data within one |
| A copy of the labe | I stamped "accepted with comments | s" is enclosed for v | our records |
| r sopy of the labo | | | |
| Signature of Approving Official | | Date: | 4 0005 |
| Akiva Abramovitch | , Ph.D. Jeine shamoviler | APR | 4 2005 |
| Chemist | | | |
| Insecticide-Roden | ticide Branch | | |
| Registration Divisi | on (7505C) | | |
| | | | |
| | | | |
| A Form 8570-6 | | | |

Nisso

Acetamiprid (F5025) 0.15% Sweet Bait Gel - Cockroaches PMP

EPA Est. No.

ACTIVE INGREDIENT:

| Acetamiprid | 0.15% |
|-------------------|-----------------|
| Inert Ingredients | . <u>99.85%</u> |
| | 100.00% |

EPA Reg. No. 8033-GR

1 oz gel per tube (28.35 g)

This product contains the bittering agent Bitrex.

Stop - Read the label before use. Keep out of reach of children.

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Keep out of reach of children and domestic animals.

Remove contaminated clothing and wash before reuse.

(Continued on next page.)

DRAFT EPA File Symbol 8033-GR Version March 29, 2005

with COMMENTS In EPA Letter Dated:

APR 4 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

| | FIRST AID | | |
|------------------------------|---|--|--|
| If swallowed | Immediately call a poison control center or doctor for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Have person sip a glass of water if able to swallow. • Do not give anything by mouth to an unconscious person. | | |
| lf in eyes | • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. | | |
| If on skin or clothing | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. | | |
| ≀f inhaled | • Move person to fresh air. • If person is not breathing, call 911 or an ambu-lance, then give artificial respiration, preferably by mouth-to- mouth, if possible. • Call a poison control center or doctor for further treatment advice | | |
| HOTLINE N | JMBER | | |
| control center o | ct container or label with you when calling a poison r doctor, or going for treatment. For MEDICAL and TION Emergencies Only Call CHEMTREC at 1-800- | | |
| NOTE TO P | HYSICIAN | | |
| signs and sympt | ific antidote. All treatment should be based on observed oms of distress in the patient. Overexposure to nan this product may have occurred. | | |
| For Information 1FMC (1362). | Regarding the Use of this Product Call 1-800-321- | | |

Nippon Soda Co., Ltd 2-1, 2-Chome Ohtemachi Chiyoda-ku, Tokyo 100-8165 Japan



DRAFT EPA File Symbol 8033-GR Version March 29, 2005

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Place gel as spots or beads in cracks and crevices where cockroaches have been seen and where they hide.

Do not spray bait gel. Avoid placing gel on surfaces freshly treated with insecticide(s)..

Gel should not be visible on vertical surfaces; it may drip if exposed to heat.

Inspect all bait gel and replace as needed.

GENERAL INFORMATION

Apply as a spot and/or crack and crevice application to spaces within structures, their walls and ceilings (both inside and out), and the immediate adjacent surrounding grounds. Such structures include, but are not limited to, residential (e.g. houses, apartments), commercial, industrial, and institutional buildings (e.g. restaurants, supermarkets, offices, hospitals, nursing homes, schools, warehouses, hotels, motels and utilities).

SPOT OR CRACK AND CREVICE APPLICATIONS

Spot treatments: This product should be applied as spots or droplets of approximately 4 to 6 mm (1/4 to 1/2 g) in diameter. Approximately 10 droplets per 10 linear ft. is recommended for use under conditions with low to moderate insect infestations. Approximately 40 droplets per 10 linear ft. is recommended for more severe infestations or where the population occurs in inaccessible locations, such as in wall voids. Under most circumstances, more numerous, smaller bait placements will provide faster and more effective control than fewer larger placements.

Crack and Crevice Treatments: This product may also be applied as a bead or thin film where appropriate. Bait should be applied into cracks and crevices in which insects hide or through which they may enter the building. Such openings commonly occur at expansion joints, between different elements of constructions, between, behind or under various types of equipment such as cabinets, refrigerators, sinks, stoves, dishwashers, and through floors, doors, windows, walls and ceilings. These openings may lead to voids such as hollow walls, hollow equipment legs and bases, utility entrances, electrical conduit, junction and switch boxes, and wall and floor drain exits. Trapping techniques or spot flushings will aid in determining areas with insect activity.

Species/Level of **Application Rate (Per** Infestation Linear ft.) Moderate infestations or 1-2 spots about the size of the gel syringe cap or 1 1/2"reapplications for German or Brown-Banded 3" bead cockroaches: 2-4 spots about the size of Severe or heavy infestations for German or the gel syringe cap or 3"-6" Brown-Banded bead cockroaches: Or Large cockroaches such as American, Smokey-Brown or Oriental:

Apply this product by placing the applicator tip directly into cracks and crevices and other openings or voids where insects may hide or harbor and deposit the bait as multiple spots or as a continuous bead. Care should be taken to avoid depositing the product onto open or exposed surfaces. During follow up visits, inspect bait placements and reapply as needed. If bait is completely consumed, reapply in the same location, as many insects (such as cockroaches) leave behind secretions and droppings to attract other insects to harborages and food sources. Do not use this product where a possibility of a shock hazard exists.

INDOOR PEST CONTROL

For indoor uses, make applications in a manner as previously described above under "Spot or Crack and Crevice Applications." Particular attention should be given to treating entry points and harborage areas. Place the applicator tip into cracks, crevices, voids, holes and other small openings where insects may hide. Apply small amounts of bait (up to 1/2 gram/spot) or as a bead or film at insect activity sites. Cleaning of all areas prior to use of this product will increase levels of control. Any foodstuffs infested with insect pests should be removed and destroyed. Applications to furniture should be restricted to those areas where contact to humans will not occur. Applications to textiles or fabrics may cause discoloration or staining.

OUTDOOR PEST CONTROL

Apply this product as a spot, bead or thin film to outside surfaces of buildings, porches, patios, door and window openings, crawl spaces, air conditioning units, utility entrances through outside walls, under siding/molding, in garages and other adjacent areas where pests have been seen or found. To help prevent infestation, treat areas adjacent to structures where pests may be active and may find nesting sites or harborage. Applications should be made to substrates adjacent to buildings, the building foundations, wall voids, attic and soffit vents, expansion joints, around doors and windows, soffit areas, eaves, under stairways, around screens, on fences, trees and other areas conducive to infestation. Do not apply this product to areas that have been recently sprayed with insecticides, and do not spray insecticides over gel, as it may cause the bait to become repellent.

Recommended spot size (1/4-1/2 gram)

DRAFT EPA File Symbol 8033-GR Version March 29, 2005

FOOD/FEED HANDLING ESTABLISHMENT APPLICATIONS

Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. Apply with syringe applicator directly into cracks and crevices. Place applicator tip 1/2 inch into cracks, crevices, holes and other small openings where cockroaches may be a problem. Apply small amounts of gel (up to 1/2 gram) per spot. Do not apply bait to areas where food/feed, food utensils or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing. Do not apply bait to surfaces where the temperature exceeds 130F as bait may run. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers and hot water pipes. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerator, cabinets, sinks, closets, stoves and other equipment where cockroaches hide. During followup visits, inspect bait placements and reapply when necessary. Application of this product in food/feed areas of food/feed handling establishments other then as a crack and crevice treatment is not permitted.

Resistance: Some insects are known to develop resistance to products used repeatedly for control. Development of resistance cannot be predicted. Therefore, use of this product should conform to resistance management strategies established for the use area. Consult your local or state pest management authorities for details.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in a cool, dry area out of reach of children. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or conditions beyond the control or Nippon Soda Co., Ltd. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Nippon Soda Co., Ltd. and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. Nippon Soda Co., Ltd. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or Nippon Soda Co., Ltd., and buyer assumes the risk of any such use.

In no event shall Nippon Soda Co., Ltd. or seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF Nippon Soda Co., Ltd. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF Nippon Soda Co., Ltd. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement. Nisso is a trademark of Nippon Soda Co., Ltd.