


6 SIXTEEN OZ. (One Pound) PACKAGES

Net Weight 6 Pounds

ACORN



RAT & MOUSE KILLER

ACTIVE INGREDIENT Warfarin (3-Alpha-Acetylbenzyl) - (4-Hydroxycoumarin) 0.025%
INERT INGREDIENTS 99.975%

GENERAL DIRECTIONS

Place baits in locations where rats and mice feed, water, and/or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable. Contaminated or spoiled baits should be replaced promptly.

DIRECTIONS FOR NORWAY AND ROOF RAT CONTROL:

Place 4 ounces to 1 pound of bait per placement. An uninterrupted supply of bait should be maintained for at least 15 days. Baits should be placed in areas not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes.

Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR HOUSE MOUSE CONTROL:

Tablespoon amounts (1/2 to 1 ounce) of bait per placement. An uninterrupted supply of bait should be maintained for at least 15 days.

Do not place baits in areas not accessible to children, pets, wildlife and domestic animals.

RAT & MOUSE KILLER

ACTIVE INGREDIENT: Warfarin (3-Alpha-Acetylbenzyl) - (4-Hydroxycoumarin) 0.025%
INERT INGREDIENTS 99.975%

GENERAL DIRECTIONS

Place baits in locations where rats and mice feed, water, and or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable. Contaminated or spoiled baits should be replaced promptly.

DIRECTIONS FOR NORWAY AND ROOF RAT CONTROL:

Place 4 ounces to 1 pound of bait per placement. An uninterrupted supply of bait should be maintained for at least 15 days. Baits should be placed in areas not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes.

Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR HOUSE MOUSE CONTROL:

Tablespoon amounts (1/4 to 1/2 ounce) of bait per placement. An uninterrupted supply of bait should be maintained for at least 15 days.

Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

IMPORTANT NOTICE

BAITING SHOULD CONTINUE UNTIL COMPLETE LACK OF FEEDING IS NOTED

Be sure that sufficient Acorn Rat and Mouse Killer is at hand to complete a continuous 15 day feeding program. If Acorn Rat and Mouse Killer is exhausted before rats or mice have been completely eliminated, it is important to obtain additional Acorn Rat and Mouse Killer promptly and avoid a delay of more than 1 or 2 days in the feeding program. Continuous uninterrupted feeding is what gives you control.

CAUTION ACORN RAT AND MOUSE KILLER contains as its active ingredient an anticoagulant chemical which, if taken by humans, domestic animals, wildlife or pets may reduce the clotting time of the blood, hemorrhage may result. In case baits are eaten, call a physician immediately.

NOTE FOR PHYSICIAN - When a human has been known to have ingested Acorn Rat and Mouse Killer, blood transfusions combined with intravenous injections and oral doses of Vitamin K are indicated as in the case of hemorrhage caused by Dicumarol R.

CAUTION KEEP OUT OF REACH OF CHILDREN
DO NOT REUSE EMPTY CONTAINER - DESTROY WHEN EMPTY

Manufactured by

The Lowman Company


WATERLOO, ILLINOIS 62451 EPA Reg. No. 8043-1



2 FIVE POUND PACKAGES

Net Weight 10 Pounds

ACORN



**RAT & MOUSE
KILLER**

ACTIVE INGREDIENT: Warfarin (3-Alpha-Acetylbenzyl) - (4-Hydroxycoumarin) 0.025%
INERT INGREDIENTS 99.975%

GENERAL DIRECTIONS

Place baits in locations where rats and mice feed, water, and/or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved, is desirable. Contaminated or spoiled baits should be replaced promptly.

DIRECTIONS FOR NORWAY AND ROOF RAT CONTROL:

ACTIVE INGREDIENT: Warfarin (3-Alpha-Acetylbenzyl) – (4-Hydroxycoumarin) 0.025%
INERT INGREDIENTS 99.975%

GENERAL DIRECTIONS

Place baits in locations where rats and mice feed, water, and/or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable. Contaminated or spoiled baits should be replaced promptly.

DIRECTIONS FOR NORWAY AND ROOF RAT CONTROL:

Place 4 ounces to 1 pound of bait per placement. An uninterrupted supply of bait should be maintained for at least 15 days. Baits should be placed in areas not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes.

Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR HOUSE MOUSE CONTROL:

Tablespoon amounts (¼ to ½ ounce) of bait per placement. An uninterrupted supply of bait should be maintained for at least 15 days.

Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

IMPORTANT NOTICE

BAITING SHOULD CONTINUE UNTIL COMPLETE LACK OF FEEDING IS NOTED

Be sure that sufficient Acorn Rat and Mouse Killer is at hand to complete a continuous 15 day feeding program. If Acorn Rat and Mouse Killer is exhausted before rats or mice have been completely eliminated, it is important to obtain additional Acorn Rat and Mouse Killer promptly and avoid a delay of more than 1 or 2 days in the feeding program. Continuous uninterrupted feeding is what gives you control.

CAUTION – ACORN RAT AND MOUSE KILLER contains as its active ingredient an anticoagulant chemical which, if taken by humans, domestic animals, wildlife or pets may reduce the clotting time of the blood. hemorrhage may result. In case baits are eaten, call a physician immediately.

NOTE FOR PHYSICIAN – When a human has been known to have ingested Acorn Rat and Mouse Killer, blood transfusions combined with intravenous injections and oral doses of Vitamin K are indicated as in the case of hemorrhage caused by Dicumarol R.

CAUTION KEEP OUT OF REACH OF CHILDREN

DO NOT REUSE EMPTY CONTAINER -- DESTROY WHEN EMPTY

Manufactured by

The Lowman Company

WATERLOO, INDIANA 46793

F.P.A. Registration No. 8043-1

