This **DISINFECTANT** is effective against a wide variety of gram-positive and gram-negative bacteria and pathogen : fungi.

This **DISINFECTANT** is also an excellent deodorant.

This DISINFECTANT mixes readily with water and makes a clear, stable solution. In use dilution, it is non-corrosive and non-staining on painted surfaces, plastics, tiles, glass and most metals.

WARNING

KEEP OUT OF REACH OF CHILDREN: Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist. DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

FIRST AID In case of contact, immediately flush eyes or skin, with plenty of watch for at least 15 minutes. If irritation persists, get medical attention. Remove and wash conteminated clothing before reuse.

It swallowed, drink promptly a large quantity of milk or it will easy white. If these are not available, drink a large quantity of water, Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard it

2 · · · . 1

Phenol Coefficient using A.O.A.C. method

- vs. Salmonella typhosa - 6

- vs. Staphylococcus aureus --- 7

- vs. Escherichia coli - 3

ACTIVE INGREDIENTS:

Isopropanol.	4 75°~
Pine oil	3.95%
Alkyl C ₁₄ , 58%, C ₁₆ , 28%, C ₁₂ , 14%	
dimethyl benzyl ammonium chloride	1.97
Total Active Ingredients	10.67
INERT INGREDIENTS	89.33 °u
TOTAL INGREDIENTS	100.00%

WARNING KEEP OUT OF REACH OF CHILDREN

(See other precautions and First Aid Statement on side panel)

NET CONTENTS: _

Phenol Coefficient using A.O.A.C. method

– vs. Salmonella typhosa – 6	
– vs. Staphylococcus aureus – 7	
vs. Escherichia coli 3	
ACTIVE INGREDIENTS:	
Isopropanol.	4.75°°
Pine officient and the second se	3.95°°
Alkyl C_{14} , 58°°; C_{16} , 28°°; C_{12} , 14°°	
dimethyl benzyl ammonium chloride	1.97°o
Total Active Ingredients	10.67° o
INERT INGREDIENTS	89.33° °
TOTAL INGREDIENTS	100.00°°

WARNING KEEP OUT OF REACH OF CHILDREN

(See other precautions and First Aid Statement on side panel)

NET CONTENTS:

ACCEPTED 8047-34 MAY 29 1974 UNDER The FEDERAL FICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO.8247-34 SUBJECT TO ATTACHED COMMENTS.

P 6

DIRECTIONS

Use for general disinfection in hospitals, public rooms, homes, restaurants, barber and beauty shops, and pet quarters. Recommended for walls, floors, tables, counters and glass, metal, plastic, tiled, procelain and finished wood surfaces.

FOR DISINFECTION

- 1. Flush away surface soils with water where possible.
- 2. Clean with a solution of 4 ounces of DISINFECTANT per gallon of water.
- 3. Rinse with clear water.
- 4. Apply disinfecting solution so as to thoroughly wet all surfaces. For non-porous, easily cleaned areas, make a disinfecting solution of 6 ounces of DISINFECTANT per gallon of water. For porous surfaces, areas difficult to clean, or contagious disease areas, make a disinfecting solution using 8 ounces of DISINFECTANT per gallon of water. Surfaces directly contacting food must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

FOR DEODORIZING

For garbage cans and similar refuse areas, use a solution of 16 ounces per gallon of water. Spray or wet all surfaces.