

POLY FOGGING INSECTICIDE

Is specially formulated for application in specialized equipment, fogging machines, spray. It will give fast knockdown and kill of insects, mosquitoes, flies and biting gnats.

CAUTION:

FLAMMABLE MIXTURE

Do not use, pour, spill or store near heat or open flame. Harmful if swallowed. Avoid contact with skin. Avoid breathing fog. Do not contaminate feed or food. Keep out of reach of children. Do not store or use near heat or open flame. Do not use in dairy barns. Do not allow fog to contaminate food or feed crops.

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on this label. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treating or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Do not reuse empty container, destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

"Do not reuse empty drum. [large drum] Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies."

SUPER POLY FOGGING INSECTICIDE

ACTIVE INGREDIENTS: 100%

Petroleum Distillate	98.20%
Pyrethrins	0.30%
Tech. Piperonyl Butoxide*	1.50%

*Equivalent to 1.20% of (butyl carbityl (6 propylpiperonyl) ether and to 0.30% of related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

SEE OTHER PRECAUTIONS ON SIDE PANEL.

MANUFACTURED FOR

SUPER POLY FOGGING INSECTICIDE

ACTIVE INGREDIENTS: 100%

Petroleum Distillate	98.20%
Pyrethrins	0.30%
Tech. Piperonyl Butoxide*	1.50%

*Equivalent to 1.20% of (butyl carbityl-
(6 propylpiperonyl) ether and to
0.30% of related compounds.

**CAUTION: KEEP OUT OF REACH OF
CHILDREN.**

SEE OTHER PRECAUTIONS ON SIDE PANEL.

MANUFACTURED FOR

DIRECTIONS FOR USE

Follow the manufacturer's directions for the individual type of applications selected. For temporary protection from mosquitoes, flies and biting gnats apply in the late afternoon when the wind velocity is below five miles per hour. Apply sufficient fog to saturate the area being sure to treat vegetation growth since this is the resting place of these insects. Repeat treatment as needed. For indoor use 4 ozs. per 1000 cubic feet of space. Cover securely or remove all food and food stuff from the area.

Net Content

EPA Est. 8047-LA-1
EPA REG. NO. 8047-36

